



Safety Data Sheet

## ACTIVATE FOODCARE ELECTRA CLEAN



Nonfood Compounds  
Program Listed K2  
Registration No 169856

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: Activate Foodcare Electra Clean  
Pure substance/mixture: Mixture  
Contains: Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; Propan-2-ol.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Cleaning agent.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Activate Lubricants Ltd  
Furthermore Hall  
CM7 4TX  
United Kingdom  
Tel: +44 (0) 1371 812970  
Email: [sales@activatelube.co.uk](mailto:sales@activatelube.co.uk)

#### 1.4. Emergency telephone number

Emergency tel: +44 (0) 1371 812970 (office hours only)  
UK Consumers: NHS 111  
Medical Professionals: [www.toxbase.org](http://www.toxbase.org)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Skin corrosion/irritation	Category 2 - (H315)
Specific target organ toxicity — single exposure	Category 3 - (H336)
Category 3 Narcotic effects	
Chronic aquatic toxicity	Category 2 - (H411)
Aerosols	Category 1 - (H222, H229)

#### 2.2. Label elements

Contains Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; Propan-2-ol



Signal word:

Danger.

Hazard statements:

H315 - Causes skin irritation.  
H336 - May cause drowsiness or dizziness.  
H411 - Toxic to aquatic life with long lasting effects.  
H222 - Extremely flammable aerosol.  
H229 - Pressurised container: May burst if heated.



Precautionary statements:

P102 - Keep out of reach of children.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Do not pierce or burn, even after use.  
P261 - Avoid breathing vapours/spray.  
P271 - Use only outdoors or in a well-ventilated area.  
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

No information available.

**SECTION 3: Composition/information on ingredients**

3.1 Substances

Not applicable.

3.2. Mixtures

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics 64742-49-0	30-60%	() 265-151-9	-	Flam. Liq. 2 (H225) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) STOT SE 3 (H336) Aquatic Chronic 2 (H411)	-	-	-
PETROLEUM GASES, LIQUEFIED <0.1% 1,3-BUTADIENE 68476-85-7	30-60%	() 270-704-2	-	Flam. Gas 1 (H220) Press. Gas (H280)	-	-	-
Propan-2-ol 67-63-0	5-10%	(603-117-00-0) 200-661-7	-	Flam. Liq. 2 (H225) Eye Irrit. 2 (H319) STOT SE 3 (H336)	-	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (UK REACH Article 59).



## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General advice:	Show this safety data sheet to the doctor in attendance
Inhalation:	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact:	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion:	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a doctor.
Self-protection of the first aider:	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms:	Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
-----------	---

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors:	Treat symptomatically.
------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray.
Large Fire:	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media:	Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical:	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated.
---	--

### 5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters:	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--



## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray.
Other information:	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders:	Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

Environmental precautions:	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
----------------------------	--

### 6.3. Methods and material for containment and cleaning up

Methods for containment:	Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor.
Methods for cleaning up:	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
Prevention of secondary hazards:	Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

Reference to other sections:	See section 8 for more information. See section 13 for more information.
------------------------------	--

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling:	Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapours or mists. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.
General hygiene considerations:	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.



## 7.2. Conditions for safe storage, including any incompatibilities

### Storage Conditions:

Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.

## 7.3. Specific end use(s)

### Risk Management Methods (RMM):

The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Exposure Limits

Chemical name	United Kingdom
PETROLEUM GASES, LIQUEFIED <0.1% 1,3-BUTADIENE 68476-85-7	TWA: 1000 ppm TWA: 1750 mg/m <sup>3</sup> STEL: 1250 ppm STEL: 2180 mg/m <sup>3</sup>
Propan-2-ol 67-63-0	TWA: 400 ppm TWA: 999 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1250 mg/m <sup>3</sup>

Biological occupational exposure limits: This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

#### Derived No Effect Level (DNEL) - Workers No information available

Chemical name	Oral	Dermal	Inhalation
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics 64742-49-0			1286.4 mg/m <sup>3</sup> [4] [7] 837.5 mg/m <sup>3</sup> [5] [6] 1066.67 mg/m <sup>3</sup> [5] [7]
PETROLEUM GASES, LIQUEFIED <0.1% 1,3- BUTADIENE 68476-85-7		23.4 mg/kg bw/day [4] [6]	
Propan-2-ol 67-63-0		888 mg/kg bw/day [4] [6]	500 mg/m <sup>3</sup> [4] [6]

Derived No Effect Level (DNEL) - General Public No information available.

Chemical name	Oral	Dermal	Inhalation
hydrocarbons, C7, n-alkanes, isoalkanes, cyclics 64742-49-0			1152 mg/m <sup>3</sup> [4] [7] 178.57 mg/m <sup>3</sup> [5] [6] 640 mg/m <sup>3</sup> [5] [7]
Propan-2-ol 67-63-0	26 mg/kg bw/day [4] [6]		89 mg/m <sup>3</sup> [4] [6]

Predicted No Effect Concentration (PNEC) No information available.

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Propan-2-ol 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Propan-2-ol 67-63-0	552 mg/kg sediment dw	552 mg/kg sediment dw	2251 mg/L	28 mg/kg soil dw	160 mg/kg food

## 8.2. Exposure controls

Engineering controls: No information available.

## Personal protective equipment

Eye/face protection: Tight sealing safety goggles. Safety glasses with side shields are recommended for medical or industrial exposures.

Hand protection: Impervious gloves. Wear suitable gloves.

Skin and body protection: Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Respiratory protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations: Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: Aerosol.

Colour: Clear.

Odour: Solvent.



Property	Values	Remarks / Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	-41 - 100	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	12.0	
Lower flammability or explosive limits	1.0	
Flash point	-40	None known
Autoignition temperature	246	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No information available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	0.644	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size		
Particle Size Distribution		
Explosive properties	No information available	
Oxidising properties	No information available	

## 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: No information available.

### 10.2. Chemical stability

Stability: Stable under normal conditions.

#### Explosion data

Sensitivity to mechanical impact: None.

Sensitivity to static discharge: Yes.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None under normal processing.



#### 10.4. Conditions to avoid

Conditions to avoid: Heat, flames and sparks.

#### 10.5. Incompatible materials

Incompatible materials: Strong acids. Strong bases. Strong oxidising agents.

#### 10.6. Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Information on likely routes of exposure

Inhalation: Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.

Eye contact: Specific test data for the substance or mixture is not available.

Skin contact: Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).

Ingestion: Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

##### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms: Redness. May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

##### Acute toxicity

###### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 7,625.90 mg/kg

ATEmix (dermal) 3,640.70 mg/kg

ATEmix (inhalation-gas) 99,999.00 ppm

ATEmix (inhalation-dust/mist) 99,999.00 mg/l

ATEmix (inhalation-vapour) 305.8963 mg/l

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	> 5000 mg/kg ( Rat )	> 3160 mg/kg ( Rabbit )	= 73680 ppm ( Rat ) 4 h
Propan-2-ol	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	> 10000 ppm ( Rat ) 6 h





Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation: Classification based on data available for ingredients. Causes skin irritation.  
Serious eye damage/eye irritation: No information available.  
Respiratory or skin sensitisation: No information available.  
Germ cell mutagenicity: No information available.  
Carcinogenicity: No information available.  
Reproductive toxicity: No information available.  
STOT - single exposure: May cause drowsiness or dizziness.  
STOT - repeated exposure: No information available.  
Aspiration hazard: No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecotoxicity: Toxic to aquatic life with long lasting effects.  
Unknown aquatic toxicity: Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	-	LC50: =8.41mg/L (96h, Oncorhynchus mykiss)	-	EC50: <0.26mg/L (48h, Daphnia magna)
Propan-2-ol	EC50: >1000mg/L (96h, Desmodesmus subspicatus) EC50: >1000mg/L (72h, Desmodesmus subspicatus)	LC50: =9640mg/L (96h, Pimephales promelas) LC50: =11130mg/L (96h, Pimephales promelas) LC50: >1400000µg/L (96h, Lepomis macrochirus)	-	EC50: =13299mg/L (48h, Daphnia magna)

### 12.2. Persistence and degradability

Persistence and degradability: No information available.

### 12.3. Bioaccumulative potential

Bioaccumulation:

## Component Information

Chemical name	Partition coefficient
PETROLEUM GASES, LIQUEFIED <0.1% 1,3-BUTADIENE	<=2.8
Propan-2-ol	0.05



#### 12.4. Mobility in soil

Mobility in soil: No information available.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment: No information available.

Chemical name	PBT and vPvB assessment
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	The substance is not PBT / vPvB
PETROLEUM GASES, LIQUEFIED <0.1% 1,3-BUTADIENE	The substance is not PBT / vPvB
Propan-2-ol	The substance is not PBT / vPvB

#### 12.6. Endocrine disrupting properties

No information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused products: Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging: Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

### SECTION 14: Transport information

#### IATA

14.1 UN number or ID number: UN1950  
14.2 UN proper shipping name: Aerosols, flammable  
14.3 Transport hazard class(es): 2.1  
14.4 Packing group: Not regulated  
Description: UN1950, Aerosols, flammable, 2.1  
14.5 Environmental hazards: Yes  
14.6 Special precautions for user  
Special Provisions: A145, A167, A802  
ERG Code: 10L

#### IMDG

14.1 UN number or ID number: UN1950  
14.2 UN proper shipping name: Aerosols, flammable  
14.3 Transport hazard class(es): 2.1  
14.4 Packing group: Not regulated  
Description: UN1950, Aerosols (Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics), 2.1, Marine pollutant  
14.5 Environmental hazards: Yes  
14.6 Special precautions for user  
Special Provisions: 63, 190, 277, 327, 344, 381, 959  
EmS-No.: F-D, S-U

## 14.7 Maritime transport in bulk according to IMO instruments

### RID

14.1 UN number or ID number:	UN1950
14.2 UN proper shipping name:	Aerosols
14.3 Transport hazard class(es):	2.1
14.4 Packing group:	Not regulated
Description:	UN1950, Aerosols, 2.1
14.5 Environmental hazards:	Yes
14.6 Special precautions for user	
Special Provisions:	190, 327, 344, 625
Classification code:	5F

### ADR

14.1 UN number or ID number:	UN1950
14.2 UN proper shipping name:	Aerosols, flammable
14.3 Transport hazard class(es):	2.1
14.4 Packing group:	Not regulated
Description:	UN1950, Aerosols, 2.1
14.5 Environmental hazards:	Yes
14.6 Special precautions for user	
Special Provisions:	327, 625, 344, 190
Classification code:	5F
Tunnel restriction code:	(E)

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations and/or  
restrictions on use:

This product does not contain substances subject to authorisation (UK REACH – Annex XIV). This product does not contain substances subject to restriction (UK REACH – Annex XVII).

Persistent Organic Pollutants: Not applicable.

Export Notification requirements: Not applicable.

Dangerous substance category per COMAH (SI 2015/483 as amended):

P3a - FLAMMABLE AEROSOLS

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

P3b - FLAMMABLE AEROSOLS

### Named dangerous substances per COMAH (SI 2015/483 as amended)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics - 64742-49-0	-	25000
PETROLEUM GASES, LIQUEFIED <0.1% 1,3-BUTADIENE - 68476-85-7	50	200

The Ozone-Depleting Substances Regulations 2015:

Not applicable



The Biocidal Products Regulations 2001 (as amended): Not applicable  
The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended):  
Not applicable  
Poisons Act 1972 (Explosive Precursors) Regulations (as amended): Not applicable

#### International Inventories

TSCA	See inventories below
DSL/NDSL	See inventories below
EINECS/ELINCS	See inventories below
ENCS	See inventories below
IECSC	See inventories below
KECL	See inventories below
PICCS	See inventories below
AIIC	See inventories below
NZIoC	See inventories below

#### Legend:

TSCA	United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL	Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS	Japan Existing and New Chemical Substances
IECSC	China Inventory of Existing Chemical Substances
KECL	Korean Existing and Evaluated Chemical Substances
PICCS	Philippines Inventory of Chemicals and Chemical Substances
AIIC	Australian Inventory of Industrial Chemicals
NZIoC	New Zealand Inventory of Chemicals

#### 15.2. Chemical safety assessment

Chemical Safety Report: No information available.

#### SECTION 16: Other information

Registration:	Activate Foodcare Electra Clean is NSF category K2 registered. Registration No 169856. This product is free from all allergens listed on the current FSA allergen list. Available on our website at <a href="http://www.activatelube.co.uk">www.activatelube.co.uk</a> .
Revision date:	As in footer.
Data sources:	SDS of suppliers. ECHA (European Chemicals Agency). REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

##### Legend

SVHC: Substances of Very High Concern for Authorisation:

##### Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		



#### Classification procedure:

Classification according to Regulation (EC) No. 1272/2008 [CLP]:	Method Used
Acute oral toxicity:	Calculation method
Acute dermal toxicity:	Calculation method
Acute inhalation toxicity – gas:	Calculation method
Acute inhalation toxicity – vapour:	Calculation method
Acute inhalation toxicity – dust/mist:	Calculation method
Skin corrosion/irritation:	Calculation method
Serious eye damage/eye irritation:	Calculation method
Respiratory sensitisation:	Calculation method
Skin sensitisation:	Calculation method
Mutagenicity:	Calculation method
Carcinogenicity:	Calculation method
Reproductive toxicity:	Calculation method
STOT - single exposure:	Calculation method
STOT - repeated exposure:	Calculation method
Acute aquatic toxicity:	Calculation method
Chronic aquatic toxicity:	Calculation method
Aspiration hazard:	Calculation method
Ozone:	Calculation method
Flammable aerosol:	On basis of test data

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
European Chemicals Agency (ECHA) (ECHA\_API)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization



This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.