



Safety Data Sheet
ACTIVATE FOAM CLEAN



Nonfood Compounds
Program Listed A1
Registration No 169139

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Activate Foam Clean

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Company name: Activate Lubricants Ltd
Furthermore Hall
CM7 4TX
United Kingdom
Tel: +44 (0) 1371 812970
Email: sales@activatelube.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 1371 812970 (office hours only)
UK Consumers: NHS 111
Medical Professionals: www.toxbase.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Acute toxicity – Inhalation (Vapours)	Not applicable
Serious eye damage / eye irritation	Category 2 – (H319)
Aerosols	Category 1 – (H222, H229)

2.2. Label elements



Signal word:

Hazard statements:

Precautionary statements

Danger.

H319 – Causes serious eye irritation.

H222 – Extremely flammable aerosol.

H229 – Pressurised container: May burst if heated.

P102 – Keep out of reach of children.

P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 – Do not spray on an open flame or other ignition source.



P251 - Do not pierce or burn, even after use.
P261 - Avoid breathing vapours/spray.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear eye protection/ face protection.
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

Causes mild skin irritation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	Weight %	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long term)
1-methoxy-2-propanol 107-98-2	10-30%	(603-064-00-3) 203-539-1	-	Flam. Liq. 3 (H226) STOT SE 3 (H336)	-	-	-
PETROLEUM GASES, LIQUEFIED <0.1% 1,3-BUTADIENE 68476-85-7	1-5%	() 270-704-2	-	Flam. Gas 1 (H220) Press. Gas (H280)	-	-	-
Sodium Benzoate 532-32-1	1-5%	208-534-8	-	Eye Irrit. 2 (H319)	-	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice:

Show this safety data sheet to the doctor in attendance.

Inhalation:

Remove to fresh air.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin contact:

Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.

Ingestion:

Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT Induce vomiting. Call a doctor.



Self-protection of the first aider: Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: May cause redness and tearing of the eyes. Burning sensation. Prolonged contact may cause redness and irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors: Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media: Dry chemical. Carbon dioxide (CO₂). Water spray.
Large Fire: CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media: DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical: Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters: Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray. Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8. For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions: Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment:	Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor.
Methods for cleaning up:	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
Prevention of secondary hazards:	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections:	See section 8 for more information. See section 13 for more information.
------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:	Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapours or mists. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.
General hygiene considerations:	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions:	Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.
---------------------	---

7.3. Specific end use(s)

Risk Management Methods (RMM):	The information required is contained in this Safety Data Sheet.
--------------------------------	--



SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Exposure limits:

Chemical name	United Kingdom
1-methoxy-2-propanol 107-98-2	TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm STEL: 560 mg/m ³ Sk*
PETROLEUM GASES, LIQUEFIED <0.1% 1,3-BUTADIENE 68476-85-7	TWA: 1000 ppm TWA: 1750 mg/m ³ STEL: 1250 ppm STEL: 2180 mg/m ³

Biological occupational exposure limits: This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) – Workers: No information available.

Chemical name	Oral	Dermal	Inhalation
1-methoxy-2-propanol 107-98-2	-	183 mg/kg bw/day [4] [6]	369 mg/m ³ [4] [6] 553.5 mg/m ³ [4] [7] 553.5 mg/m ³ [5] [7]
PETROLEUM GASES, LIQUEFIED <0.1% 1,3-BUTADIENE 68476-85-7	-	23.4 mg/kg bw/day [4] [6]	-
Sodium Benzoate 532-32-1	-	62.5 mg/kg bw/day [4] [6]	3 mg/m ³ [4] [6] 0.1 mg/m ³ [5] [6]

Derived No Effect Level (DNEL) - General Public: No information available.

Chemical name	Oral	Dermal	Inhalation
1-methoxy-2-propanol 107-98-2	33 mg/kg bw/day [4] [6]	-	43.9 mg/m ³ [4] [6]
Sodium Benzoate 532-32-1	16.6 mg/kg bw/day [4] [6]	-	1.5 mg/m ³ [4] [6] 0.06 mg/m ³ [5] [6]



Predicted No Effect Concentration (PNEC): No information available.

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
1-methoxy-2-propanol 107-98-2	10 mg/L	100 mg/L	1 mg/L	-	-
Sodium Benzoate 532-32-1	0.13 mg/L	305 µg/L	0.013 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
1-methoxy-2-propanol 107-98-2	52.3 mg/kg sediment dw	5.2 mg/kg sediment dw	100 mg/L	4.59 mg/kg soil dw	-
Sodium Benzoate 532-32-1	1.76 mg/kg sediment dw	0.176 mg/kg sediment dw	10 mg/L	0.06 mg/kg soil dw	300 mg/kg food

8.2. Exposure controls

Engineering controls: No information available.

Personal protective equipment:

Eye/face protection: Tight sealing safety goggles. Safety glasses with side shields are recommended for medical or industrial exposures.

Hand protection: Impervious gloves. Wear suitable gloves.

Skin and body protection: Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Respiratory protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations: Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Aerosol.

Colour: Clear.

Odour: Characteristic.

Property	Values	Remarks - Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	-41 117	None known
Flammability	No data available	None known
Flammability limit in air		None known
- Upper flammability or explosive limits	13.1	
- Lower flammability or explosive limits	1.8	
Flash point	<-40	None known
Autoignition temperature	270	None known
Decomposition temperature		None known
pH	No data available	None known
- pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
- Dynamic viscosity	No data available	None known
Water solubility	Soluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	0.963	None known
- bulk density	No data available	
- liquid density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
- particle size		
- particle size distribution		
Explosive properties	No information available	
Oxidising properties	No information available	

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity: No information available.

10.2. Chemical stability

Stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: None under normal processing.

10.4. Conditions to avoid

Conditions to avoid: Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials: None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure:

Product information:

- Inhalation: Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
- Eye contact: Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
- Skin contact: Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation. Causes mild skin irritation.
- Ingestion: Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics:

- Symptoms: May cause redness and tearing of the eyes. Prolonged contact may cause redness and irritation.
- Acute toxicity: Numerical measures of toxicity. The following values are calculated based on chapter 3.1 of the GHS document
- ATEmix (oral) 17,100.20 mg/kg
 - ATEmix (dermal) 65,032.50 mg/kg
 - ATEmix (inhalation-gas) 99,999.00 ppm
 - ATEmix (inhalation-dust/mist) 99,999.00 mg/l
 - ATEmix (inhalation-vapour) 170.70 mg/l

Component information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1-methoxy-2-propanol	= 5000 mg/kg (Rat)	= 13 g/kg (Rabbit)	> 7559 ppm (Rat) 6 h
Sodium Benzoate	= 4070 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

- Skin corrosion/irritation: Classification based on data available for ingredients. Causes mild skin irritation.
- Serious eye damage/eye irritation: Classification based on data available for ingredients. Causes serious eye irritation.
- Respiratory or skin sensitisation: No information available.
- Germ cell mutagenicity: No information available.
- Carcinogenicity: No information available.
- Reproductive toxicity: No information available.
- STOT - single exposure: No information available.
- STOT - repeated exposure: No information available.
- Aspiration hazard: No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity:

Unknown aquatic toxicity:

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to micro-organisms	Crustacea
1-methoxy-2-propanol	-	LC50: =20.8g/L (96h, Pimephales promelas)	-	EC50: =23300mg/L (48h, Daphnia magna)
Sodium Benzoate	-	LC50: 420 - 558mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas)	-	EC50: <650mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability: No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component information:

Chemical name	Partition coefficient
1-methoxy-2-propanol	<1
PETROLEUM GASES, LIQUEFIED <0.1% 1,3-BUTADIENE	<=2.8
Sodium Benzoate	-2.13

12.4. Mobility in soil

Mobility:

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment: No information available.

Chemical name	PBT and vPvB assessment
1-methoxy-2-propanol	The substance is not PBT / vPvB
PETROLEUM GASES, LIQUEFIED <0.1% 1,3-BUTADIENE	The substance is not PBT / vPvB
Sodium Benzoate	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products: Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging: Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

IATA

- 14.1 UN number or ID: UN1950
- 14.2 UN proper shipping name: Aerosols, flammable.
- 14.3 Transport hazard class(es): 2.1
- 14.4 Packing group: Not regulated.
- Description: UN1950, aerosols, flammable, 2.1
- 14.5 Environmental hazards: No.
- 14.6 Special precautions for user:
- Special provisions: A145, A167, A802
- ERG code: 10L

IMDG

- 14.1 UN number or ID number: UN1950
- 14.2 UN proper shipping name: Aerosols
- 14.3 Transport hazard class(es): 2.1
- 14.4 Packing group: Not regulated
- Description: UN1950, Aerosols, 2.1
- 14.5 Environmental hazards: No
- 14.6 Special precautions for user
- Special Provisions: 63,190, 277, 327, 344, 381, 959
- EmS-No: F-D, S-U
- 14.7 Maritime transport in bulk according to IMO instruments

RID

14.1 UN number or ID number: UN1950
 14.2 UN proper shipping name: Aerosols
 14.3 Transport hazard class(es): 2.1
 14.4 Packing group: Not regulated
 Description: UN1950, Aerosols, 2.1
 14.5 Environmental hazards: No
 14.6 Special precautions for user
 Special Provisions: 63,190, 277, 327, 344, 381, 959
 Classification code: 5F

ADR

14.1 UN number or ID number: UN1950
 14.2 UN proper shipping name: Aerosols
 14.3 Transport hazard class(es): 2.1
 14.4 Packing group: Not regulated
 Description: UN1950, Aerosols, 2.1
 14.5 Environmental hazards: No
 14.6 Special precautions for user
 Special Provisions: 63,190, 277, 327, 344, 381, 959
 Classification code: 5F
 Tunnel restriction code: (E)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations and/or restrictions on use: This product does not contain substances subject to authorisation (UK REACH - Annex XIV). This product does not contain substances subject to restriction (UK REACH - Annex XVII).

Persistent Organic Pollutants: Not applicable

Export Notification requirements: Not applicable

Dangerous substance category per COMAH (SI 2015/483 as amended):

P3a - FLAMMABLE AEROSOLS

P3b - FLAMMABLE AEROSOLS

Named dangerous substances per COMAH (SI 2015/483 as amended):

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
PETROLEUM GASES, LIQUEFIED <0.1% 1,3-BUTADIENE - 68476-85-7	50	200

The Ozone-Depleting Substances Regulations 2015: Not applicable

The Biocidal Products Regulations 2001 (as amended):

Chemical name	The biocidal products regulation 2001 (as amended)
Sodium Benzoate - 532-32-1	Cat A



The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended):

Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as amended): Not applicable

International Inventories

TSCA	See inventories below
DSL/NDSL	See inventories below
EINECS/ELINCS	See inventories below
ENCS	See inventories below
IECSC	See inventories below
KECL	See inventories below
PICCS	See inventories below
AIIC	See inventories below
NZIoC	See inventories below

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical safety report: No information available.

SECTION 16: Other information

Registration: Activate Foam Clean is NSF category A1 registered. Registration No 169139. This product is free from all allergens listed on the current FSA allergen list. Available on our website at www.activatelube.co.uk.

Revision date: As in footer.

Key or legend to abbreviations and acronyms used in the safety data sheet:

Full text of H-Statements referred to under section 3
H220 - Extremely flammable gas
H226 - Flammable liquid and vapour
H280 - Contains gas under pressure; may explode if heated.
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Classification procedure:

Classification according to Regulation (EC) No. 1272/2008 [CLP]:	Method Used
Acute oral toxicity:	Calculation method
Acute dermal toxicity:	Calculation method
Acute inhalation toxicity – gas:	Calculation method
Acute inhalation toxicity – vapour:	Calculation method
Acute inhalation toxicity – dust/mist:	Calculation method
Skin corrosion/irritation:	Calculation method
Serious eye damage/eye irritation:	Calculation method
Respiratory sensitisation:	Calculation method
Skin sensitisation:	Calculation method
Mutagenicity:	Calculation method
Carcinogenicity:	Calculation method
Reproductive toxicity:	Calculation method
STOT – single exposure:	Calculation method
STOT – repeated exposure:	Calculation method
Acute aquatic toxicity:	Calculation method
Chronic aquatic toxicity:	Calculation method
Aspiration hazard:	Calculation method
Ozone:	Calculation method
Flammable aerosol:	On basis of test data

Key literature references and sources for data used to compile the SDS:

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
 Organisation for Economic Co-operation and Development Screening Information Data Set
 World Health Organization



Full text of H-Statements referred to under section 3:

H220 - Extremely flammable gas

H226 - Flammable liquid and vapour

H280 - Contains gas under pressure; may explode if heated

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

Chemical name	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)
1-methoxy-2-propanol	Flam. Liq. 3 (H226) STOT SE 3 (H336)	-
PETROLEUM GASES, LIQUEFIED <0.1% 1,3-BUTADIENE	Flam. Gas 1 (H220) Press. Gas (H280)	-
Sodium Benzoate	Eye Irrit. 2 (H319)	-

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.