

From: [David Pocklington](#)
To: [SM-Defra-RESP-notifications \(DEFRA\)](#)
Subject: RE: EPR/FB3607HE/V004 Installations triage - additional information CRM:0183072
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[image006.jpg](#)
[EMS Documents.zip](#)
[Form Part C3 vs 2.pdf](#)
[Form Part C2 vs 2.pdf](#)
[Environmental Risk Assessment & Sensitive Receptors.pdf](#)
[Site Layout Plan.pdf](#)
[EA Payment - additional payment remittance.pdf](#)

Good afternoon,

Please find attached additional information in relation to the above application.

Confirmation of additional application fee

Site layout plan

Amended forms Part C2 and C3

EMS Documents (Enicor have a comprehensive EMS in place. I have provided the key EMS documents, but please let me know if you require any further documents)

Environmental Risk Assessment

Regarding the NIA and NMP, noise monitoring is still being considered by Enicor, the results of which would be provided to the EA before the 10 working day deadline following allocation to a permitting officer.

Please let me know if you have any queries.

Kind Regards

David

From: SM-Defra-RESP-notifications (DEFRA) <RESP-notifications@defra.gov.uk>
Sent: 12 January 2024 14:18
To: David Pocklington <david.pocklington@mayer-enviro.com>
Subject: EPR/FB3607HE/V004 Requesting additional information CRM:0183072

ALERT: This message originated outside of EMR's network. BE CAUTIOUS before clicking any link or attachment.



Dear David Pocklington

Requesting additional information

Application reference: EPR/FB3607HE/V004

Applicant: ENICOR Limited

Facility: B W Riddle A T F And Scrap Yard, South Fen Road, Bourne, PE10 0DN

Thank you for your application received on 02/06/2023.

We have reviewed your applications and have found that additional information is required for us to continue our assessment. Based on the nature of the information required and from what you told us during our telephone discussion with you, we consider that you would be able to provide the missing information by the 29/02/2024.

Please note that your application has not been allocated to a Permitting Officer and that we are not reviewing it for duly making purposes at this stage. It is possible that additional information may be requested at the duly making stage. We are giving you an opportunity to provide the missing

information to us while your application is on our queue awaiting allocation to a permitting officer. If you choose to submit this information now, this should save time during duly making checks. I have left the request regarding the application charge in the document attached. This is because it may take some time for the payment to transfer through our systems. The Duly Making Officer will be able to see the confirmation you have sent and the payment should have updated within our systems by then. I have also added the payment for the assessment of the noise management plan into the request for information document. Apologies for not including this before. As we have discussed and you have stated in your email, you may be looking to discuss the requirements of the noise impact assessment and management plan and therefore the outcome of the more in-depth technical discussions than I can provide in this triage will confirm whether this is necessary. You are welcome to choose whether you pay for the noise management plan prior to 29/02/2024 or after discussions with the Duly Making Officer.

If you choose not to submit this information now, then when your application is allocated to an officer, we will request it with a strict response period of 10 working days. If it can't be supplied within that timeframe your application will be returned as incomplete.

Please reply directly to this email for it to be logged appropriately.

Please include 'EPR ref no. XXX: Installations triage – additional information' in your email response to ensure it is managed correctly.

Note: The EA have a file size limit of 25MB, if your returns exceed this limit an online file transfer can be arranged with the determining officer during the duly making stage.

You do not need to contact us any further once you have submitted the requested information. The additional information and the other documents you submitted with your application will be checked when your application is allocated to a permitting officer.


Kind regards,

Claudia Cridge (she/her) Bsc (Hons), MRes
Senior Permitting Officer, Regulated Industry (Installations), National Permitting Service
Environment Agency | Quadrant 2, 99 Parkway Avenue, Sheffield, S9 4WF

claudia.cridge@environment-agency.gov.uk | 020 7714 1259

Please consider this a 'thank you' in advance.

Every email has a [carbon footprint](#). So, if you don't hear back from me, it's not because of you, it's because of the planet.



Do you operate a medium combustion plant or specified generator?
[Click here to find out if you need to meet the regulations](#)



Department for Environment, Food and Rural Affairs (Defra) This email and any attachments is intended for the named recipient only. If you have received it in error you have no authority to use, disclose, store or copy any of its contents and you should destroy it and inform the sender. Whilst this email and associated attachments will have been checked for known viruses whilst within Defra systems we can accept no responsibility once it has left our systems. Communications on Defra's computer systems may be monitored and/or recorded to secure the effective operation of the system and for other lawful purposes.