









MOTORIZATION AREAS	
M900-M909	-
M920-M938	-
M940-M948	-
M960-M971	-
M980-M983	-

ID	DESCRIPTION	AIR		ELECTRICITY		TREATED WATER		TREATED WATER (PULLER/LIBRARY)		SATURATED STEAM		EFFLUENT		CIP RETURN (WASH)		CIP RETURN (RINSE)		WEIGHT (kg)	H (m)	Ø (mm)					
		Pressure (bar)	Consumption (m³/h)	Connection	Flow Rate (m³/h)	Pressure (bar)	Connection	Temperature (°C)	Flow Rate (m³/h)	Pressure (bar)	Connection	Flow Rate (m³/h)	Pressure (bar)	Connection	Flow Rate (m³/h)	Pressure (bar)	Connection								
0.1	CAN DREPP RINSE	6	1	12" GAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
1.1	HEMA INTEGRATION	6	1	12" GAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	280	11	11				
1.2	HEMA INTEGRATION	6	1	12" GAS	7	-	-	-	-	-	-	-	-	-	-	-	-	-	280	11	11				
2.1	VERTICAL VALVE VOLUMETRIC PISTON FILLER WITH 4 PISTONS - MOD. 020-14-00	6	1	12" GAS	-	15	4	DN60	20	6.1	4	Ø 60x160	-	-	BEI-LAYOT	15	4	DN60	15	4	DN60	180	6	100	
3.1	PIZZA FILLER INTEGRATION	6	1	12" GAS	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.1	CHECK WEIGHER	6	1	12" GAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.1.1	EJECTION SYSTEM	6	1	12" GAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.1.2	EXTERNAL VALVES VACUUM FILLER WITH 12 EXTERNAL VALVES - MOD. 020-14-00	6	1	12" GAS	-	15	4	DN60	20	6.1	4	Ø 60x160	100	3	FMAS	BEI-LAYOT	15	4	DN60	15	4	DN60	180	4	200
4.2.1	VACUUM PUMP + CHILLER	6	1	12" GAS	-	-	5	2	12" GAS	20	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.3	HEAD SEWER - MOD. 004-00-00	6	1	12" GAS	-	5.1	5	FMAS	00-00	-	35	5	FMAS	BEI-LAYOT	-	-	-	-	-	-	-	-	-		
4.3.1	SECOND CHAIN MOTORIZED CONVEYOR FOR VACUUM FILLER BYPASS	6	1	12" GAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.3.2	MECHANICAL INSTALLATION OF CROWN BEARING CONTROL SYSTEM	6	1	12" GAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.5	EJECTION SYSTEM	6	1	12" GAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.6	MOTORIZED STAIRWELL FOR VACUUM FILLER BYPASS	6	1	12" GAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.7	AUTOMATIC COMPRESSOR	6	1	12" GAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.8.1	SECOND GENERATOR WITH METRIC LED SPINATOR ABLE TO REMOVE ANY PLASTIC FIBRES	6	1	12" GAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.12	LED FEEDING CONVEYOR	6	1	12" GAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5.1	HEFT LEVEL DETECTION INTEGRATION	6	1	12" GAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5.2	CAN WASHER FOR SIDE BODY AND TOP LID	6	1	12" GAS	-	6.1	3	FMAS	20	-	20	3	FMAS	BEI-LAYOT	-	-	-	-	-	-	-	-	-		
5.3	DRIVER INTEGRATION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5.4	COOLER INTEGRATION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5.5	XRAY INTEGRATION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5.5.1	COLLECTING SYSTEM WITH BASKET FOR ELECTED CANS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.0	BROWN AREA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.0.1	TWIST HEMA 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.0.2	TWIST HEMA 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.0.3	TWIST COMPACTOR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.0.4	TWIST PISTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.1	GREEN AREA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.2	BLUE AREA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.3	ORANGE AREA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.4	GREY AREA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.5	BLACK AREA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.6	PURPLE AREA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.7	PURPLE AREA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6.8	YELLOW AREA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7.1.8	LINE CONTROL PANEL BOARD - MOD. 000-000-FORM CHECK WEIGHER TO CANS OUTLET	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		



Tin cans d.73mm H.65mm
Tin cans d.73mm H.105mm
Tin cans d.73mm H.110mm

TACMI
TRADE MARK AND HEADQUARTERS
ZANCHELLI MECCANICA S.p.A.
Via Mantova 45, 37040 Mantova (Italy) - Tel. +39 0376 400000
Fax +39 0376 400001
E-mail: info@tacmi.it
www.tacmi.it

PRINCES FOODS
INGHILTERRA
LINEA RIMPIANTO/AGRAFFATURA
D.MAN
10-05-2019
D.MAN
07-11-2019
150

197500116
800005552