

From: [Adam Wilson](#)
To: [Summerill, Joanne](#)
Subject: Re: Not Duly Made 3
Date: 23 November 2023 15:38:49
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[image006.png](#)
[image007.png](#)
[DL 5 - Waste types and tonnages \(2\).pdf](#)
[DL 3 - ERA \(2\).pdf](#)
[DL 2 - Non Technical Summary \(2\).pdf](#)

Good afternoon

Please see my answers to your questions below -

Facility: Data Shredders Limited, Hostmoor Avenue, March, PE15 0AX

Thanks very much for the revised Non-technical summary and list of waste types and tonnages and the confirmation that you want this application to remain as a bespoke variation, which you kindly sent to us on 15/11/23.

As it will now still be a bespoke permit and not a Standard Rules I need to ask for some additional information.

Environmental Risk Assessment

Please provide a revised Environmental Risk Assessment which additionally includes the risks from flooding and accidents.

Please find attached an updated risk assessment covering these areas including the flooding for planning map.

Appropriate measures

In the email dated 26/09/23 I asked you to confirm which sections of the non-hazardous waste appropriate measures you will comply with in [Non-hazardous and inert waste: appropriate measures for permitted facilities - Guidance - GOV.UK \(www.gov.uk\)](#). You have confirmed in the revised Part C4 question 3a that you will meet various sections of the appropriate measures. However, there

are various appropriate measures for different waste sectors. Just for clarity, please confirm that the appropriate measures you are referring to are [Non-hazardous and inert waste: appropriate measures for permitted facilities - Guidance - GOV.UK \(www.gov.uk\)](#).

The appropriate measures reference are those for non-hazardous and inert waste.

Treatment capacity

Are the waste codes 15 01 04 and 20 01 40 treated in shredders? If they are, confirm the daily treatment tonnage.

The daily capacity is a tricky one for the above as its low volume and tends to be done on an as and when basis. The document DL 5 has been updated accordingly and the Non technical Summary DL 2 has also been amended and both of these documents are attached.

Best

On Thu, Nov 16, 2023 at 5:27 PM Summerill, Joanne <Joanne.Summerill@environment-agency.gov.uk> wrote:

Dear Adam Wilson

Environmental Permitting (England and Wales) Regulations 2016

Application reference: EPR/GB3503XJ/V002

Operator: DATASHREDDERS LIMITED

Facility: Data Shredders Limited, Hostmoor Avenue, March, PE15 0AX

Thanks very much for the revised Non-technical summary and list of waste types and tonnages and the confirmation that you want this application to remain as a bespoke variation, which you kindly sent to us on 15/11/23.

As it will now still be a bespoke permit and not a Standard Rules I need to ask for some additional information.

Environmental Risk Assessment

Please provide a revised Environmental Risk Assessment which additionally includes the risks from flooding and accidents.

Appropriate measures

In the email dated 26/09/23 I asked you to confirm which sections of the non-hazardous waste appropriate measures you will comply with in [Non-hazardous and inert waste: appropriate measures for permitted facilities - Guidance - GOV.UK \(www.gov.uk\)](https://www.gov.uk/guidance/non-hazardous-and-inert-waste-appropriate-measures-for-permitted-facilities). You have confirmed in the revised Part C4 question 3a that you will meet various sections of the appropriate measures. However, there are various appropriate measures for different waste sectors. Just for clarity, please confirm that the appropriate measures you are referring to are [Non-hazardous and inert waste: appropriate measures for permitted facilities - Guidance - GOV.UK \(www.gov.uk\)](https://www.gov.uk/guidance/non-hazardous-and-inert-waste-appropriate-measures-for-permitted-facilities).

Treatment capacity

Are the waste codes 15 01 04 and 20 01 40 treated in shredders? If they are, confirm the daily treatment tonnage.

Please send the information within 10 working days of this letter, or sooner if possible.

If we do not receive the information within 10 working days we will return your application.

If we do receive the requested information within 10 working days, we'll continue to check your application. We'll check to see if there's enough information for the application to be 'duly made'. Duly made means that we have all the information we need to begin determination. Determination is where we assess your application and decide if we can allow what you've asked for.

We'll let you know by letter whether your application can be duly made. If it can't be duly made, we'll return your application to you.

If we do have to return your application we'll send you a partial refund of your application payment. We'll retain 20% of the application charge to cover our costs in reviewing your application and requesting information. This maximum

amount we'll retain is capped at £1,500. Further information on charging can be found at: <https://www.gov.uk/government/publications/environmental-permits-and-abstraction-licences-tables-of-charges>

If you have any questions please phone me on 020 847 45479 or email joanne.summerill@environment-agency.gov.uk.

Thank you for your time and assistance.

Yours sincerely,
Joanne

Joanne Summerill
Permitting Officer (Waste), Birmingham Centre, National Permitting Service
Part of Operations – Regulation, Monitoring and Customer
Environment Agency | Aqua House, 20 Lionel Street, Birmingham, B3 1AQ

joanne.summerill@environment-agency.gov.uk

Office: 020 8474 5479

Mobile: 07867 328098

Working days: Monday to Friday

Website: www.gov.uk/environment-agency



Help us to improve our service and complete our customer survey – click [NPS Survey](#)

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

--

Adam Wilson
Director

07790040075



www.severncompliance.co.uk