

From: [Misba Tasawar](#)
To: [Cummins, Kate](#); [SM-Defra-RESP-notifications \(DEFRA\)](#)
Cc: [Andrew Irving](#)
Subject: Re: Fwd: EPR/ZP3332YR/V003 We Need More Information About Your Application (not duly made request for further information) CRM:0270032
Date: 04 July 2024 14:26:05
Attachments: [image.png](#)
[image.png](#)
[image.png](#)
[image.png](#)
[image.png](#)
[Example application form - broiler farm - Jan 2012.pdf](#)
[2017-02-21 BAT conclusions.pdf](#)
[Bioaerosol and dust management plan.doc](#)
[Technical Standards 04.07.2024.docx](#)
[Stowgate Variation - Supporting Documents 04.07.2024.doc](#)
[Stowgate Fire Risk Assessment.pdf](#)

Good Afternoon Kate,

1. Apologies for the error, there are no sensitive receptors within 100m of the site boundary. Please find attached an updated Bioaerosol and Dust Management Plan.
2. The Supporting Document has been updated with the correct title page. This also includes information on the biomass boilers and the standby generator, as requested.
3. A separate Technical Standards document has been prepared and attached. This also includes the changes to BAT 24 and 25 which will apply.
4. Please also find attached a Fire Risk Assessment for Stowgate which includes the risk of fire and storage of biomass fuel (section 1.2).

Please let us know if you require and additional information.

Kind regards,

Misba

Misba Tasawar
Environment Officer
Mobile: 07385 953968

From: Andrew Irving/H2S
To: Misba Tasawar/H2S@PDHOOK
Date: 25/06/2024 16:31
Subject: Fwd: EPR/ZP3332YR/V003 We Need More Information About Your Application (not duly made request for further information) CRM:0270032

Hi Misba,

Please see email below. I'll give you a call tomorrow to discuss.

Thanks
Andy

Sent from my iPhone

Begin forwarded message:

From: "SM-Defra-RESP-notifications (DEFRA)" <RESP-notifications@defra.gov.uk>
Date: 25 June 2024 at 16:22:59 BST
To: Andrew Irving <Andrew_Irving@hook2sisters.co.uk>
Cc: "Cummins, Kate" <kate.cummins@environment-agency.gov.uk>
Subject: **EPR/ZP3332YR/V003 We Need More Information About Your Application (not duly made request for further information) CRM:0270032**

Dear Andy,

Please note - this email has been adapted from a standard template.

Environmental Permitting (England and Wales) Regulations 2016

Application reference: EPR/ZP3332YR/V003

Operator: HOOK 2 SISTERS LIMITED

Facility: Stowgate Poultry Farm - EPR/ZP3332YR, Stowgate, Peterborough, PE6 8RW

Thank you for your application received on 13/02/2024.

We need to ask you for some missing information before we can do any more work on your application. Please provide us with more information to the following:

1. **Dust and Bioaerosol Management Plan (DBMP) and fee** – the DBMP submitted with the application states that there is one sensitive receptor within 100m of the installation boundary, but does not state where this is. Can you please submit a revised DBMP including the details of the location of the receptor and in addition, a fee of £620 for its assessment.
2. **Biomass boilers** – the current permit includes, as a directly associated activity (DAA), five biomass boilers with an with an aggregated thermal rated input not exceeding 1.075 MWth, for site heating requirements, burning biomass fuel not comprising waste or animal carcasses. The supporting information does not mention these, and states the poultry houses are warmed by LPG-fuelled space heaters. Can you please clarify which is correct and amend and submit the relevant supporting information if incorrect, including the risk assessment which should cover the risks of fire and storage of biomass fuel.
3. **Supporting documents** – you have submitted a document called ‘supporting documents’ which incorrectly states it is ‘supporting documents to transfer environmental permit’ on the first page, then on the second ‘application to

transfer an environmental permit'. It includes a section named 'summary of the site/management plans' in which the summary part includes details which should be ideally be named 'non-technical summary' for consistency with the application references (application C3.5 points to details in section 2 of the application form for the non-technical summary when we should really have a separate updated document for this). Can you please update and submit a revised document to correct these details, ideally with a section for the non-technical summary (and named this).

4. **Technical Standards (TS)** – application form C3.5 references a document named 'Emissions Controls' as the technical standards document. This doesn't include all the details we would require in an updated TS document for a change in livestock operation, which should also detail the changes to the drainage and point source emissions, and that the changes will comply with Best Available Techniques. Please see the example broiler application form attached, which includes an example of a TS on pages 34 – 38 Appendix 5 (please note, this document is old and some of the information and examples do not include the latest requirements for applications, however it can be used as a basic guide for some documents). I can see there is some of this information in your 'supporting documents' submitted with the application, but please submit the appropriate revised information in a separate TS, which will replace previous versions submitted for earlier applications.
5. **Standby generator** – please confirm the net thermal rated input of the standby generator on site, and that it will not be tested more than 50 hours per year or operated for more than 500 hours per year (averaged over 3 years) for combined testing and emergency use only as a temporary power source if there is a mains power failure.
6. **BAT conclusions** – please review the attached IRPP BAT conclusions 1 – 34, and confirm any changes to the relevant ones, as a result of the variation, will comply. This can be submitted in a separate document, or included within the technical standards document requested above.

Please reply directly to this email with your information and copy me in.

You must send us the information and or payment by 09/07/2024.

If we do not receive this by this deadline we will return your application.

If we receive what is missing by the deadline, we will continue to check your application. We'll check to see if there's enough information for the application to

be 'duly made'. Duly made means that we have all the information we need to begin determination. Determination is where we assess your application and decide if we can allow what you've asked for.

We'll let you know by email whether your application can be duly made. If it can't be duly made, we'll return your application to you.

If we do have to return your application we'll send you a partial refund of your application payment. We'll retain 20% of the application charge to cover our costs in reviewing your application. This maximum amount we'll retain is capped at £1,500. Further information on charging can be found at:

<https://www.gov.uk/government/publications/environmental-permits-and-abstraction-licences-tables-of-charges>

Note: Our email system has a file size limit of 25MB, if your returns exceed this limit you will have to arrange an online file transfer. Please ensure the file transfer link does not have a time limit on it.

If you have any questions please phone or email me at the details below. Please note, I will be on leave 26/06/2024 - 08/07/2027 (inclusive) so if you need to speak to me on my return and need an extension to the deadline please request this in an email.

Yours sincerely,
Kate

Kate Cummins

Senior Permitting Officer, National Permitting Service, Operations – Regulation,
Monitoring and Customer

Environment Agency | Richard Fairclough House, Latchford, Warrington WA4 1HT

kate.cummins@environment-agency.gov.uk

External: 020302 50727

Mobile: 07342 060495

Please note: my working days are Tuesday - Friday

Help us to improve our service and complete our customer survey – click [NPS Survey](#)

Department for Environment, Food and Rural Affairs (Defra) This email and any attachments is intended for the named recipient only. If you have received it in error you have no authority to use, disclose, store or copy any of its contents and you should destroy it and inform the sender. Whilst this email and associated attachments will have been checked for known viruses whilst within Defra systems we can accept no responsibility once it has left our systems. Communications on Defra's computer systems may be monitored and/or recorded to secure the effective operation of the system and for other lawful purposes.

Please consider the environment before printing this email

This is an email from P.D. Hook (Group) Limited, a company registered in England under company registration number 5196402, or one of its subsidiary companies. The registered office address of the company is:- Cote, Bampton, Oxfordshire, OX18 2EG

Please note the following information:-

Confidentiality: This email is intended only for the ordinary user of the email address to which it is addressed and should not be read by any other person. It is confidential and may contain legally privileged information. If you have received this message in error, please delete it and contact the sender at admin@pdhook.co.uk. If you are not the intended recipient, please note that any distribution, copying or use of this email or any information contained within it is strictly prohibited.

Security: Messages sent by email over the internet are not necessarily completely secure. We accept no responsibility for changes which may have been made to this email after it was sent. You should be aware of these risks if you communicate with us by email.

Viruses: We try to ensure that our messages and attachments are free from viruses. However, we cannot guarantee that messages and/or any attachments are actually virus free. As a matter of good computing practice, we advise you to check that this message is actually virus free upon receipt. If you have any doubts about the source of this message, please contact the person sending it to you.

Formation of contracts: You should note that only specified persons have authority to enter into contracts for and on behalf of the companies in the P.D. Hook Group. Unless the sender of this email specifically states that he or she is so authorised, then this message is not intended to create legal relations. If you are unsure about how to act on this email please contact the person sending it to you or email admin@pdhook.co.uk