

## ANALYTICAL REPORT

Page 1 of 1

**ACS Environmental Testing Ltd**  
**Unit 14 B**  
**Blackhill Road West, Holton Heath Trading**  
**Park**  
**Poole**  
**Dorset**  
**BH16 6LE**

**Date Received:** 08/04/2025

**Certificate Number:** 1403157-1 Final

**Order Number:** E/25-00727/13175

**Date Reported:** 11/04/2025

Lab Ref.	Sample Details	Method	Test	Result	Units	Limit	Flag
5009321	Desc: 93713 Order No: E/25-00727/13175 Received Date: 08/04/2025 Tested Date: 08/04/2025 Sampling Date: 07/04/2025 09:10 Sample Type: NS : Not Specified Product: SS-MICRO0	3724	Chromium VI	5.3	µg / l		*



Richard Brown  
Laboratory Manager

### Disclaimers:

Unless otherwise stated, all results apply to the sample as received. Information provided by the customer (includes Date, Time, Sample Matrix & Sample Description) can affect the validity of the result.  
Opinions and interpretations expressed in this report are outside the scope of UKAS accreditation.  
Details of Uncertainty of Measurement and Analytical Quality Control are available on request.  
Where a statement of conformity to a Regulatory Standard or customer limit is provided, the uncertainty of measurement is not taken into account unless shown on the certificate.  
\* - denotes non UKAS accredited test