

ANALYTICAL REPORT

Page 1 of 1

ACS Environmental Testing Ltd
Unit 14 B
Blackhill Road West, Holton Heath Trading Park
Poole
Dorset
BH16 6LE
Date Received: 23/04/2025

Certificate Number: 1409352-1 Final

Order Number: E/25-00847/13398

Date Reported: 30/04/2025

Lab Ref.	Sample Details	Method	Test	Result	Units	Limit	Flag
5020286	Desc: 94084 Order No: E/25-00847/13398 Received Date: 23/04/2025 Tested Date: 23/04/2025 Sampling Date: 22/04/2025 09:20 Sample Type: NS : Not Specified Product: SS-MICRO0 The matrix type has not been recorded and as a result the test result(s) may be invalid.	3724	Chromium VI	<2.0	µg / l		*



Richard Brown
Laboratory Manager

Disclaimers:

Unless otherwise stated, all results apply to the sample as received. Information provided by the customer (includes Date, Time, Sample Matrix & Sample Description) can affect the validity of the result.

Opinions and interpretations expressed in this report are outside the scope of UKAS accreditation.

Details of Uncertainty of Measurement and Analytical Quality Control are available on request.

Where a statement of conformity to a Regulatory Standard or customer limit is provided, the uncertainty of measurement is not taken into account unless shown on the certificate.

* - denotes non UKAS accredited test