

From: [Pugh, Sandra](#)
To: [Raymond, Sarah](#)
Cc: [Padgett, Andrew](#); [Singer, Helen](#); [Environment Reg](#)
Subject: Application reference: EPR/XP3337QR/V003 Southport WwTW Duly Making Response
Date: 14 October 2022 16:54:30
Attachments: [Southport WwTW - RFI Response Oct 2022.pdf](#)
[Appendix I Southport WwTW Sludge Treatment Facility ASD - Oct 22 .pdf](#)
[Appendix II - Southport Odour Management Plan 13.10.22.pdf](#)
[Appendix III Southport Bioaerosol Risk Assessment 13-10-22 .pdf](#)
[Appendix IV - EPR Leak Detection Repair Plan SSI Southport For Issue.pdf](#)
[Appendix Va - Southport Form C6 - Oct 22.pdf](#)
[Appendix Vb - Southport Form C6 response - Oct 2022 .pdf](#)
[Appendix VI - Sampling Instruction Oct 22 .pdf](#)

You don't often get email from [REDACTED]. [Learn why this is important](#)

Dear Sarah

On behalf of United Utilities, we are submitting additional information to supplement the permit application in response to the questions detailed in your letter dated 30th September 2022. Please find attached to this email, a covering document that provides a response to each question and references to supplementary information contained in supporting appendices, as follows:

Appendix I: Southport WwTW Sludge Treatment Facility Application Support Document (October 2022 Update)
Appendix II: Southport Odour Management Plan
Appendix III: Southport Bioaerosol Risk Assessment
Appendix IV: Southport LDAR Plan
Appendix V: Southport Application Form Part C6 and Accompanying Text
Appendix VI: Southport Sampling Instruction

We trust that this additional information will allow the application to be duly made.

Kind regards
Sandra

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.