

Safety data sheet number MI10432

Version 5

Revision date 01/Apr/2014

Supersedes date 15/Nov/2010



Safety Data Sheet CALCIUM CHLORIDE (ALL GRADES)

1. Identification of the substance/preparation and of the Company/undertaking

1.1 Product identifier

Product name	CALCIUM CHLORIDE (ALL GRADES)
Product code	MI10432
Molecular weight	111
Norway Pr. no.	46238
Denmark Pr. no.	988590

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Weighting agent.
-----------------	------------------

Uses advised against	None known.
----------------------	-------------

1.3 Details of the supplier of the safety data sheet

Supplier identification
M-I Drilling Fluids UK Limited
C/O Schlumberger
Enterprise Drive
Westhill Industrial Estate
Westhill, AB32 6TQ
Scotland UK
MISDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

2. Hazards Identification

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Health hazards

Serious eye damage/eye irritation	Category 2
-----------------------------------	------------

Environmental hazards	Not classified
-----------------------	----------------

Physical Hazards	Not classified
------------------	----------------

2.2 Label Elements



Signal word
WARNING

Hazard statements

H319 - Causes serious eye irritation

Precautionary Statements - EU (28, 1272/2008)

P280 - Wear protective gloves/protective clothing and eye/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P501 - Dispose of contents/container in accordance with local regulations.

-

Contains

Calcium chloride

-

For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16.

2.3 Other data

Not classified as PBT/vPvB by current EU criteria

3. Composition/information on Ingredients

3.1 Substances

Component	EC-No.	CAS-No	Weight % - range	Classification (67/548)	Classification (Reg. 1272/2008)	REACH registration number
Calcium chloride	233-140-8	10043-52-4	60-100	Xi; R36	Eye Irrit. 2 (H319)	01-2119494219-28-x xxx

3.2 Mixtures

4. First aid measures

4.1 Description of first-aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek medical attention if irritation occurs.
Skin contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention immediately if symptoms occur.
Eye contact	Remove contact lenses. Promptly wash eyes with lots of water while lifting eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2 Most important symptoms and effects, both acute and delayed

General advice	The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.
-----------------------	--

Main symptoms

Inhalation	Please see Section 11. Toxicological Information for further information.
Ingestion	Please see Section 11. Toxicological Information for further information.
Skin contact	Please see Section 11. Toxicological Information for further information.
Eye contact	Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	Treat symptomatically.
---------------------------	------------------------

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing media appropriate for surrounding material.

Extinguishing media which shall not be used for safety reasons

None known.

5.2 Special hazards arising from the substance or mixture

Precautions against fire and explosion

Contact with metals may evolve flammable hydrogen gas.

Hazardous combustion products

Fire or high temperatures create: Chlorine, May release hydrogen gas (explosive) on contact with metals.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. See also section 8.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment.

6.3 Methods and materials for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Avoid contact with skin and eyes. Avoid dust formation.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. When using do not smoke, eat or drink. Wash hands before eating, drinking or smoking. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions Ensure adequate ventilation. Keep airborne concentrations below exposure limits.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture
Avoid contact with: Strong oxidising agents Strong acids.

Storage class Chemical storage.

Packaging material Use specially constructed containers only

7.3 Specific end uses

See also Section 1.2.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure limits NUI = Nuisance dust, WEL TWA 4mg/m³ Respirable Dust, 10mg/m³ Total Dust.

Component	EU OEL - Third List	Austria	Australia	Denmark
Calcium chloride	Not determined	Not determined	Not determined	Not determined

Component	Finland	France	Germany	Hungary
Calcium chloride	Not determined	Not determined	Not determined	Not determined

Component	Ireland	Italy	Netherlands	Norway
Calcium chloride	Not determined	Not determined	Not determined	Not determined

Component	Poland	Portugal	Romania	Russia
Calcium chloride	Not determined	Not determined	Not determined	2 mg/m ³ MAC (aerosol)

Component	Spain	Switzerland	Turkey	UK
Calcium chloride	Not determined	Not determined	Not determined	Not determined

Component	ACGIH TLV	TWA / C
Calcium chloride 10043-52-4 (60-100)	Not Determined	Not Determined

Derived No Effect Level (DNEL)

Short term exposure local effects

Calcium chloride

Inhalation 10 mg/m³

Long term exposure local effects

Calcium chloride

Inhalation 5 mg/m³

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering measures to reduce exposure

Ensure adequate ventilation.

Personal protective equipment

Eye protection	It is good practice to wear goggles when handling any chemical. Tightly fitting safety goggles.
Hand protection	Repeated or prolonged contact:, Use protective gloves made of:, Nitrile, Neoprene gloves, Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required, In case of insufficient ventilation wear suitable respiratory equipment, Half mask with a particle filter P2 (BS EN 143).
Skin and body protection	Wear suitable protective clothing, Provide eyewash station.

Hygiene measures

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Appearance	Powder Dust
Odour	Odourless
Colour	off-white
Odor threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	Not applicable	
pH regulating agent	7 - 10	5% sol
Melting/freezing point	772 °C	
Boiling point/range	> 1600 °C	
Flash Point	No information available	
Evaporation rate		
Flammability (solid, gas)	Not Applicable	
Flammability Limits in Air		
Upper flammability Limit	Not applicable	
Lower flammability limit	Not applicable	
Vapor pressure	No information available	
Vapor density	No information available	
Specific gravity	No information available	
Bulk density	No information available	
Relative density	2.1 g/cm ³	@ 20°C.
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity		
Viscosity, dynamic	No information available	
Log Pow	Not determined	

Explosive properties Not Applicable
Oxidizing properties None known.

9.2 Other information

Pour point No information available
Molecular weight 111
VOC content(%) None
Density VALUE No information available

10. Stability and Reactivity

10.1 Reactivity

No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerization

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Avoid contact with water and moist air - product is hygroscopic.

10.5 Incompatible materials

Metals. Strong oxidising agents. Strong acids.

10.6 Hazardous decomposition products

May release hydrogen gas (explosive) on contact with metals. See also section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Inhalation	Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.
Eye contact	Causes serious eye irritation.
Skin contact	Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause stomach discomfort.
Acute toxicity	.

Component	LD50 Oral	LD50 Dermal	LD50 Inhalation
Calcium chloride	= 1000 mg/kg (Rat)	= 2630 mg/kg (Rat)	No data available

Sensitisation	This product does not contain any components suspected to be sensitizing.
Mutagenic effects	This substance has no evidence of mutagenic properties.
carcinogenicity	This substance has no evidence of carcinogenic properties.
Reproductive toxicity	None known.
Routes of exposure	Eye contact.
Routes of entry	No route of entry noted.
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified.
Aspiration hazard	No hazard from product as supplied.

12. Ecological Information

12.1 Toxicity

Ecotoxicity effects

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Listed on PLONOR list of OSPAR.

Toxicity to algae

See component information below.

Toxicity to fish

See component information below.

Toxicity to daphnia and other aquatic invertebrates

See component information below.

Component	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Calcium chloride	10650 mg/L LC50 (Lepomis macrochirus) = 96 h	No information available	52 mg/L EC50 (Daphnia magna) = 48 h

12.2 Persistence and degradability

Not Applicable - Inorganic chemical.

12.3 Bioaccumulative potential

Not Applicable - Inorganic chemical.

12.4 Mobility in soil

Mobility

Soluble in water.

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

13. Disposal Considerations

13.1 Waste treatment methods

Waste from residues / unused products

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be transported/delivered using a registered waste carrier for local recycling or waste disposal.

EWC waste disposal No.

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: EWC waste disposal No: 06 03 14 - solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13 Waste Code: 7091 Inorganic salts and other solids.

14. Transport Information

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID/ADG).

14.1 UN number

Not regulated

14.2 Proper shipping name

Not regulated

14.3. Hazard class(es)

Hazard class

Not regulated

14.4 Packing group

Packing group

Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Please contact MISDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Germany, Water Endangering Water endangering class = 1
Classes (VwVwS)

Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
European Union - EINECS and ELINCS	Complies
Canada, Domestic Substance List (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

Contact REACH@miswaco.slb.com for REACH information.

15.2 Chemical Safety Report

No information available

16. Other Information

Prepared by Global Chemical Regulatory Compliance (GCRC)
Supersedes date 15/Nov/2010

Revision date 01/Apr/2014

Version 5

The following sections have been revised This SDS have been made in a new database and therefore a new layout. No changes with regard to classification have been made, Updated according to CLP.

Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.