

SAFETY DATA SHEET BridgeMaker LCM package

according to Regulation (EC) No. 453/2010

Revision Date: 10-May-2017
Preparation Date 10-May-2017

Revision Number: 11
Internal ID Code HM007620

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name BridgeMaker LCM package
Internal ID Code HM007620

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Lost Circulation Material
Sector of uses	SU2 - Mining, (including offshore industries)
Product category(ies)	PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents, other unspecific
Process categories	PROC 26 - Handling of solid inorganic substances at ambient temperature

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services
Halliburton House, Howemoss Place
Kirkhill Industrial Estate
Dyce
Aberdeen, AB21 0GN
United Kingdom
+44 1224 776888

www.halliburton.com

For further information, please contact

E-mail Address: fdunexchem@halliburton.com

1.4. Emergency telephone number

+44 8 08 189 0979 / 1-760-476-3961

Global Incident Response Access Code: 334305

Contract Number: 14012

Emergency telephone - Article 45 - (EC)1272/2008	
Turkey	Ulusal Zehir Danisma Merkezi (UZEM) :114 Acil Saglik Hizmetleri : 112
Europe	112
Bulgaria	Bulgarian poison centre: +359 2 915-44-09 or +359 2 915-43-46
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	00357 22 88 7171
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Portugal	CIAV - Centro de Informação Antivenenos (Portuguese Poison Centre): + 351 213 303 271
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SAFETY DATA SHEET
BridgeMaker LCM package
according to Regulation (EC) No. 453/2010

Revision Date: 10-May-2017
Preparation Date 10-May-2017

Revision Number: 11
Internal ID Code HM007620

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

2.2. Label Elements

Not classified

Hazard Pictograms

Signal Word: None

Hazard Statements:

Not Classified

Precautionary Statements:

None

Contains

Substances

Contains no hazardous substances in concentrations above cut-off values according to the competent authority

CAS Number

NA

2.3. Other Hazards

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH Reg. No
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	NA	30 - 60%	Not classified	No data available

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

Eyes

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

Skin

Wash with soap and water. Get medical attention if irritation persists.

Ingestion

Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No significant hazards expected.

4.3. Indication of any immediate medical attention and special treatment needed

SAFETY DATA SHEET
BridgeMaker LCM package
according to Regulation (EC) No. 453/2010

Revision Date: 10-May-2017
Preparation Date 10-May-2017

Revision Number: 11
Internal ID Code HM007620

Notes to Physician Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards in a fire

Not applicable

5.3. Advice for firefighters

Special protective equipment for firefighters

Not applicable

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid creating or inhaling dust. Avoid dust accumulations. Wash hands after use. Launder contaminated clothing before reuse. Do NOT consume food, drink, or tobacco in contaminated areas. Wet activated carbon removes oxygen from air causing a severe hazard to workers inside carbon vessels and enclosed or confined spaces. Before entering such an area, sampling and dark procedures for low oxygen levels should be taken to ensure ample oxygen availability.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from oxidizers. Store in a dry location. Keep from heat, sparks, and open flames. Store away from alkalis. Product has a shelf life of 60 months.

7.3. Specific end use(s)

Exposure scenario No information available

Other Guidelines No information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Substances	CAS Number	EU	UK	Netherlands	France
Contains no hazardous substances in concentrations above	NA	Not applicable	Not applicable	Not applicable	Not applicable

SAFETY DATA SHEET

BridgeMaker LCM package

according to Regulation (EC) No. 453/2010

Revision Date: 10-May-2017
Preparation Date 10-May-2017

Revision Number: 11
Internal ID Code HM007620

cut-off values according to the competent authority					
---	--	--	--	--	--

Substances	CAS Number	Germany	Spain	Portugal	Finland
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	Not applicable	Not applicable	Not applicable	Not applicable

Derived No Effect Level (DNEL)
Worker

No information available

General Population

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering Controls

Personal protective equipment

A well ventilated area to control dust levels.

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

Not normally needed. But if significant exposures are possible then the following respirator is recommended:

Dust/mist respirator. (N95, P2/P3)

Hand Protection

Normal work gloves.

Skin Protection

Normal work coveralls.

Eye Protection

Wear safety glasses or goggles to protect against exposure.

Other Precautions

None known.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State: Solid

Color: Variable Beige Black White Gray

Odor: Odorless

Odor Threshold: No information available

SAFETY DATA SHEET
BridgeMaker LCM package
according to Regulation (EC) No. 453/2010

Revision Date: 10-May-2017
Preparation Date 10-May-2017

Revision Number: 11
Internal ID Code HM007620

<u>Property</u>	<u>Values</u>
<u>Remarks/ - Method</u>	
pH:	No data available
Freezing Point / Range	No data available
Melting Point / Range	No data available
Boiling Point / Range	4200 °C
Flash Point	No data available
Flammability (solid, gas)	No data available
Upper flammability limit	No data available
Lower flammability limit	No data available
Evaporation rate	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity	1.85
Water Solubility	Insoluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

VOC Content (%) No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

Will Not Occur

10.4. Conditions to avoid

None anticipated

10.5. Incompatible materials

Strong acids. Strong alkalis.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute Toxicity

Inhalation	May cause mild respiratory irritation.
Eye Contact	May cause mechanical irritation to eye.
Skin Contact	Not irritating to skin in rabbits.
Ingestion	May cause mild gastric distress.

Chronic Effects/Carcinogenicity

Prolonged, excessive exposure to dust may cause pneumoconiosis, a lung disease caused by inhaling dust particles less than 0.5 micrometers into the lungs.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No data available	No data available	No data available

SAFETY DATA SHEET
BridgeMaker LCM package
according to Regulation (EC) No. 453/2010

Revision Date: 10-May-2017
Preparation Date 10-May-2017

Revision Number: 11
Internal ID Code HM007620

SECTION 12: Ecological information

12.1. Toxicity

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available	No information available	No information available	No information available

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

12.3. Bioaccumulative potential

Does not bioaccumulate.

Substances	CAS Number	Log Pow
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

12.4. Mobility in soil

Substances	CAS Number	Mobility
Contains no hazardous substances in concentrations above cut-off values according to the competent authority	NA	No information available

12.5. Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods

Contaminated Packaging

Bury in a licensed landfill according to federal, state, and local regulations.
Follow all applicable national or local regulations.

SAFETY DATA SHEET
BridgeMaker LCM package
according to Regulation (EC) No. 453/2010

Revision Date: 10-May-2017
Preparation Date 10-May-2017

Revision Number: 11
Internal ID Code HM007620

SECTION 14: Transport information

IMDG/IMO

UN Number	Not restricted
UN proper shipping name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

ADN

UN Number	Not restricted
UN proper shipping name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group	Not applicable
Environmental Hazards:	Not applicable

ADR/RID

UN Number	Not restricted
UN proper shipping name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group	Not applicable
Environmental Hazards:	Not applicable

IATA/ICAO

UN Number	Not restricted
UN proper shipping name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

14.1. UN Number Not restricted

14.2. UN proper shipping name: Not restricted

14.3. Transport Hazard Class(es): Not applicable

14.4. Packing Group Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS (European Inventory of Existing Chemical Substances) This product, and all its components, complies with EINECS

US TSCA Inventory All components listed on inventory or are exempt.

Canadian Domestic Substances List (DSL) All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

SAFETY DATA SHEET
BridgeMaker LCM package
according to Regulation (EC) No. 453/2010

Revision Date: 10-May-2017
Preparation Date 10-May-2017

Revision Number: 11
Internal ID Code HM007620

Denmark PR No.:

2430179

Germany, Water Endangering WGK 0: Generally not water endangering.

Classes (WGK)

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

None

Key or legend to abbreviations and acronyms used in the safety data sheet

bw – body weight

CAS – Chemical Abstracts Service

CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures

EC – European Commission

EC10 – Effective Concentration 10%

EC50 – Effective Concentration 50%

EEC – European Economic Community

ErC50 – Effective Concentration growth rate 50%

IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 – Lethal Concentration 50%

LD50 – Lethal Dose 50%

LL0 – Lethal Loading 0%

LL50 – Lethal Loading 50%

MARPOL – International Convention for the Prevention of Pollution from Ships

mg/kg – milligram/kilogram

mg/L – milligram/liter

NIOSH – National Institute for Occupational Safety and Health

NOEC – No Observed Effect Concentration

NTP – National Toxicology Program

OEL – Occupational Exposure Limit

PBT – Persistent Bioaccumulative and Toxic

PC – Chemical Product category

PEL – Permissible Exposure Limit

ppm – parts per million

PROC – Process category

REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL – Short Term Exposure Limit

SU – Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date: 10-May-2017

Revision Note

SDS sections updated:

2

This safety data sheet complies with the requirements of Regulation (EC) No. 2015/830

SAFETY DATA SHEET
BridgeMaker LCM package
according to Regulation (EC) No. 453/2010

Revision Date: 10-May-2017
Preparation Date 10-May-2017

Revision Number: 11
Internal ID Code HM007620

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet