

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

ECONOLITE LIQUID

Revision Date: 15-Apr-2015

Revision Number: 32

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name ECONOLITE LIQUID

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Light Weight Cement Additive
Sector of use Refer to the Annex for a listing of uses.

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services
Halliburton House, Howemoss Place
Kirkhill Industrial Estate
Dyce
Aberdeen, AB21 0GN
United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4. Emergency telephone number

+44 1224 795277 or +1 281 575 5000

Emergency telephone - §45 - (EC)1272/2008	
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO): + 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Skin Corrosion / irritation	Category 2 - H315
Serious Eye Damage / Eye Irritation	Category 2 - H319

2.2. Label Elements**Hazard Pictograms****Signal Word****Warning****Hazard Statements**

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

Contains**Substances**

Sodium silicate

CAS Number

1344-09-8

2.3. Other Hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients
--

3.2. Mixtures

Mixture

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Sodium silicate	215-687-4	1344-09-8	30 - 60%	Skin Irrit. 2 (H315) Eye Irrit. 2A (H319)	01-2119448725-31

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures**Inhalation**

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

Eyes

In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

Skin

In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse.

Ingestion

Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

4.2. Most Important symptoms and effects, both acute and delayed

Causes eye irritation. Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media**Suitable Extinguishing Media**

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture**Special Exposure Hazards**

Decomposition in fire may produce toxic gases.

5.3. Advice for firefighters**Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Neutralize to pH of 6-8. Scoop up and remove. Do NOT spread spilled product with water.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage
--

7.1. Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. Wash hands after use. Launder contaminated clothing before reuse. Avoid breathing vapors. Avoid breathing mist. Ensure adequate ventilation. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from acids. Store in a cool well ventilated area. Keep container closed when not in use.

7.3. Specific End Use(s)**Exposure Scenario**

Please refer to the attached Annex for a listing of exposure scenarios.

Other Guidelines

No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters**Exposure Limits**

Substances	CAS Number	EU	UK	Netherlands	France
Sodium silicate	1344-09-8	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Germany	Spain	Portugal	Finland
Sodium silicate	1344-09-8	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Austria	Ireland	Switzerland	Norway

Sodium silicate	1344-09-8	Not applicable	Not applicable	Not applicable	Not applicable
-----------------	-----------	----------------	----------------	----------------	----------------

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Sodium silicate	1344-09-8	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Sodium silicate	1344-09-8	Not applicable	Not applicable	Not applicable	Not applicable

Derived No Effect Level (DNEL)**Worker**

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Hazards for the eyes - local effects
Sodium silicate	5.61 mg/m ³	Not available	Not available	Not available	1.59 mg/kg bw/day	Not available	Not available	Not available	Not available

General Population

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Long-term exposure - systemic effects, Oral	Acute / short term exposure - local effects, Oral	Hazards for the eyes - local effects
Sodium silicate	1.38 mg/m ³	Not available	Not available	Not available	0.80 mg/kg bw/day	Not available	Not available	Not available	0.80 mg/kg	Not available	Not available

Predicted No Effect Concentration (PNEC)

Substances	Freshwater	Marine water	Intermittent release	Sewage treatment plant	Sediment (freshwater)	Sediment (marine water)	Air	Soil	Secondary poisoning
Sodium silicate	7.5 mg/L	1 mg/L	7.5 mg/L	348 mg/L	Not available	Not available	Not available	Not available	Not available

8.2. Exposure controls**Engineering Controls**

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Dust/mist respirator. (N95, P2/P3)

Hand Protection

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): (>= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.

Skin Protection

Full protective chemical resistant clothing.

Eye Protection

Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions

Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid **Color:** Clear to hazy
Odor: Slightly soapy **Odor Threshold:** No information available

<u>Property</u>	<u>Values</u>
<u>Remarks/ - Method</u>	
pH:	11.2
Freezing Point/Range	-1 °C
Melting Point/Range	No data available
Boiling Point/Range	101 °C / 214 °F
Flash Point	No data available
Flammability (solid, gas)	No data available
upper flammability limit	No data available
lower flammability limit	No data available
Evaporation rate	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity	1.4
Water Solubility	Soluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

VOC Content (%) No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Strong acids. Amphoteric metals such as aluminum, magnesium, lead, tin, or zinc.

10.6. Hazardous Decomposition Products

Toxic fumes.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

Inhalation	May cause mild respiratory irritation.
Eye Contact	Causes eye irritation.
Skin Contact	Causes skin irritation.
Ingestion	Irritation of the mouth, throat, and stomach.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation

Sodium silicate	1344-09-8	3400 mg/kg (Rat)	> 5000 mg/kg (Rat) (similar substance)	> 2.06 mg/L (Rat) 4h (similar substance – Potassium silicate)
-----------------	-----------	------------------	--	---

Substances	CAS Number	Skin corrosion/irritation
Sodium silicate	1344-09-8	Causes moderate skin irritation. (Rabbit)

Substances	CAS Number	Eye damage/irritation
Sodium silicate	1344-09-8	Causes moderate eye irritation. (Rabbit)

Substances	CAS Number	Skin Sensitization
Sodium silicate	1344-09-8	Did not cause sensitization on laboratory animals (mouse) (similar substances)

Substances	CAS Number	Respiratory Sensitization
Sodium silicate	1344-09-8	No information available

Substances	CAS Number	Mutagenic Effects
Sodium silicate	1344-09-8	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects.

Substances	CAS Number	Carcinogenic Effects
Sodium silicate	1344-09-8	No information available.

Substances	CAS Number	Reproductive toxicity
Sodium silicate	1344-09-8	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)

Substances	CAS Number	STOT - single exposure
Sodium silicate	1344-09-8	May cause respiratory irritation.

Substances	CAS Number	STOT - repeated exposure
Sodium silicate	1344-09-8	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	Aspiration hazard
Sodium silicate	1344-09-8	Not applicable

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Sodium silicate	1344-09-8	EC50 (72h) > 345 mg/L (growth rate) (Scenedesmus subspicatus) EC0 (72h) 35 mg/L (growth rate) (Scenedesmus subspicatus)	LC50 (96h) 1108 mg/L (Danio rerio) LC50 (96h) 260 – 310 mg/L (Oncorhynchus mykiss)	EC0 (0.5h) 3454 mg/L (Pseudomonas putida)	EC50 (48h) 1700 mg/L (Daphnia magna)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
------------	------------	-------------------------------

Sodium silicate	1344-09-8	The methods for determining biodegradability are not applicable to inorganic substances.
-----------------	-----------	--

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Sodium silicate	1344-09-8	No information available

12.4. Mobility in soil

Substances	Mobility
Sodium silicate	No information available

12.5. Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Disposal Method

Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging

Follow all applicable national or local regulations.

SECTION 14: Transport Information

IMDG/IMO

- UN Number: Not restricted
- UN Proper Shipping Name: Not restricted
- Transport Hazard Class(es): Not applicable
- Packing Group: Not applicable
- Environmental Hazards: Not applicable

RID

- UN Number: Not restricted
- UN Proper Shipping Name: Not restricted
- Transport Hazard Class(es): Not applicable
- Packing Group: Not applicable
- Environmental hazard: Not applicable

ADR

- UN Number: Not restricted
- UN Proper Shipping Name: Not restricted
- Transport Hazard Class(es): Not applicable
- Packing Group: Not applicable
- Environmental hazard: Not applicable

IATA/ICAO

- UN Number: Not restricted
- UN Proper Shipping Name: Not restricted
- Transport Hazard Class(es): Not applicable
- Packing Group: Not applicable
- Environmental hazard: Not applicable

14.1. UN Number: Not restricted

14.2. UN Proper Shipping Name: Not restricted

14.3. Transport Hazard Class(es): Not applicable

14.4. Packing Group: Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory

This product, and all its components, complies with EINECS

US TSCA Inventory

All components listed on inventory or are exempt.

Canadian DSL Inventory

All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

**Germany, Water Endangering
Classes (WGK)**

WGK 1: Low hazard to waters.

15.2. Chemical Safety Assessment

Yes

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Key or legend to abbreviations and acronyms

bw – body weight
CAS – Chemical Abstracts Service
CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures
EC – European Commission
EC10 – Effective Concentration 10%
EC50 – Effective Concentration 50%
EEC – European Economic Community
ErC50 – Effective Concentration growth rate 50%
IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
LC50 – Lethal Concentration 50%
LD50 – Lethal Dose 50%
LL0 – Lethal Loading 0%
LL50 – Lethal Loading 50%
MARPOL – International Convention for the Prevention of Pollution from Ships
mg/kg – milligram/kilogram
mg/L – milligram/liter
NIOSH – National Institute for Occupational Safety and Health
NOEC – No Observed Effect Concentration
NTP – National Toxicology Program
OEL – Occupational Exposure Limit
PBT – Persistent Bioaccumulative and Toxic
PC – Chemical Product category
PEL – Permissible Exposure Limit
ppm – parts per million
PROC – Process category
REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
STEL – Short Term Exposure Limit
SU – Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date: 15-Apr-2015

Revision Note

Update to Format SECTION: 2 3 4 6 7 8 10 11 12 16

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet