

Safety Data Sheet M-I WATE* (ALL GRADES)

1. Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product identifier

Product name M-I WATE* (ALL GRADES)
Product code PID13503
Synonyms M-I WATE*, M-I WATE* ULTRA FINE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Weighting agent.

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

M-I Drilling Fluids UK Limited
Westhill Business Park
Westhill AB32 6JL Aberdeenshire
Scotland United Kingdom

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

National Poison Center Numbers

Germany	+49 69 222 25285
Norway	Poison information centre: +47 22 59 13 00

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Commission Regulation (EU) No 2015/830 of 28 May 2015

Health hazards Not classified

Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements

Signal word

None

Hazard Statements

This product is not classified as hazardous therefore no (H) hazard statements assigned.

Precautionary Statements

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

-

Contains

Crystalline silica (impurity)

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria

Thermal decomposition can lead to release of irritating gases and vapours

3. Composition/information on Ingredients

3.1 Substances

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
Crystalline silica (impurity)	238-878-4	14808-60-7	1-5	STOT RE. 2 (H373)	Exempt

3.2 Mixtures

Not applicable

Comments

The product contains other ingredients which do not contribute to the overall classification.

This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis. IARC Monographs, Vol. 68, 1997, concludes that there is sufficient evidence that inhaled crystalline silica in the form of quartz or cristobalite from occupational sources causes cancer in humans. IARC Classification Group I.

4. First Aid Measures

4.1 First aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if irritation persists.
Eye Contact	Remove contact lenses, if worn. Promptly wash eyes with lots of water while lifting eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

Symptoms

Inhalation	Please see Section 11. Toxicological Information for further information.
Ingestion	Please see Section 11. Toxicological Information for further information.
Skin contact	Please see Section 11. Toxicological Information for further information.
Eye contact	Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Firefighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing media appropriate for surrounding material.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

None known.

Hazardous combustion products

Thermal decomposition can lead to release of irritating gases and vapours

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. See also section 8. Do not breathe dust. Material becomes slippery when wet. Use caution if wet.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation. Do not breathe dust. Material becomes slippery when wet. Use caution if wet.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions Ensure adequate ventilation. Keep airborne concentrations below exposure limits.

Storage precautions Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid wet and humid conditions.

Storage class Chemical storage.

Storage class, TRGS 510, Germany Storage class 9: no classification

Packaging materials Use specially constructed containers only

7.3 Specific end uses

See Section 1.2.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Component Information

Chemical Name	EU OEL - Third List	Austria	Denmark
Crystalline silica (impurity)	Not determined	0.15 mg/m ³ TWA alveolar dust, respirable fraction	0.1mg/m ³
Chemical Name	France	Germany	Hungary
Crystalline silica (impurity)	0.1 mg/m ³ TWA	Not determined	0.15mg/m ³ TWA
Chemical Name	Italy	Netherlands	Norway
Crystalline silica (impurity)	Not determined	0.075 mg/m ³	0.3 mg/m ³ TWA total dust 0.1 mg/m ³ TWA respirable dust 0.9 mg/m ³ STEL total dust 0.3 mg/m ³ STEL respirable dust Carcinogen
Chemical Name	Poland	Portugal	Romania
Crystalline silica (impurity)	2 mg/m ³ TWA NDS >50% free crystalline silica 0.3 mg/m ³ TWA NDS >50% free crystalline silica 4.0 mg/m ³ TWA NDS 2% to 50% free crystalline silica 1.0 mg/m ³ TWA NDS 2% to 50% free crystalline silica	0.025 mg/m ³ TWA respirable fraction	0.1mg/m ³ TWAdust, respirable fraction
Chemical Name	Spain	Switzerland	UK
Crystalline silica (impurity)	0.05 mg/m ³ TWA VLA-ED	0.15 mg/m ³ TWA MAK	Not determined

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

Personal protective equipment

Eye protection

Use eye protection according to EN 166, designed to protect against powders and dusts. Safety glasses with side-shields. Tightly fitting safety goggles.

Hand protection

Wear gloves according to EN 374 to protect against skin effects from powders Use protective gloves made of: Neoprene PVC Nitrile Frequent change is advisable

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment, Suitable mask with

Skin and body protection

particle filter P3 (European Norm 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used. Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

Hygiene Measures

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



8.2.3 Environmental exposure controls

Environmental exposure

Use appropriate containment to avoid environmental contamination See section 6 for more information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Appearance	Powder Dust
Odour	Odourless
Colour	Tan - Grey
Odour threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	No information available	
pH @ dilution	No information available	
Melting / freezing point	1580 °C / 2876 °F	
Boiling point/range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	4.10 - 4.25	20 °C
Bulk density	1920 - 2400 kg/m ³	
Relative density	No information available	
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
log Pow	No information available	

Explosive properties Not applicable

Oxidising properties None known

9.2 Other information

Pour point No information available
Molecular weight No information available
VOC content(%) None
Density No information available

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Avoid dust formation. Avoid wet and humid conditions.

10.5 Incompatible materials

No materials to be especially mentioned.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Product information

This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis.

Respirable quartz <0.3% . Report number: N0600517.

Inhalation

Inhalation of dust in high concentration may cause irritation of respiratory system.

Eye contact

Dust may cause mechanical irritation.

Skin contact Prolonged contact may cause redness and irritation.
Ingestion Ingestion may cause stomach discomfort.
Unknown acute toxicity Not applicable.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (impurity)	= 500 mg/kg (Rat)	No data available	No data available

Sensitisation This product does not contain any components suspected to be sensitizing.
Mutagenic effects This product does not contain any known or suspected mutagens.
Carcinogenicity Contains a known or suspected carcinogen. Crystalline silica dust is listed by IARC in Group 1 as known to cause lung cancer in humans, if inhaled.
Reproductive toxicity This product does not contain any known or suspected reproductive hazards.
Routes of exposure Inhalation.
Routes of entry Inhalation.
Specific target organ toxicity - Single exposure Not classified
Specific target organ toxicity - Repeated exposure Not classified.
Aspiration hazard Not applicable.
Other information Key literature references and sources for data. See Section 16 for more information.

12. Ecological Information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Listed on PLONOR list of OSPAR

Toxicity to algae
 This product is not considered toxic to algae.

Toxicity to fish
 This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates

This product is not considered toxic to invertebrates.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Crystalline silica (impurity)	LC50 Danio rerio (zebra fish) : > 10000 mg/l 96h	EC50: > 1000 mg/l 72h	LC50 Daphnia magna (Water flea): > 10000 mg/l 24h

12.2 Persistence and degradability

The product is not biodegradable. See component information below.

Chemical Name	Persistence and degradability
Crystalline silica (impurity)	Inorganic compound

12.3 Bioaccumulative potential

Does not bioaccumulate. See component information below.

Chemical Name	Bioaccumulation
Crystalline silica (impurity)	Product/Substance is inorganic

12.4 Mobility

Mobility

Insoluble in water. See component information below.

Chemical Name	Mobility
Crystalline silica (impurity)	Insoluble in water

Mobility in soil

See component information below.

Chemical Name	Mobility in soil
Crystalline silica (impurity)	Not expected to adsorb on soil

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

13. Disposal Considerations

13.1 Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: EWC waste disposal No: 01 05 07

14. Transport information

14.1. UN number

Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3. Hazard class(es)

ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG Hazard class	Not regulated
ICAO Hazard class/division	Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing Group	Not regulated
IMDG Packing group	Not regulated
ICAO Packing group	Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Germany, Water Endangering Classes (VwVwS)	Water endangering class = nwg
Technical Rules for Hazardous Substances (TRGS)	TRGS 220 National aspects when compiling safety data sheets TRGS 900 Occupational exposure limits TRGS 510 Storage of hazardous substances in non stationary containers

Germany
 Regulations governing systems for handling substances hazardous to waters
 Chemicals act

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 2000/21/EC and 453/2010 including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

SZW list; Crystalline Silica (respirable) is listed in the SZW list of carcinogenic substances and processes

International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

15.2 Chemical Safety Report

No information available

16. Other Information

Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
Supersedes Date:	17/Jun/2015
Revision date	06/Nov/2018
Version	3
This SDS has been revised in the following section(s)	All sections Product Code change No changes with regard to classification have been made.

Key literature references and sources for data

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

Training Advice

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

Full text of H-Statements referred to under sections 2 and 3

This product is not classified as hazardous therefore no (H) hazard statements assigned.

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

*A mark of M-I L.L.C., a Schlumberger Company

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.