


EPR Bespoke Installation Environmental Management System Summary

**Grid Powr (UK) Ltd
Energy Production Facility**

Prepared by:
Sol Environment Ltd

Date:
June 2023

Project or Issue Number:
SOL_22_PO96_GP

VERSION CONTROL RECORD			
Contract/Proposal Number:		SOL_22_PO96_GP	
Authors Name:		Sophie Rainey	
Signature:			
Issue	Description of Status	Date	Reviewer Initials
1	First Submission to the Environment Agency	1 st June 2023	EH

This report has been prepared by Sol Environment with all reasonable skill, care, and diligence, and taking account of the Services and the Terms agreed between Sol Environment and the Client. This report is confidential to the client, and Sol Environment accepts no responsibility whatsoever to third parties to whom this report, or any part thereof, is made known, unless formally agreed by Sol Environment beforehand. Any such party relies upon the report at their own risk.

Sol Environment disclaims any responsibility to the Client and others in respect of any matters outside the agreed scope of the Services.

CONTENTS

1	INTRODUCTION	2
2	LAYOUT OF THE EMS	4
3	CONTEXT OF THE EMS	5
4	MANAGEMENT OF THE EMS	6
5	POLLUTION PREVENTION PLANNING	7
6	COMPETENCE AND AWARENESS	8
7	COMMUNICATION	9
8	RECORDS AND CONTROL OF DOCUMENTS AND DATA	10
9	OPERATIONAL PLANNING AND CONTROL	11
10	EMERGENCY PREPAREDNESS AND RESPONSE	12
11	MONITORING AND MEASUREMENT	13
12	INTERNAL AUDIT	14
13	MANAGEMENT REVIEW	15
14	IMPROVEMENT	16

1 INTRODUCTION

This document has been prepared by Sol Environment Ltd on behalf of Grid Powr (UK) Ltd (referred to as 'GP' hereafter) to provide an Environmental Management System (EMS) Summary in support of a Bespoke Installation Permit application for the proposed operation of an energy recovery facility on land off the Houghton Main Colliery Roundabout, Park Spring Road, Houghton Main, Barnsley.

The facility ('the Site') is located at Park Spring Road, Houghton Main, Barnsley, S72 7GX. National Grid Reference: SE 41640 06444.

The proposed development is a renewable energy generation facility which has been designed to recover energy from Refuse Derived Fuel (RDF) feedstocks using close coupled combustion specifically for the production of electricity. The facility is an Advanced Thermal Treatment (ATT) process that will produce a combustible synthesis gas, which is then used to raise steam and generate electricity, through steam cycle turbine generation.

The Advanced Thermal Treatment (ATT) plant is designed to use Refuse Derived Fuel (RDF) feedstocks to produce heat to raise steam in a conventional tube boiler for utilisation in a steam turbine for the production of renewable electricity with a gross electrical output of up to 16MWe.

The Installation has been designed to process a maximum of 145,000 tonnes of pre-prepared Refuse Derived Fuel (RDF).

The main features of the proposed Installation, as described in this document are as follows:

- *Fuel Reception Hall:* For the delivery and reception of RDF feedstocks;
- *RDF Pre-processing:* For the screening and shredding of the fuel feedstocks to reduce the particle size and remove oversize from the RDF stream;
- *Two-stage Hybrid Combustion System:* Comprising two gasification and combustion lines for the thermal conversion and combustion of syngas from the fuel feedstocks;
- *Steam Turbine Generator:* Comprising a steam turbine and generator for the conversion of steam into electricity within a steam turbine; and
- *Gas Cleaning and Pollution Abatement Plant:* Consisting of Selective Non-Catalytic Reduction (SNCR) through ammonia hydroxide injection within the combustion chambers, Selective Catalytic Reduction (SCR) through ammonia hydroxide injection into the flue gas after the bag filtration unit, sodium bicarbonate injection for acid gas neutralisation and activated carbon powder injection for absorption and removal of heavy metals, dioxins, VOCs and other harmful substances.

The Installation will make an important contribution to regional waste management and local renewable energy generation and will provide a single treatment facility for RDF materials that would otherwise be destined for landfill, incineration or foreign export.

The process meets the definition of a listed activity as defined by Schedule 1 of the Environmental Permitting Regulations 2018.

As such, the proposed facility meets the definition of an Installation as defined by Section 5.1 'Incineration and Co-Incineration of Waste' paragraph A(1)(b) namely:

'The incineration of non-hazardous waste in a waste incineration plant or waste co-incineration plant with a capacity exceeding 3 tonnes per hour.'

The EfW's EMS will set out how the environment will be managed on site in accordance with the environmental permit and the Environment Agency Guidance 'Develop a management system: environmental permits' (available at <https://www.gov.uk/guidance/develop-a-management-system-environmental-permits>) ('EA Guidance'), and Waste Incineration BREF BAT 1. The EMS explains what happens at GP to ensure the following:

- the environment is protected from adverse impacts from the activities;
- the organisation is protected from environmental conditions such as floods or droughts;
- the Permit and environmental legislation are complied with;
- the sustainability of the operations is addressed; and
- environmental information and performance are communicated to relevant interested parties.

The EMS will be developed and maintained by Grid Powr Ltd (the operator of the Environmental permit).

2 LAYOUT OF THE EMS

The EMS will be laid out in a similar fashion to ISO 14001:2015, focusing on a 'Plan-Do-Check-Act' cycle of management and control. Each section is briefly summarised in this document with reference to the requirements of the EA Guidance for clarity. The section headings are as follows:

- a) Risks and opportunities;
- b) Management of the EMS;
- c) Pollution prevention planning;
- d) Competence and awareness;
- e) Communication;
- f) Control of documents and data;
- g) Operational planning and control;
- h) Emergency preparedness and response;
- i) Monitoring and measurement;
- j) Internal audit;
- k) Management review; and
- l) Improvement.

3 CONTEXT OF THE EMS

The level of detail and complexity of the EMS will be determined using a life cycle approach based on compliance obligations, interested parties, internal and external issues and other issues and requirements such as the outcome of audits and management reviews.

Risks and opportunities associated with the environmental discharge will be identified and recorded in the initial stages of the EMS design to prioritise significant environmental risks, consider the benefit of opportunities, and have a thorough understanding of the scope of environmental protection required.

4 MANAGEMENT OF THE EMS

Managers of GP's activities take their responsibility for environmental compliance and sustainability very seriously. To make the structure of responsibilities clear, the EMS will include an organisation chart.

GP are keen to identify opportunities to prevent or mitigate adverse environmental impacts and enhance beneficial environmental impacts, particularly those with strategic implications, to remain effective at environmental protection. Environmental management is therefore integrated into the project development plans and decision making, aligning it with other business priorities.

5 POLLUTION PREVENTION PLANNING

The following aspects of the business have been included in the Environmental Risk Assessment, sourced from site plans and specialist reports:

- Authorised activities;
- Details of site drainage for surface water, foul and combined;
- Locations for mains water, gas, and electricity supplies;
- Buildings, relevant plant and equipment and security fencing;
- Storage facilities for oil, fuel tanks, chemical stores, and waste materials;
- Spill kit locations and drain protectors;
- Emergency service routes in and out of the site;
- Pollution control inspection and monitoring points;
- Surface water and effluent discharge points; and
- Vulnerable locations.

6 COMPETENCE AND AWARENESS

A training matrix will be in place to ensure that each member of staff that can affect the environmental performance of the installation is competent based on their training, education, and experience as appropriate. Records of training sessions and qualifications will be maintained as part of the EMS.

The training matrix details who is responsible for various environmental procedures and which staff roles are relevant to the conditions of the Environmental permit.

A procedure will be established for checking the training and qualifications of external providers in advance of carrying out work on site. They are provided with the information necessary to work in accordance with GP's environmental permit.

7 COMMUNICATION

Communication with relevant interested parties will be determined based on the information that needs to be communicated and the associated circumstances. Different types of communication will be considered to promote understanding of the EMS and engagement with interested parties at all levels.

Relevant staff will have access to the EMS and are required to understand their duties and responsibilities as part of induction and ongoing training.

A process will be established for receiving communications from and responding to, internal and external communications, considering the needs and expectations of the interested parties.

Complaints will be managed and recorded using procedures that lay out how complainants should be communicated with and how their complaint must be investigated.

8 RECORDS AND CONTROL OF DOCUMENTS AND DATA

Documented information for the EMS will be developed, maintained, and controlled to ensure effective operations. Records required by the environmental permit will be managed according to processes described in the EMS, including a list of their retention times. They include the following documents:

- Environmental Permit;
- Compliance Obligations;
- Duty of Care transfer notes for non-hazardous waste;
- Environmental Risk Assessment;
- Operating Procedures;
- Staff Competence and Training Matrix;
- Site and Equipment Maintenance Record;
- Emissions Monitoring Data;
- Records of compliance checks and audits, findings of investigations and actions taken;
- Records of complaints made, findings of investigations and actions taken;
- Audit Reports including findings and actions taken; and
- Management reviews and changes made to the EMS.

Data is protected through software and online security controls.

9 OPERATIONAL PLANNING AND CONTROL

The operation of the transfer, storage and incineration of waste will be conducted in a controlled way by identifying what types and levels of controls are needed where and for what purpose. The relevant procedures list the steps taken to prevent or minimise risks to the environment from the process. The waste storage plan will include appropriate types and levels of control. Relevant staff and other interested parties will have access to all the documents they need and understand that to operate effectively the processes making up the EMS must be carried out as planned.

The operational controls consist of procedures, work instructions, physical controls and use of competent personnel. Types of control are based on the skills and experience of the people carrying out the operation, and its complexity and environmental significance. Steps to determine controls include choice of method and operating criteria (e.g., measurements, features on the plant), writing down how processes should be planned, carried out and controlled, designing documents such as records and reports and applying technological options such as automated systems and software.

The controls will be monitored to check they continue to be effective, and action is taken if there are changes or improvements to be made.

Maintenance of all tanks, bunds, connections, plant, etc. will be carried out according to the manufacturer's or supplier's recommendations using the appropriate instructions, guidelines, and manuals.

Contingency plans will be in place for a robust response to minimise the impact on the environment of any breakdowns, enforced shutdowns and any other changes in normal operations, for example due to flooding or other extreme weather based on climate change knowledge and trends.

10 EMERGENCY PREPAREDNESS AND RESPONSE

To ensure a comprehensive response to any emergency, consideration will be given to the initial environmental impact and the secondary environmental impact that could result, e.g., fighting a fire can lead to water and air pollution.

The scale of accident management covers incidents from spillages of chemicals or failure of emission abatement equipment to large-scale events such as floods that could endanger humans and the environment to a broader extent.

The Accident Management Plan details incidents or events that could result in pollution, including the likelihood of an accident occurring and the potential consequences, measures to avoid the accident happening in the first place, and corrective actions in the event an accident does take place. The following potential accidents have been considered as a minimum:

- Breach of Environmental permit;
- Equipment breakdowns;
- Enforced shutdown of the plant;
- Fires;
- Vandalism;
- Flooding; and
- Extreme weather based on climate change knowledge and trends such as heat waves, hot days, and storms.

Accidents will be recorded, including any investigation and response.

To assist staff in the event of an accident, a record form, and a list of emergency contacts and how to reach them will be included in the Plan, together with an up-to-date list of substances stored at the site with the type of storage facility used. The Accident Management Plan will be regularly reviewed.

11 MONITORING AND MEASUREMENT

A Monitoring and Measurement Plan will be in place to analyse and evaluate the environmental performance of the plant. The environmental risks, compliance obligations and operational controls are considered when determining how monitoring and measurement will be carried out and how it will be recorded and communicated. Results are used to identify nonconformances (e.g., triggers that indicate a permit limit may be breached), look at performance trends and find opportunities for improvement.

12 INTERNAL AUDIT

A process will be established to evaluate the extent to which the businesses compliance obligations are fulfilled, by conducting regular internal audits and providing information to management on the performance of the EMS.

The internal audit programme will be based on the environmental risks and opportunities, the results of previous audits, monitoring and measurement results, and management reviews. Audit findings are captured in a report including action lists and action close-outs where appropriate.

13 MANAGEMENT REVIEW

Management reviews that include the environment on the agenda will be held at least annually to check compliance with the Environmental permit and EMS. There will be an annual environmental management review with a fixed agenda to review the year's environmental compliance, suitability of the procedures and the adequacy and effectiveness of the EMS in achieving environmental improvements. This enables decisions on priorities and resources for the EMS to be balanced with other business priorities and resource needs.

The EMS will be reviewed and updated under the following circumstances:

- Changes made to the site, operations or equipment that affect permitted activities;
- After any accident, complaint, or breach of permit; and
- After identification of a new environmental problem or issue with new control measures.

A record of changes to the EMS will be kept, including the following:

- New abatement or process equipment; and
- Implementation of significantly new or different control measures.

14 IMPROVEMENT

Improvement opportunities will be identified from the following EMS processes:

- Communication with interested parties including staff, customers, and the authorities;
- Monitoring and measurement;
- Analysis of data and information relating to environmental performance;
- Evaluation of compliance obligations;
- EMS audits; and
- Management reviews.

The detection of non-conformities such as potential Permit breaches or procedures not being followed is critical to improvement.

In the event of a non-conformity, an investigation will be carried out to determine where the EMS needs improving, and action will be taken to make the appropriate changes and eliminate the cause where possible so the incident will not re-occur. Changes are communicated to relevant staff.

Improvement findings from all sources will be fed back into the Plan-Do-Check-Act cycle for continual improvement.