



South Yorkshire FIRE & RESCUE

South Yorkshire Fire & Rescue Authority

LICENCE TO STORE EXPLOSIVES GRANTED UNDER THE EXPLOSIVES REGULATIONS 2014

In pursuance of the powers vested in it by the above-mentioned regulations, South Yorkshire Fire & Rescue Authority hereby grants this Licence, subject to the provisions of the said regulations.

To:	Airbag Disposal UK
-----	---------------------------

Of:	Unit 9, Vantage Business Park, Vantage Close, Tinsley, Sheffield. S9 1BG
-----	---

Who is authorised by this Licence to keep explosives at:	Airbag Disposal UK Ltd, Unit 9, Vantage Business Park, Vantage Close, Tinsley, Sheffield. S9 1BG
--	---

Conditions included under Regulation 13(5)

Places where explosives may be stored or otherwise present, the hazard type (if any) of those explosives and the description and the maximum amount of those explosives are as shown below, or in the case of the places for storage, shown on the plan provided by the Licensee to this Authority.

Place 1 – as identified on the plan appended to this Licence (see Note 1)

Hazard Type	Description of the explosives stored or otherwise present	Maximum quantity stored or otherwise present
HT1 <small>(See Note 2)</small>		
or		
HT2 some or all items being of more than 0.7kg net mass <small>(see Note 2)</small>		
or		
HT2 every item being of 0.7kg net mass or less <small>(see Note 2)</small>		
or		
HT3 <small>(see Note 2)</small>		
or		
HT4 <small>(see Note 2)</small>	Electronically initiated airbag inflators, airbag modules and seatbelt pretensioners	250 kg NEC
or		
Other Explosives <small>(See Note 3)</small>		

Licence No: S283



South Yorkshire FIRE & RESCUE

This Licence does include conditions attached under the provisions of Regulation 13(7) ^(see Note 4)

This Licence replaces all other Licences previously issued for this site and is valid for the period.

From:	01/06/2022	To:	31/05/2027
--------------	-------------------	------------	-------------------

Officer dealing authorised to act on behalf South Yorkshire Fire & Rescue Authority.

For Information:

Notes:

1. Each place where explosives are to be stored should be identified on the plan or plans provided by the Licensee. Where explosives are stored in more than one place the Licence must state that, must specify each place, identify the hazard type (if any) of the explosives; describe the explosives which may be stored or otherwise present at any one time in that place; and the maximum amount of explosives which may be stored or otherwise present at any one time in that place and the appended table shows this.
2. Paragraph 1 (6) of Schedule 5 of the Explosives Regulations 2014 requires that where explosives of different hazard types are in one store, the explosives must be treated as belonging to the hazard type which would require the greatest separation distance for the total quantity of those explosives.
3. Explosives that are not generally described in terms of hazard type but [whose storage is to be subject to the conditions of the Licence should be listed here]. They will comprise those explosives detailed in Regulation 27(2)(a) and those detailed Regulation 27(3)(b) – (d) inclusive of the Explosives Regulation 2014.
4. Conditions are attached to a Licence under the provisions of Regulation 13(7) of the Explosives Regulations 2014.
5. All quantities are net mass of explosives. The maximum amount of explosives referred to in the tables for each place where explosives are stored has been determined from the tables given in Schedule 5 of ER2014 and the distances to relevant protected places relevant on the date this Licence was granted. The distances to be maintained to the different classes of protected places are shown in the table below.

The distances to be maintained to protected places from places where explosives may be stored have been assessed and, if after the grant of this Licence the separation distances can no longer be met, you:-

- must reduce the quantity of explosives being stored to ensure your continued compliance with the separation distance requirements of Regulation 27 of ER2014; and
- should contact your Licensing Authority as a Licence variation may be needed (Reg16(1)(a))

Licensing Contact Details:

Office Hours: 0900 hrs–1700 hrs

Administration 07500 814816 bfs.cs@syfire.gov.uk
Storage Advice 07979 740167 bfs.cs@syfire.gov.uk