

# ROYSTON ENVIRONMENTAL PERMIT APPLICATION

**Noise Impact Assessment**  
Prepared for: Johnson Matthey

SLR Ref: 416.063922.00001  
Version No: 5  
February 2024



## BASIS OF REPORT

This document has been prepared by SLR with reasonable skill, care and diligence, and taking account of the manpower, timescales and resources devoted to it by agreement with Johnson Matthey (the Client) as part or all of the services it has been appointed by the Client to carry out. It is subject to the terms and conditions of that appointment.

SLR shall not be liable for the use of or reliance on any information, advice, recommendations and opinions in this document for any purpose by any person other than the Client. Reliance may be granted to a third party only in the event that SLR and the third party have executed a reliance agreement or collateral warranty.

Information reported herein may be based on the interpretation of public domain data collected by SLR, and/or information supplied by the Client and/or its other advisors and associates. These data have been accepted in good faith as being accurate and valid.

The copyright and intellectual property in all drawings, reports, specifications, bills of quantities, calculations and other information set out in this report remain vested in SLR unless the terms of appointment state otherwise.

This document may contain information of a specialised and/or highly technical nature and the Client is advised to seek clarification on any elements which may be unclear to it.

Information, advice, recommendations and opinions in this document should only be relied upon in the context of the whole document and any documents referenced explicitly herein and should then only be used within the context of the appointment.

## CONTENTS

<b>1.0</b>	<b>INTRODUCTION .....</b>	<b>1</b>
1.1	Report Structure .....	1
<b>2.0</b>	<b>SITE DESCRIPTION .....</b>	<b>2</b>
2.1	Existing Site .....	2
2.2	Proposals.....	3
<b>3.0</b>	<b>SCOPE AND GUIDANCE .....</b>	<b>4</b>
3.1	Noise and vibration management: environmental permits .....	4
3.2	British Standard 4142:2014+A1:2019 .....	5
3.3	ISO 9613-2:1996 .....	6
<b>4.0</b>	<b>BASELINE BACKGROUND NOISE LEVELS - 2020.....</b>	<b>7</b>
4.1	Survey Date .....	7
4.2	Weather Conditions .....	7
4.3	Equipment.....	7
4.4	Survey Locations .....	7
4.5	Baseline Background Sound Level Results .....	8
4.6	Soundscape .....	9
<b>5.0</b>	<b>BASELINE BACKGROUND NOISE LEVELS - 2023.....</b>	<b>10</b>
5.1	Survey Date .....	10
5.2	Weather Conditions .....	10
5.3	Equipment.....	10
5.4	Survey Locations .....	10
5.5	Soundscape .....	11
5.6	Baseline Background Sound Level Results - Weekday .....	11
5.6.1	Location 4 Blake Road .....	11
5.6.2	Location 5 Rock Road .....	16
5.6.3	Location 6 Orchard Way.....	20
5.7	Baseline Background Sound Level Results - Weekend .....	24
5.7.1	Location 4 Blake Road .....	24
5.7.2	Location 5 Rock Road .....	28
5.7.3	Location 6 Orchard Way.....	32
5.8	Baseline Backgrounds for Assessment .....	36

---

<b>6.0</b>	<b>EXISTING SITE BS4142 ASSESSMENT</b>	<b>37</b>
6.1	Survey Locations	37
6.2	Specific Sound Level Results	39
6.3	Noise Model	39
6.4	Character Corrections	41
6.5	Existing Site BS4142 Assessment Results	42
<b>7.0</b>	<b>BS4142:2014+A1:2019 CUMULATIVE SITE ASSESSMENT</b>	<b>44</b>
7.1	Project Apollo	44
7.2	Boiler Replacement	45
7.3	Noise Model	46
7.4	Specific Sound Level of Proposed Plant	47
7.5	Cumulative Sound Level of Existing and Additional Plant	49
7.6	Cumulative Site BS4142 Assessment Results	50
<b>8.0</b>	<b>CONCLUSION</b>	<b>53</b>
	Location 5 – 25 Rock Road	73

<b>1.0</b>	<b>INTRODUCTION</b>	<b>1</b>
1.1	Report Structure	1
<b>2.0</b>	<b>SITE DESCRIPTION</b>	<b>2</b>
2.1	Existing Site	2
2.2	Proposals	3
<b>3.0</b>	<b>SCOPE AND GUIDANCE</b>	<b>4</b>
3.1	Noise and vibration management: environmental permits	4
3.2	British Standard 4142:2014+A1:2019	5
3.3	ISO 9613-2:1996	6
<b>4.0</b>	<b>BASELINE BACKGROUND NOISE LEVELS - 2020</b>	<b>7</b>
4.1	Survey Date	7
4.2	Weather Conditions	7
4.3	Equipment	7
4.4	Survey Locations	7
4.5	Baseline Background Sound Level Results	8

---

4.6	Soundscape.....	9
<b>5.0</b>	<b>BASELINE BACKGROUND NOISE LEVELS - 2023.....</b>	<b>10</b>
5.1	Survey Date.....	10
5.2	Weather Conditions.....	10
5.3	Equipment.....	10
5.4	Survey Locations.....	10
5.5	Soundscape.....	11
5.6	Baseline Background Sound Level Results - Weekday.....	11
5.6.1	Location 4 Blake Road.....	11
5.6.2	Location 5 Rock Road.....	16
5.6.3	Location 6 Orchard Way.....	20
5.7	Baseline Background Sound Level Results - Weekend.....	24
5.7.1	Location 4 Blake Road.....	24
5.7.2	Location 5 Rock Road.....	28
5.7.3	Location 6 Orchard Way.....	32
5.8	Baseline Backgrounds for Assessment.....	36
<b>6.0</b>	<b>EXISTING SITE BS4142 ASSESSMENT.....</b>	<b>37</b>
6.1	Survey Locations.....	37
6.2	Specific Sound Level Results.....	39
6.3	Noise Model.....	39
6.4	Character Corrections.....	41
6.5	Existing Site BS4142 Assessment Results.....	42
<b>7.0</b>	<b>BS4142:2014+A1:2019 CUMULATIVE SITE ASSESSMENT.....</b>	<b>44</b>
7.1	Project Apollo.....	44
7.2	Boiler Replacement.....	45
7.3	Noise Model.....	46
7.4	Specific Sound Level of Proposed Plant.....	47
7.5	Cumulative Sound Level of Existing and Additional Plant.....	49
7.6	Cumulative Site BS4142 Assessment Results.....	50
<b>8.0</b>	<b>CONCLUSION.....</b>	<b>53</b>

## DOCUMENT REFERENCES

### TABLES

Table 3-1 NVM Assessment.....	5
Table 4-1 Summary of 2020 Survey Results dB(A) .....	8
Table 5-1 Equipment .....	10
Table 5-2 Location 4: Blake Road Summary of 2023 Survey Results dB(A).....	12
Table 5-3 Location 5: Rock Road Summary of 2023 Survey Results dB(A).....	16
Table 5-4 Location 6: Orchard Way Summary of 2023 Survey Results dB(A) .....	20
Table 5-5 Location 4: Blake Road Summary of 2023 Survey Results dB(A).....	24
Table 5-6 Location 5: Rock Road Summary of 2023 Survey Results dB(A).....	28
Table 5-7 Location 6: Orchard Way Summary of 2023 Survey Results dB(A) .....	32
Table 6-1 Summary of 2020 Survey Results dB(A) .....	39
Table 6-2 Existing Site BS4142 Assessment, dB.....	43
Table 7-1 Project Apollo Plant Noise Data – dB .....	44
Table 7-2 Distance Between Apollo Plant and NSR Locations .....	45
Table 7-3 Plant Characteristics in CadnaA.....	47
Table 7-4 Specific Sound Level of Proposed Plant – dB(A).....	47
Table 7-5 Cumulative Specific Sound Level of Existing and Proposed Plant – dB(A) .....	50
Table 7-6 Cumulative Site BS4142 Assessment, dB .....	51
Table 3-1 NVM Assessment.....	5
Table 4-1 Summary of 2020 Survey Results dB(A) .....	8
Table 5-1 Equipment .....	10
Table 5-2 Location 4: Blake Road Summary of 2023 Survey Results dB(A).....	12
Table 5-3 Location 5: Rock Road Summary of 2023 Survey Results dB(A).....	16
Table 5-4 Location 6: Orchard Way Summary of 2023 Survey Results dB(A) .....	20
Table 5-5 Location 4: Blake Road Summary of 2023 Survey Results dB(A).....	24
Table 5-6 Location 5: Rock Road Summary of 2023 Survey Results dB(A).....	28
Table 5-7 Location 6: Orchard Way Summary of 2023 Survey Results dB(A) .....	32
Table 6-1 Summary of 2020 Survey Results dB(A) .....	39
Table 6-2 Existing Site BS4142 Assessment, dB.....	43
Table 7-1 Project Apollo Plant Noise Data – dB .....	44
Table 7-2 Distance Between Apollo Plant and NSR Locations .....	45
Table 7-3 Plant Characteristics in CadnaA.....	47

Table 7-4 Specific Sound Level of Proposed Plant – dB(A).....	47
Table 7-5 Cumulative Specific Sound Level of Existing and Proposed Plant – dB(A) .....	50
Table 7-6 Cumulative Site BS4142 Assessment, dB .....	51

FIGURES

Figure 2-1 Site Location .....	2
Figure 4-1 Monitoring and Sensitive Receptor Locations .....	8
Figure 5-1 Monitoring and Sensitive Receptor Locations .....	11
Figure 5-2 Measured Noise Levels at Blake Road .....	13
Figure 5-3 Histogram of Week $L_{Aeq,T}$ at Blake Road .....	14
Figure 5-4 Histogram of Measured Week $L_{A90}$ at Blake Road.....	15
Figure 5-5 Measured Noise Levels at Rock Road .....	17
Figure 5-6 Histogram of Week $L_{Aeq,T}$ at Rock Road .....	18
Figure 5-7 Histogram of $L_{A90}$ at Week Rock Road .....	19
Figure 5-8 Measured Noise Levels at Orchard Way .....	21
Figure 5-9 Histogram of Week $L_{Aeq,T}$ at Orchard Way .....	22
Figure 5-10 Histogram of Week $L_{A90}$ at Orchard Way.....	23
Figure 5-11 Measured Noise Levels at Blake Road .....	25
Figure 5-12 Histogram of Weekend $L_{Aeq,T}$ at Blake Road .....	26
Figure 5-13 Histogram of Weekend Measured $L_{A90}$ at Blake Road .....	27
Figure 5-14 Measured Noise Levels at Rock Road .....	29
Figure 5-15 Histogram of Weekend $L_{Aeq,T}$ at Rock Road .....	30
Figure 5-16 Histogram of Weekend $L_{A90}$ at Rock Road .....	31
Figure 5-17 Measured Noise Levels at Orchard Way .....	33
Figure 5-18 Histogram of Weekend $L_{Aeq,T}$ at Orchard Way.....	34
Figure 5-19 Histogram of Weekend $L_{A90}$ at Orchard Way.....	35
Figure 6-1 Eastern Boundary Measurement Positions.....	38
Figure 6-2 Existing Daytime Site-Specific Sound Level at 1.5m.....	40
Figure 6-3 Existing Night-Time Site-Specific Sound Level at 1.5m .....	41
Figure 7-1 Location of Proposed Apollo Plant.....	45
Figure 7-2 Daytime Specific Sound Level at a Height of 1.5m.....	48
Figure 7-3 Night-Time Specific Sound Level at a Height of 4m .....	49
Figure 2-1 Site Location .....	2
Figure 4-1 Monitoring and Sensitive Receptor Locations .....	8
Figure 5-1 Monitoring and Sensitive Receptor Locations .....	11

Figure 5-2 Measured Noise Levels at Blake Road .....	13
Figure 5-3 Histogram of Week $L_{Aeq,T}$ at Blake Road .....	14
Figure 5-4 Histogram of Measured Week $L_{A90}$ at Blake Road.....	15
Figure 5-5 Measured Noise Levels at Rock Road .....	17
Figure 5-6 Histogram of Week $L_{Aeq,T}$ at Rock Road .....	18
Figure 5-7 Histogram of $L_{A90}$ at Week Rock Road .....	19
Figure 5-8 Measured Noise Levels at Orchard Way .....	21
Figure 5-9 Histogram of Week $L_{Aeq,T}$ at Orchard Way .....	22
Figure 5-10 Histogram of Week $L_{A90}$ at Orchard Way.....	23
Figure 5-11 Measured Noise Levels at Blake Road .....	25
Figure 5-12 Histogram of Weekend $L_{Aeq,T}$ at Blake Road .....	26
Figure 5-13 Histogram of Weekend Measured $L_{A90}$ at Blake Road .....	27
Figure 5-14 Measured Noise Levels at Rock Road .....	29
Figure 5-15 Histogram of Weekend $L_{Aeq,T}$ at Rock Road .....	30
Figure 5-16 Histogram of Weekend $L_{A90}$ at Rock Road .....	31
Figure 5-17 Measured Noise Levels at Orchard Way .....	33
Figure 5-18 Histogram of Weekend $L_{Aeq,T}$ at Orchard Way .....	34
Figure 5-19 Histogram of Weekend $L_{A90}$ at Orchard Way.....	35
Figure 6-1 Eastern Boundary Measurement Positions.....	38
Figure 6-2 Existing Daytime Site-Specific Sound Level at 1.5m.....	40
Figure 6-3 Existing Night-Time Site-Specific Sound Level at 1.5m .....	41
Figure 7-1 Location of Proposed Apollo Plant.....	45
Figure 7-2 Daytime Specific Sound Level at a Height of 1.5m.....	48
Figure 7-3 Night-Time Specific Sound Level at a Height of 4m .....	49

## APPENDICES

- Appendix 01: Glossary
- Appendix 02: 2020 Survey Results
- Appendix 03: Weather Data
- Appendix 04: Site Photos
- Appendix 05: 2023 Survey Data



## 1.0 Introduction

Johnson Matthey has appointed SLR Consulting Ltd. (SLR) to undertake an assessment of the noise impact of new plant to be installed at the Johnson Matthey Site.

Due to the potential for the new plant to increase noise levels in the area the Environment Agency (EA) has requested that an application to vary the site's Permit is made, and that the application includes a Noise Impact Assessment.

This Report has been completed by Michelle Dawson a Corporate Member of the Institute of Acoustics (MIOA).

### 1.1 Report Structure

This Report presents:

- A description of the Site.
- A description of applicable guidance.
- The results of a baseline background sound survey at locations representative of the nearest noise-sensitive receptors to the proposed new plant.
- An assessment of existing and cumulative sound from the Site undertaken in accordance with British Standard 4142:2014+A1:2019 *Methods for rating and assessing industrial and commercial sound* as required by the Environment Agency (EA) Guidance *Noise and vibration management: environmental permits*.

Whilst reasonable effort has been made to ensure that this report is easy to understand, it is technical in nature; to assist the reader, a glossary of terminology is included in Appendix 01.

## 2.0 Site Description

### 2.1 Existing Site

Johnson Matthey, Royston is situated in an industrial area on the north-west edge of Royston, immediately adjacent to residential houses. The site is bounded by York Way to the north and Orchard Road to the south, with industrial units to the west and residential houses to the east.

The A505 dual carriageway passes close (about 100m) to the north-west boundary, the Baldock to Royston main railway line is about 225m to the south of the site, and the A1198 main road is about 325m to the east of the site. The nearest residential houses are immediately adjacent to the east boundary. There are further residential houses to the east of the A1198 main road and to the south of the Baldock to Royston main railway line.

The position of the Site in the context of the surrounding area can be seen in Figure 2-1.

**Figure 2-1**  
**Site Location**



## 2.2 Proposals

The proposals include the following:

- 1.** PU12 2A Fuel Cells: a new process to manufacture 20mT/year of catalyst and catalyst precursors including process vessels, centrifuges, ovens, cone mill, extraction booths, utilities and abatement systems consisting of caustic and ammonia wet scrubbers. The emissions will be vented by a new stack. It is considered that this would also be a Section 4.2 Part A(1) (a) activity.
- 2.** Apollo project: a new production line for manufacture of components for fuel cells, which will require decommissioning of existing equipment and installation of the new equipment including cleanroom provision, within building CSF2. The process includes annealing and coating of membrane film by a slot die process. An existing emission point will be used. It is considered that this process would be a Section 4.2 Part A (1) (c) activity.
- 3.** Boiler Replacement: a new gas-fired boiler with thermal output of 2.94MW will be installed. This will be a Directly Associated Activity to the installation activities.

## 3.0 Scope and Guidance

A summary of the requirements outlined in the EA Guidance document, and the assessment methodology outlined in BS4142:2014+A1:2019 are provided below.

### 3.1 Noise and vibration management: environmental permits

The Environment Agency (EA) released the guidance document *Noise and vibration management: environmental permits* (NVM) in July 2021, replacing the previous guidance presented in *Horizontal Guidance for Noise (H3) parts 1 and 2*. The NVM details when a noise assessment is required, the competency required to undertake an assessment and how to carry out a noise impact assessment.

The NVM references BS4142:2014+A1:2019 as the appropriate assessment methodology.

The NVM outlines how context should be taken into account in the assessment and notes that *“Whilst context allows you to interpret impact thresholds (to a degree), there are practical limits to the extent of the interpretation. It is unlikely you could adjust the assessment outcome beyond the next band (for example, modifying a BS 4142 outcome of more than 10dB to be less than an ‘adverse impact’).”*

Determining the outcome of the assessment the following should be considered:

- weekdays rather than weekends.
- what the sound ‘means’ – meaningful sound is one that conveys an unpleasant meaning beyond its mere acoustic content, for example noise from an abattoir.
- time of day.
- the absolute sound level.
- where the sound occurs.
- new industry or new residences.
- intrinsic links between the source and receptor, for example the source is the resident’s place of work.
- local attitudes.
- the residual acoustic environment.
- the land use at the receptor (for example, gardens rather than yards).
- the exceedance (traditional BS 4142).
- whatever else might be particular to that individual situation.

Based on the results of the BS4142:2014+A1:2019 assessment the NVM has three distinct requirements as detailed in Table 3-1.

**Table 3-1**  
**NVM Assessment**

NVM Result	BS4142 Descriptor	Next Stage
Unacceptable level of audible or detectable noise	The closest corresponding BS 4142 descriptor is 'significant adverse impact'	You must take further action or you may have to reduce or stop operations. The environment agencies will not issue a permit if you are likely to be operating at this level.
Audible or detectable noise	The closest corresponding BS 4142 descriptor is 'adverse impact'	Your duty is to use appropriate measures to prevent or, where that is not practicable, minimise noise. You are not in breach if you are using appropriate measures. But you will need to rigorously demonstrate that you are using appropriate measures.
No noise, or barely audible or detectable noise	The closest corresponding BS 4142 descriptor is 'low impact or no impact'	Low impact does not mean there is no pollution. However, if you have correctly assessed it as low impact under BS 4142, the environment agencies may decide that taking action to minimise noise is a low priority.

### 3.2 British Standard 4142:2014+A1:2019

British Standard 4142:2014+A1:2019 *Methods for rating and assessing industrial and commercial sound* is intended to be used to assess the potential adverse impact of sound, of an industrial and/or commercial nature, at nearby noise-sensitive receptor locations within the context of the existing sound environment.

Where the specific sound contains tonality, impulsivity and/or other sound characteristics, penalties should be applied depending on the perceptibility. For tonality, a correction of either 0, 2, 4 or 6dB should be added and for impulsivity, a correction of either 0, 3, 6 or 9dB should be added. If the sound contains specific sound features which are neither tonal nor impulsive, a penalty of 3dB should be added.

In addition, if the sound contains identifiable operational and non-operational periods, that are readily distinguishable against the existing sound environment, a further penalty of 3dB may be applied.

The assessment of impact contained in BS4142:2014+A1:2019 is undertaken by comparing the sound rating level, i.e. the specific sound level of the source plus any penalties, to the measured representative background sound level immediately outside the noise-sensitive receptor location. Consideration is then given to the context of the existing sound environment at the noise-sensitive receptor location to assess the potential impact.

Once an initial estimate of the impact is determined, by subtracting the measured background sound level from the rating sound level, BS4142:2014+A1:2019 states that the following should be considered:

- typically, the greater the difference, the greater the magnitude of the impact;
- a difference of around +10dB or more is likely to be an indication of a significant adverse impact, depending on the context;
- a difference of around +5dB is likely to be an indication of an adverse impact, depending on the context; and

- the lower the rating level is relative to the measured background sound level, the less likely it is that the specific sound source will have an adverse impact or a significant adverse impact. It is an indication that the specific sound source has a low impact, depending on the context.

BS4142:2014+A1:2019 notes that:

*“Adverse impacts include, but are not limited to, annoyance and sleep disturbance. Not all adverse impacts will lead to complaints and not every complaint is proof of an adverse impact.”*

BS4142:2014+A1:2019 outlines guidance for the consideration of the context of the potential impact including consideration of the existing residual sound levels, location and/or absolute sound levels.

To account for the acoustic character of proposed sound sources, BS4142:2014+A1:2019 provides the following with respect to the application of penalties to account for *“the subjective prominence of the character of the specific sound at the noise-sensitive locations and the extent to which such acoustically distinguishing characteristics will attract attention”*.

- **Tonality** – *“For sound ranging from not tonal to predominantly tonal the Joint Nordic Method gives a correction of between 0dB and +6dB for tonality. Subjectively, this can be converted to a penalty of 2dB for a tone which is just perceptible at the noise receptor, 4dB where it is clearly perceptible and 6dB where it is highly perceptible;*
- **Impulsivity** – *A correction of up to +9dB can be applied for sound that is highly impulsive, considering both the rapidity of the change in sound level and the overall change in sound level. Subjectively, this can be converted to a penalty of 3dB for impulsivity which is just perceptible at the noise receptor, 6dB where it is clearly perceptible, and 9dB where it is highly perceptible;*
- **Intermittency** – *When the specific sound has identifiable on/off conditions, the specific sound level ought to be representative of the time period of length equal to the reference time interval which contains the greatest total amount of on time. If the intermittency is readily distinctive against the residual acoustic environment, a penalty of 3dB can be applied; and*
- **Other Sound Characteristics** – *Where the specific sound features characteristics that are neither tonal nor impulsive, though otherwise are readily distinctive against the residual acoustic environment, a penalty of 3dB can be applied.”*

Finally, BS4142:2014+A1:2019 outlines guidance for the consideration of the context of the potential impact, including consideration of the existing residual sound levels, location and/or absolute sound levels.

### 3.3 ISO 9613-2:1996

The levels of sound generated by the operation of the proposed Plant has been predicted in accordance with the prediction framework within ISO 9613-2:1996 *Acoustics – Attenuation of Sound during Propagation Outdoors– Part 2: General Method of Calculation*. This method of calculation takes into account the distance between the sound sources and the closest receptors, and the amount of attenuation due to atmospheric absorption. The methodology also assumes downwind propagation, i.e. a wind direction that assists the propagation of sound from the source to the receiver.

## 4.0 Baseline Background Noise Levels - 2020

### 4.1 Survey Date

To determine sound levels in the vicinity of the Site noise surveys have been undertaken by INVC during 2002, 2004, 2006, 2008, 2010, 2012, 2014, 2016, 2018, and 2020.

The 2020 survey was undertaken between Monday the 14<sup>th</sup> and Thursday the 17<sup>th</sup> of September 2020. During the survey the Site was operational, and as such noise from the existing Site may have contributed to the measured baseline background sound level, most notably at No.2 Orchard Close.

### 4.2 Weather Conditions

During the survey, weather conditions were reported as generally dry and warm with a very light wind. Full details of the weather conditions during the survey are given in Appendix A of the INVC Report<sup>1</sup>.

### 4.3 Equipment

Full details of the monitoring equipment are given in Appendix B of the INVC Report<sup>2</sup>.

### 4.4 Survey Locations

Sound levels were measured at three locations, representative of the nearest residential receptors to the site, as follows:

- Location 1: Orchard Way.
- Location 2: Rock Road.
- Location 3: Eliot Road.

The survey locations are shown in Figure 4-1.

---

<sup>1</sup> INVC Report 9706 Dated 9<sup>th</sup> October 2020.

<sup>2</sup> INVC Report 9706 Dated 9<sup>th</sup> October 2020.

**Figure 4-1**  
**Monitoring and Sensitive Receptor Locations**



## 4.5 Baseline Background Sound Level Results

A summary of the survey results at Location One is shown in Table 4-1. The full survey results are available in Appendix 02.

**Table 4-1**  
**Summary of 2020 Survey Results dB(A)**

Location	Period	LA90,5min	LAeq,5min
No. 2 Orchard Way	Daytime	40	56
	Night-Time	37	39
No. 25 Rock Road	Daytime	47	50
	Night-Time	37	51
Eliot Road	Daytime	40	60
	Night-Time	30	34



## 4.6 Soundscape

It was noted in the INVC Report that some noise from Johnson Matthey is audible along most of the east boundary, but it is well controlled and not particularly intrusive. However, the noise level at the north end of the east boundary increases significantly when the Fast Cat roller shutter door (FC3) is open.

It is further stated that the average ambient noise level along the east boundary (adjacent to the residential houses) is about the same as it was in recent years since 2010 and has gradually decreased (by up to 9 dB) over the earlier years 2002 to 2008.

## 5.0 Baseline Background Noise Levels - 2023

### 5.1 Survey Date

To further inform this assessment SLR completed a noise survey in December 2023. The 2023 survey was undertaken between Friday the 1<sup>st</sup> and Monday the 4<sup>th</sup> of December. During the survey the Site was operational, and as such noise from the existing Site may have contributed to the measured baseline background sound level. However, to reduce any noise from the Site elevating the measured sound levels, care was taken to position noise meters at locations where the microphone was shielded by noise from the Site by intervening buildings. For Orchard Way (where Site noise at the boundary with Orchard Way would influence measured noise levels) the meter was positioned at approximately 80m further from the Site boundary with intervening residential buildings shielding the meter from Site noise.

### 5.2 Weather Conditions

During the survey, weather conditions were reported as generally dry, but cold with temperatures ranging from 7°C to -3°C with a very light wind. Full details of the weather conditions during the survey are given in Appendix 03.

### 5.3 Equipment

The noise survey equipment used during the survey is detailed in Table 4-1. All measurement instrumentation was calibrated before and after the measurements. No significant drift was observed. The calibration chain is traceable via the United Kingdom Accreditation Service to National Standards held at the National Physical Laboratory.

**Table 5-1  
Equipment**

Meter	Serial no.	Start time	End time	Calibration Drift (dB)	Calibrator serial no.
Location 4 – N1	1403010	1246	1156	0	31875
Location 5 – C2	G061094	1315	1208	0.06	72210
Location 6 – C4	G068726	1346	1221	0.5	72210

### 5.4 Survey Locations

Sound levels were measured at three locations, representative of the nearest residential receptors to the site, as follows:

- Location 4: 22 Blake Close (used as a proxy for Elliot Road)
- Location 5: 25 Rock Road
- Location 6: 21 Orchard Way

The survey locations are shown in Figure 5-1.

**Figure 5-1**  
**Monitoring and Sensitive Receptor Locations**



Photographs of the meter set up can be seen in Appendix 04.

## 5.5 Soundscape

At Location 3 Orchard Way, on collection a reversing siren of a forklift was heard, which was considered to be operating at the Site. Other Site noise was not distinguished. Additionally, there was also birdsong, high altitude planes and the occasional car passing on Orchard Way.

Location 4 Blake Close had distant road noise, birdsong, and the occasional train as well as the dog barking from within the house. The soundscape on collection was the same with the addition of rain falling on the adjacent trees and a high-altitude plane audible also.

Location 5 Rock Road had road noise most dominant and birdsong as well. This was observed on both setup and collection.

## 5.6 Baseline Background Sound Level Results - Weekday

### 5.6.1 Location 4 Blake Road


A summary of the survey results at Location Four Blake Road is shown in Table 5-2. The full survey results are available in Appendix 5.

**Table 5-2**  
**Location 4: Week Blake Road Summary of 2023 Survey Results dB(A)**


Date	Period	L <sub>Aeq</sub>	L <sub>A90</sub>	L <sub>A10</sub>	L <sub>Amax</sub>
1 <sup>st</sup> December	Daytime	47	43	48	85
	Night-Time	39	29	38	81
4 <sup>th</sup> December	Daytime	50	48	51	68
	Night-Time	-	-	-	-

A graph of the sound levels measured (over the whole period) at Blake Road can be seen in Figure 5-2. Histograms of the L<sub>Aeq,T</sub> and the L<sub>A90</sub> during the week can be seen in Figures 5-3 and 5-4.


**Figure 5-2**  
**Measured Noise Levels at Blake Road**



**Figure 5-3**  
**Histogram of Week  $L_{Aeq,T}$  at Blake Road**



**Figure 5-4**  
**Histogram of Measured Week LA90 at Blake Road**



## 5.6.2 Location 5 Rock Road

A summary of the survey results at Location Five Rock Road is shown in Table 5-3. The full survey results are available in Appendix 5.


**Table 5-3**  
**Location 5: Rock Road Summary of Week 2023 Survey Results dB(A)**

Date	Period	L <sub>Aeq</sub>	L <sub>A90</sub>	L <sub>A10</sub>	L <sub>Amax</sub>
1 <sup>st</sup> December	Daytime	49	45	49	73
	Night-Time	42	40	42	70
4 <sup>th</sup> December	Daytime	45	42	46	75
	Night-Time	-	-	-	-


A graph of the sound levels (over whole survey period) measured at Rock Road can be seen in Figure 5-5. Histograms of the L<sub>Aeq,T</sub> and the L<sub>A90</sub> measured over the week period can be seen in Figures 5-6 and 5-7.




Figure 5-5  
Measured Noise Levels at Rock Road



**Figure 5-6**  
**Histogram of Week  $L_{Aeq,T}$  at Rock Road**



**Figure 5-7**  
**Histogram of  $L_{A90}$  at Week Rock Road**



### 5.6.3 Location 6 Orchard Way


A summary of the survey results at Location Six Orchard Way is shown in Table 5-4. The full survey results are available in Appendix 5.

**Table 5-4**  
**Location 6: Orchard Way Summary of Week 2023 Survey Results dB(A)**


Date	Period	L <sub>Aeq</sub>	L <sub>A90</sub>	L <sub>A10</sub>	L <sub>Amax</sub>
1 <sup>st</sup> December	Daytime	48	42	47	78
	Night-Time	44	41	44	68
4 <sup>th</sup> December	Daytime	49	43	48	80
	Night-Time	-	-	-	-

A graph of the sound levels measured (over whole period) at Orchard Way can be seen in Figure 5-8. Histograms of the L<sub>Aeq,T</sub> and the L<sub>A90</sub> in the week can be seen in Figures 5-9 and 5-10.


**Figure 5-8**  
**Measured Noise Levels at Orchard Way**



**Figure 5-9**  
**Histogram of Week  $L_{Aeq,T}$  at Orchard Way**



**Figure 5-10**  
**Histogram of Week L<sub>A90</sub> at Orchard Way**



## 5.7 Baseline Background Sound Level Results - Weekend

### 5.7.1 Location 4 Blake Road

A summary of the survey results at Location Four Blake Road is shown in Table 5-5. The full survey results are available in Appendix 5.


**Table 5-5**  
**Location 4: Blake Road Summary of Weekend 2023 Survey Results dB(A)**

Date	Period	L <sub>Aeq</sub>	L <sub>A90</sub>	L <sub>A10</sub>	L <sub>Amax</sub>
2 <sup>nd</sup> December	Daytime	45	39	46	82
	Night-Time	43	39	44	81
3 <sup>rd</sup> December	Daytime	48	45	49	83
	Night-Time	44	40	44	63


A graph of the sound levels measured over the whole period at Blake Road can be seen in Figure 5-11. Histograms of the L<sub>Aeq,T</sub> and the L<sub>A90</sub> at the weekend can be seen in Figures 5-12 and 5-13.




**Figure 5-11**  
**Measured Noise Levels at Blake Road**



**Figure 5-12**  
**Histogram of Weekend LAeq,T at Blake Road**



**Figure 5-13**  
**Histogram of Weekend Measured LA90 at Blake Road**



### 5.7.2 Location 5 Rock Road


A summary of the survey results at Location Five Rock Road is shown in Table 5-6. The full survey results are available in Appendix 5.

**Table 5-6**  
**Location 5: Rock Road Weekend Summary of 2023 Survey Results dB(A)**


Date	Period	L <sub>Aeq</sub>	L <sub>A90</sub>	L <sub>A10</sub>	L <sub>Amax</sub>
2 <sup>nd</sup> December	Daytime	46	42	47	78
	Night-Time	41	39	41	67
3 <sup>rd</sup> December	Daytime	45	43	46	77
	Night-Time	42	38	42	69

A graph of the sound levels measured over the whole period at Rock Road can be seen in Figure 5-14. Histograms of the L<sub>Aeq,T</sub> and the L<sub>A90</sub> over the weekend can be seen in Figures 5-15 and 5-16.


Figure 5-14  
Measured Noise Levels at Rock Road



**Figure 5-15**  
**Histogram of Weekend  $L_{Aeq,T}$  at Rock Road**



**Figure 5-16**  
**Histogram of Weekend L<sub>A90</sub> at Rock Road**



### 5.7.3 Location 6 Orchard Way

A summary of the survey results at Location Six Orchard Way is shown in Table 5-7. The full survey results are available in Appendix 5.


**Table 5-7**  
**Location 6: Orchard Way Weekend Summary of 2023 Survey Results dB(A)**

Date	Period	L <sub>Aeq</sub>	L <sub>A90</sub>	L <sub>A10</sub>	L <sub>Amax</sub>
2 <sup>nd</sup> December	Daytime	50	43	48	93
	Night-Time	43	40	43	72
3 <sup>rd</sup> December	Daytime	48	44	47	77
	Night-Time	43	40	43	72


A graph of the sound levels measured over the whole survey at Orchard Way can be seen in Figure 5-17. Histograms of the L<sub>Aeq,T</sub> and the L<sub>A90</sub> over the weekend can be seen in Figures 5-18 and 5-19.




**Figure 5-17**  
**Measured Noise Levels at Orchard Way**



**Figure 5-18**  
**Histogram of Weekend  $L_{Aeq,T}$  at Orchard Way**



**Figure 5-19**  
**Histogram of Weekend L<sub>A90</sub> at Orchard Way**



## 5.8 Baseline Backgrounds for Assessment

Based on the data presented the following baseline background sound levels will be used in the BS4142 assessments for the NSR locations 1, 2, and 3 as follows. The 2023 data is considered to supersede the 2020 survey as the survey was completed over an extended period of time (compared to the short survey completed in 2020). The 2023 survey was completed during suitable weather conditions and at each survey location the Site was not audible, with the exception of a forklift audible during the collection of the meter at Orchard Way.

- **Location 1<sup>3</sup> Orchard Way**
  - Week: A daytime baseline background of 41dB(A). A night-time baseline background of 40dB(A).
  - Weekend: A daytime baseline background of 43dB(A). A night-time baseline background of 41dB(A).
- **Location 2<sup>4</sup> Rock Road**
  - Week: A daytime baseline background of 40dB(A). A night-time baseline background of 38dB(A).
  - Weekend: A daytime baseline background of 42dB(A). A night-time baseline background of 39dB(A).
- **Location 3<sup>5</sup> Elliot Road**
  - Week: A daytime baseline background of 38dB(A). A night-time baseline background of 34dB(A).
  - Weekend: A daytime baseline background of 39dB(A). A night-time baseline background of 34dB(A).

---

<sup>3</sup> Using measured baselines background sound levels at proxy location 6 (Orchard Way)

<sup>4</sup> Using measured baselines background sound levels at proxy location 5 (Rock Rd)

<sup>5</sup> Using measured baselines background sound levels at proxy location 4 (Blake Rd)

## 6.0 Existing Site BS4142 Assessment

It is stated in the INVC Report<sup>6</sup> that:

*“Johnson Matthey operates 24 hours a day, 7 days a week. The noise from the site is therefore almost constant, although there will be some small fluctuation in level as individual noise sources are turned on and off. However, all of the boundary positions are affected by extraneous noise including intermittent road traffic on York Way and Orchard Road, constant road traffic on the A505, occasional aircraft and trains, other industrial units, intermittent construction noise from the new building on the Johnson Matthey site, and (during the day) birdsong. The background noise readings ( $L_{A90}$ ) are therefore likely to be a better measure of the noise from the site than the equivalent continuous noise readings ( $L_{Aeq}$ ), which are more affected by intermittent extraneous noise”.*

On that basis the specific sound level of the Johnson Matthey Site at the eastern boundary of the Site may be inferred from the baseline background sound levels measured by INCV in 2020 at boundary positions 1, 1a, 11, and 12. However, to present a robust assessment, the measured  $L_{Aeq,T}$  data will be used. The date, weather, and equipment used during the survey is detailed in Section 4 of this Report.

### 6.1 Survey Locations


Sound levels were measured at the following eastern boundary positions 1, 1A, 11 and 12.

The on-site survey locations are shown in Figure 6-1. The NSR locations are shown in Figure 4-1.

---

<sup>6</sup> At page 6 INVC Report 9706 Dated 9<sup>th</sup> October 2020

Figure 6-1  
Eastern Boundary Measurement Positions<sup>7</sup>



<sup>7</sup> NOTE the figure taken from the INVC Report is not rotated north to south. The eastern boundary is the top boundary shown on the Figure.

## 6.2 Specific Sound Level Results

A summary of the background survey results at Locations 1, 1A, 11 and 12 are shown in Table 6-1. The full survey results are available in the INVR Report<sup>8</sup>.

**Table 6-1**  
**Summary of 2020 Survey Results dB(A)**

Location	Period	Measured L <sub>Aeq</sub> <sup>9</sup>	Inferred Specific Sound Level
1	Daytime	55	55
	Night-Time	51	51
1A	Daytime	53	53
	Night-Time	41	41
11	Daytime	66	66
	Night-Time	49	49
12	Daytime	61	61
	Night-Time	58	58

## 6.3 Noise Model

To determine the specific sound level of the Existing Site at the NSR locations a noise model has been developed.

The sound predictions in this assessment have been undertaken using a proprietary software-based noise model, CadnaA, which implements the full range of UK noise-based calculation methods. The calculation algorithms set out in ISO 9613-2:1996 Acoustics – Attenuation of sound during propagation outdoors – Part 2 General method of calculation have been used and the model assumes:

- A ground absorption factor of 0.25.
- Contour Data to include OS terrain data.
- A reflection factor of 3.


To determine the specific sound level off-site two area sources have been modelled across the Johnson Matthey Site. The area sources have been calibrated to ensure that the specific sound level at each boundary location agrees with Table 6-1<sup>10</sup>. The area sources have been modelled at a height of 4m and with a sound power level per unit area of 100dB(A) to 115dB(A) (daytime) and 98dB(A) and 109dB(A) (night-time). The resultant specific sound level at the boundary locations and at the off-site Receptors locations can be seen in Figure 6-2 for the daytime and Figure 6-3 for the night-time.

<sup>8</sup> INVC Report 9706 Dated 9<sup>th</sup> October 2020

<sup>9</sup> See Page 13 of INVC Report second table on page.


<sup>10</sup> Daytime: Within 1dB(A) or higher.

**Figure 6-2**  
**Existing Daytime Site-Specific Sound Level at 1.5m**





**Figure 6-3**  
**Existing Night-Time Site-Specific Sound Level at 1.5m**



## 6.4 Character Corrections

The character of the noise source and the sound penalty that will be applied in the BS4142:2014+A1:2019 assessment are detailed below:

- **Tonality:** SLR has not undertaken the BS4142:2014+A1:2019 *Objective method for assessing the audibility of tones in sound: one third octave method*. However, within the INVC Report it is stated that tones were identified in the datasets at the three off-site NSR that may be attributable to Site plant. Therefore, a 2dB(A) character correction will be applied.
- **Impulsivity:** Noise from the Site is not considered impulsive.
- **Other sound characteristics:** When operating, the proposals may be readily distinctive against the residual acoustic environment. A 3dB correction will therefore be required.

- Intermittency: Over the BS4142:2014+A1:2019 reference period of 1-hour in the daytime (07:00 – 23:00) and 15-minutes at night-time (23:00 – 07:00), it is anticipated that the noise sources would be constant; therefore, no intermittency correction is required.

Based on the above, a 5dB penalty is applicable to the predicted specific sound level at the nearest noise-sensitive receptors to derive the corresponding rating levels.

## 6.5 Existing Site BS4142 Assessment Results

The corrections described in Section 6-4 above have been added to the specific sound levels shown in Figures 6-2 and 6-3 to derive the rating levels at the nearest noise-sensitive receptors.

The rating level has then been compared to the derived background sound level.

The results of the BS4142:2014+A1:2019 assessment are shown in Table 6-2. It must be noted that the rating levels and the representative background sound levels have been rounded to the nearest decibel.

**Table 6-2**  
**Existing Site BS4142 Assessment, dB**

Receptor	Period	Assessment	Predicted Specific Sound Level, $L_{Aeq,T}$	Predicted Rating Level, $L_{Ar,T}$	Derived Background Sound Level $L_{A90}$	Difference
Orchard Way <sup>11</sup>	Weekday	Daytime	54	59	41	+18
		Night-Time	50	55	40	+15
	Weekend	Daytime	54	59	43	+16
		Night-Time	50	55	41	+14
Rock Road	Weekday	Daytime	37	42	40	+2
		Night-Time	34	39	38	+1
	Weekend	Daytime	37	42	42	0
		Night-Time	34	39	39	0
Eliot Road	Weekday	Daytime	31 <sup>12</sup>	36	38	-2
		Night-Time	25 <sup>13</sup>	30	34	-4
	Weekend	Daytime	31	36	39	-3
		Night-Time	25	30	34	-4

It can be seen from Table 6-2 that the rating level of existing operations exceeds the background sound level at Orchard Way and at Rock Road during the weekday period.

<sup>11</sup> Highest level taken from Figures 6-2 and 6-3

<sup>12</sup> Not on Figure 6-1 due to distance but this is the value.

<sup>13</sup> Not on Figure 6-1 due to distance but this is the value.

## 7.0 BS4142:2014+A1:2019 Cumulative Site Assessment

### 7.1 Project Apollo

The main noise sources that are expected to be audible externally are detailed in Table 7-1.

**Table 7-1**  
**Project Apollo Plant Noise Data – dB**

Plant	Sound Power Level dB(A)
Regenerative Thermal Oxidiser <sup>14</sup> (RTO) TO Fan	83
RTO Stack	83
RTO Furnace	83
Chiller	90
Ethanol Pump	83

The location of the Plant can be seen in Figure 7-1. It is stated in the *Environment Permit Variation Application Best Available Techniques & Operating Techniques* that (dated October 2022) at Section 3.6.6 that Project Apollo Plant will be designed to ensure no increase of noise will be detectable at the installation boundary.

<sup>14</sup> It is stated in the *Environment Permit Variation Application Best Available Techniques & Operating Techniques* that (dated October 2022) “The RTO will be fitted with acoustic insulation, silencers and noise hoods. The environmental noise level when measured at site boundary (Approx.90m) shall not exceed 55dBA”

**Figure 7-1**  
**Location of Proposed Apollo Plant**



The approximate distances between the proposed Apollo Plant and the NSR locations are detailed in Table 7-2.

**Table 7-2**  
**Distance Between Apollo Plant and NSR Locations**

Apollo Plant	Distance to NSR (m)		
	No. 2 Orchard Rd	No. 25 Rock Road	Eliot Road
RTO Fan	274	285	715
RTO Stack	274	285	715
RTO Furnace	274	285	715
Chiller	302	302	727
Ethanol Pump	238	281	724

## 7.2 Boiler Replacement

JM will replace the three existing boilers in the main boiler house with up-to-date state of the art boilers and burners. This will improve efficiency and remove the requirement to manage wet steam.

At Section 6.5.5 of the *Environment Permit Variation Application Best Available Techniques & Operating Techniques* that (dated October 2022) it is stated:

*“The boilers will be designed in accordance with European noise standards; the equipment will be subject to regular preventative maintenance in accordance with the manufacturer’s requirements. It is considered unlikely that the proposed changes will give rise to noise or vibration nuisance at the site boundary. The new boilers are considered to be less noisy than their predecessors as the equipment is brand new.*

*A noise survey was undertaken by Industrial Noise and Vibration Centre in October 2020 (reference R9706). The report concluded that JM operates 24 hours a day, 7 days a week and therefore the noise from the site is therefore almost constant, although there will be some small fluctuation in level as individual noise sources are turned on and off. Many of the main noise sources on site are shielded from the surrounding area by acoustic screens and/or other buildings, so the noisiest sources may not necessarily be audible at the boundary.*

*Potential sources of noise that may impact the site boundary from the boilers are listed below:*

- *Fans and blowers from the boilers.*

*These elements will be designed to ensure no increase of noise will be detectable at the installation boundary. All fans will be fitted with anti-vibration mounts. The site carries out noise monitoring every two years and reports this to the EA as part of the current EP requirement; the survey will be reviewed and extended to ensure no noise from the boiler house is present at the boundary”.*

### 7.3 Noise Model

The sound predictions in this assessment have been undertaken using a proprietary software-based noise model, CadnaA, which implements the full range of UK noise-based calculation methods. The calculation algorithms set out in ISO 9613-2:1996 Acoustics – Attenuation of sound during propagation outdoors – Part 2 General method of calculation have been used and the model assumes:

- A ground absorption factor of 0.5.
- Contour Data to include OS terrain data.
- A reflection factor of 3.

The characteristics of the proposed noise sources as modelled in CadnaA are presented in Table 7-3.

**Table 7-3  
Plant Characteristics in CadnaA**

Plant	X/Y	CadnaA Noise Type	Height above ground	Sound Power dB(A)
Regenerative Thermal Oxidiser (RTO) TO Fan	534862/241554	Point Source	7.2m	83
RTO Stack	534863/241555	Point Source	25m	83
RTO Furnace	Centre 534863/241557	Area and Vertical Sources	7m	83
Chiller	Centre 534847/241539	Area and Vertical Sources	2.6m	90
Ethanol Pump	534852/241539	Point Source	0.5m	83

## 7.4 Specific Sound Level of Proposed Plant

The calculated specific sound level of the proposed plant at each location are presented in Table 7-4. The daytime and night-time CadnaA images of the  $L_{Aeq,T}$  dB specific sound level are presented in Figures 7-2 and 7-3. Within Table 7-4 the highest predicted sound level for Orchard Way has been presented.

**Table 7-4  
Specific Sound Level of Proposed Plant – dB(A)**


Receptor	Assessment	Predicted Additional Plant Specific Sound Level, $L_{Aeq,T}$
Orchard Way	Week Daytime	39
	Week Night-Time	39
	Weekend Daytime	39
	Weekend Night-Time	39
Rock Road	Week Daytime	32
	Week Night-Time	32
	Weekend Daytime	32
	Weekend Night-Time	32
Eliot Road	Week Daytime	26
	Week Night-Time	29
	Weekend Daytime	26
	Weekend Night-Time	29

Figure 7-2  
Daytime Specific Sound Level at a Height of 1.5m





**Figure 7-3**  
**Night-Time Specific Sound Level at a Height of 4m**



## 7.5 Cumulative Sound Level of Existing and Additional Plant

The specific sound level of the exiting plant and additional plant at No.2 Orchard is presented in Table 7-5.

**Table 7-5  
Cumulative Specific Sound Level of Existing and Proposed Plant – dB(A)**

Receptor	Assessment	Predicted Existing Plant Specific Sound Level, $L_{Aeq,T}$	Predicted Additional Plant Specific Sound Level, $L_{Aeq,T}$	Cumulative Plant Specific Sound Level, $L_{Aeq,T}$
Orchard Way	Week Daytime	54	39	54
	Week Night-Time	50	39	50
	Weekend Daytime	54	39	54
	Weekend Night-Time	50	39	50
Rock Road	Week Daytime	37	32	38
	Week Night-Time	34	32	36
	Weekend Daytime	37	32	38
	Weekend Night-Time	34	32	36
Eliot Road	Week Daytime	31	26	32
	Week Night-Time	25	29	30
	Weekend Daytime	31	26	32
	Weekend Night-Time	25	29	30

## 7.6 Cumulative Site BS4142 Assessment Results

The corrections described in Section 6-4 have been added to the specific sound levels shown in Table 7-5 to derive the rating levels at the nearest noise-sensitive receptor, on Orchard Way.

The rating level has then been compared to the derived background sound level.

The result of the cumulative BS4142:2014+A1:2019 assessment is shown in Table 7-6. It must be noted that the rating levels and the representative background sound levels have been rounded to the nearest decibel.

**Table 7-6**  
**Cumulative Site BS4142 Assessment, dB**

Receptor	Assessment	Predicted Cumulative Specific Sound Level, $L_{Aeq,T}$	Predicted Cumulative Rating Level, $L_{Ar,T}$	Derived Background Sound Level $L_{A90}$	Difference
Orchard Way	Week Daytime	54	59	41	+18
	Week Night-Time	50	55	40	+15
	Weekend Daytime	54	59	43	+16
	Weekend Night-Time	50	55	41	+14
Rock Road	Week Daytime	38	43	40	+3
	Week Night-Time	36	41	38	+3
	Weekend Daytime	38	43	42	+1
	Weekend Night-Time	36	41	39	+2
Eliot Road	Week Daytime	32	35	38	-3
	Week Night-Time	30	33	34	-1
	Weekend Daytime	32	35	39	-4
	Weekend Night-Time	30	33	34	-1

From a comparison between Table 6-2 and 7-6 it can be seen that the additional plant is not predicted to increase the difference between the existing Site's rating level and the baseline background sound level at Orchard Way.

At Rock Road and Eliot Road, the variation will increase the rating level, but the level difference compared to the baseline background sound level. is no more than +3dB(A) at Rock Road, and -1dB(A) at Eliot Road. The increase is not therefore considered be significant.

Whilst the rating level at Orchard Way is more than the baseline background sound level by more than 10dB(A), it must be noted that the baseline background sound level was completed at a proxy location that shielded the noise meter, not just from the Johnson Matthey Site, but also commercial and industrial noise from other premises. Had it been possible for the Johnson Matthey Site to cease operations temporarily, the meter would have been placed in a garden abutting the Johnson Matthey Site.

At the measurement location other non-site related noise, as referenced above, may have elevated the baseline background sound level.

A higher baseline background sound level may therefore be more typical at the boundary of the Site with Orchard Way, and the assessment may be considered robust given the lower proxy reference level used for the assessment.

With regards to context BS4142 allows for a review of the absolute sound level. is relevant to consider the absolute level of predicted plant emissions at the receptor when considering the night-time period.

From an analysis of the baseline survey data, the existing baseline ambient noise levels at Orchard Way are between 40dB(A)and 49dB(A) which internally, assuming a typical 26dB  $R_w$  deduction of a standard glazed window, would equate to 14dB(A) to 23dB(A). Cumulatively, with the addition of the specific sound level, as a worst case the total

$L_{Aeq,T}$  inside a bedroom would equate to 27dB(A)<sup>15</sup>. This level is below the recommended limit for sleeping by the World Health Organisation of 30dB(A).

With a partially open window the limit would be exceeded, however, as the variation proposals do not elevate the specific sound level of the Facility above that which is already occurring, it is therefore not expected that the variation will cause a change in noise impact at Orchard Way.

In context therefore it is proposed that the application will not have a significant impact.

Furthermore, whilst the identified difference between the rating level and the baseline background sound level may appear high, the absence of noise complaints associated with the Site, indicates that the Site is operating with a low noise impact.

On this basis it is considered that the permit variation should be permitted.

---

<sup>15</sup> Log add 49dB(A) and 50dB(A) = 53dB(A). Minus 26dB(A) = 27dB(A).

## 8.0 Conclusion

Johnson Matthey has appointed SLR to undertake an assessment of the noise impact of new plant to be installed at the Johnson Matthey Site.

Due to the potential for the new plant to increase noise levels in the area the Environment Agency (EA) has requested that an application to vary the site's Permit is made, and that the application includes a Noise Impact Assessment.

This Report has been completed by Michelle Dawson a Corporate Member of the Institute of Acoustics (MIOA).

This Report has presented a BS4142 assessment of the existing Plant and a cumulative assessment including the plant associated with the permit variation.

The Report concludes that as the additional plant is not predicted to increase the difference between the existing Site's rating level and the baseline background sound level at the NSR locations assessed. Whilst the identified difference between the rating level and the baseline background sound level may appear high, the absence of noise complaints associated with the Site, and the robust assessment presented, indicates that the Site is operating with a low noise impact. On this basis it is considered that the permit variation should be permitted.

## APPENDIX 01

### Glossary of Terminology

## Glossary of Terminology

In order to assist the understanding of acoustic terminology and the relative change in noise, the following background information is provided.

The human ear can detect a very wide range of pressure fluctuations, which are perceived as sound. In order to express these fluctuations in a manageable way, a logarithmic scale called the decibel, or dB scale is used. The decibel scale typically ranges from 0dB (the threshold of hearing) to over 120dB. An indication of the range of sound levels commonly found in the environment is given in the following table.

**Table 1**  
**Sound Levels Commonly Found in the Environment**

Sound Level	Location
0dB(A)	Threshold of hearing
20 to 30dB(A)	Quiet bedroom at night
30 to 40dB(A)	Living room during the day
40 to 50dB(A)	Typical office
50 to 60dB(A)	Inside a car
60 to 70dB(A)	Typical high street
70 to 90dB(A)	Inside factory
100 to 110dB(A)	Burglar alarm at 1m away
110 to 130dB(A)	Jet aircraft on take off
140dB(A)	Threshold of Pain

### Acoustic Terminology

dB (decibel)	The scale on which sound pressure level is expressed. It is defined as 20 times the logarithm of the ratio between the root-mean-square pressure of the sound field and a reference pressure ( $2 \times 10^{-5} \text{Pa}$ ).
dB(A)	A-weighted decibel. This is a measure of the overall level of sound across the audible spectrum with a frequency weighting (i.e. 'A' weighting) to compensate for the varying sensitivity of the human ear to sound at different frequencies.
$L_{Aeq}$	$L_{Aeq}$ is defined as the notional steady sound level which, over a stated period of time, would contain the same amount of acoustical energy as the A - weighted fluctuating sound measured over that period.
$L_{10}$ & $L_{90}$	If a non-steady noise is to be described it is necessary to know both its level and the degree of fluctuation. The $L_n$ indices are used for this purpose, and the term refers to the level exceeded for n% of the time. Hence $L_{10}$ is the level exceeded for 10% of the time and as such can be regarded as the 'average maximum level'. Similarly, $L_{90}$ is the 'average minimum level' and is often used to describe the background noise. It is common practice to use the $L_{10}$ index to describe traffic noise.
$L_{Amax}$	$L_{Amax}$ is the maximum A - weighted sound pressure level recorded over the period stated. $L_{Amax}$ is sometimes used in assessing environmental noise where occasional loud noises occur, which may have little effect on the overall $L_{Aeq}$ noise level but will still affect the noise environment. Unless described otherwise, it is measured using the 'fast' sound level meter response.

## APPENDIX 02


### 2020 Survey Data



Position	Year	Time	Date (dd/mm/yy)	Start Time (hh:mm)	Stop Time (hh:mm)	Duration (hh:mm)	L <sub>A90</sub> (dB)	L <sub>A50</sub> (dB)	L <sub>Aeq</sub> (dB)	L <sub>A10</sub> (dB)	L <sub>Amax</sub> (dB)
2 Orchard Way	2020	Afternoon	14/09/20	13:30	13:35	00:05	41.0	48.0	60.2	61.0	84.0
				13:35	13:40	00:05	40.0	47.0	53.8	58.5	67.1
				13:40	13:45	00:05	40.0	44.0	53.6	58.0	69.1
		Mean	14/09/20	13:35	13:40	00:05	40.3	46.3	55.9	59.2	73.4
		Std Dev	0	00:05	00:05	00:00	0.6	2.1	3.8	1.6	9.2
		Night	17/09/20	00:40	00:45	00:05	36.0	38.0	38.4	39.5	47.7
				00:45	00:50	00:05	37.0	38.5	39.2	40.5	50.3
				00:50	00:55	00:05	36.5	38.5	38.8	40.0	49.1
		Mean	17/09/20	00:45	00:50	00:05	36.5	38.3	38.8	40.0	49.0
		Std Dev	0	00:05	00:05	00:00	0.5	0.3	0.4	0.5	1.3
22 Rock Road	2020	Morning	16/09/20	07:10	07:15	00:05	46.5	48	49.1	49.5	61.9
				07:15	07:20	00:05	47.5	48.5	50.8	53	62.4
				07:20	07:25	00:05	47.0	48.5	50.0	51.5	62.2
		Mean	16/09/20	07:15	07:20	00:05	47.0	48.3	50.0	51.3	62.2
		Std Dev	0	00:05	00:05	00:00	0.5	0.3	0.9	1.8	0.3
		Night	17/09/20	01:00	01:05	00:05	37.0	38.5	40.8	41.0	60.6
				01:05	01:10	00:05	37.0	38.5	41.1	41.5	61.2
				01:10	01:15	00:05	37.0	38.5	40.6	40.5	60.0
		Mean	17/09/20	01:05	01:10	00:05	37.0	38.5	40.8	41.0	60.6
		Std Dev	0	00:05	00:05	00:00	0.0	0.0	0.3	0.5	0.6
Eliot Road	2018	Morning	21/08/18	12:15	12:20	00:05	46.0	48.5	51.9	54.0	68.9
				12:20	12:25	00:05	46.0	49.5	54.8	57.0	73.3
				12:25	12:30	00:05	46.5	49.5	53.8	56.5	69.3
		Afternoon	21/08/18	15:40	15:45	00:05	41.5	45.0	53.9	57.5	70.0
				15:45	15:50	00:05	44.0	48.5	55.5	57.5	75.1
				15:50	15:55	00:05	45.0	47.0	54.6	57.5	65.6
		Mean	21/08/18	14:02	14:07	00:05	44.8	48.0	54.1	56.7	70.4
		Std Dev	0	01:42	01:42	00:00	1.7	1.6	1.1	1.2	3.1
		Night	21/08/18	00:55	01:00	00:05	39.5	41.0	50.9	44.0	71.7
				01:00	01:05	00:05	40.0	41.5	42.3	44.0	54.6
	01:05			01:10	00:05	38.5	40.0	40.7	42.0	42.6	
	Mean	21/08/18	01:00	01:05	00:05	39.3	40.8	44.6	43.3	56.3	
	Std Dev	0	00:04	00:04	00:00	0.6	0.6	4.5	0.9	11.9	
	2020	Afternoon	15/09/20	15:55	16:00	00:05	40.5	50.0	61.8	60.5	83.7
				16:00	16:05	00:05	40.0	47.0	65.3	64.5	87.3
				16:05	16:10	00:05	38.5	45.0	52.0	56.5	69.3
		Mean	15/09/20	16:00	16:05	00:05	39.7	47.3	59.7	60.5	80.1
		Std Dev	0	00:05	00:05	00:00	1.0	2.5	6.9	4.0	9.5
		Night	17/09/20	01:15	01:20	00:05	30.0	30.0	34.4	37.0	50.4
				01:20	01:25	00:05	30.0	30.0	34.7	36.5	51.5
01:25				01:30	00:05	30.0	30.0	34.1	37.5	49.4	
Mean		17/09/20	01:20	01:25	00:05	30.0	30.0	34.4	37.0	50.4	
Std Dev		0	00:05	00:05	00:00	0.0	0.0	0.3	0.5	1.1	

## APPENDIX 03

### Weather



## APPENDIX 04

### Photographs

Location 4, Blake Road



Location 5, Rock Road



Location 6, Orchard Way



## APPENDIX 05

### 2023 Survey



Location Four Blake Close

Date	Duration	LAeq	LAFmax	LAF,Perc4	LAF,Perc6
01/12/2023	00:13:54	51.9	77.9	50.4	42.8
01/12/2023	00:14:58	46.5	66.2	47.9	43.9
01/12/2023	00:14:58	45.4	51.8	47.1	43.0
01/12/2023	00:14:58	46.7	59.0	49.2	43.2
01/12/2023	00:14:58	49.7	61.5	51.8	45.6
01/12/2023	00:14:58	49.1	80.6	49.7	44.3
01/12/2023	00:14:58	47.6	58.0	50.0	44.5
01/12/2023	00:14:58	48.3	57.6	49.7	46.2
01/12/2023	00:14:58	49.2	57.3	51.1	46.9
01/12/2023	00:14:58	49.5	57.7	51.3	47.1
01/12/2023	00:14:58	48.2	62.4	49.5	46.0
01/12/2023	00:14:58	49.6	61.2	51.0	46.7
01/12/2023	00:14:58	52.2	71.9	51.8	46.4
01/12/2023	00:14:58	49.4	54.7	50.8	48.0
01/12/2023	00:14:58	49.9	72.2	50.3	47.5
01/12/2023	00:14:58	48.2	53.2	49.4	46.7
01/12/2023	00:14:58	47.6	54.9	48.9	46.1
01/12/2023	00:14:58	48.9	78.4	48.5	43.4
01/12/2023	00:14:58	49.6	77.0	50.7	42.9
01/12/2023	00:14:58	47.5	68.8	47.6	42.6
01/12/2023	00:14:58	50.2	70.1	50.2	42.7
01/12/2023	00:14:58	49.7	82.3	49.9	42.6
01/12/2023	00:14:58	44.2	56.1	45.9	41.7
01/12/2023	00:14:58	45.5	52.9	47.6	42.3
01/12/2023	00:14:58	43.7	58.2	46.0	40.4
01/12/2023	00:14:58	46.5	65.3	47.2	39.2
01/12/2023	00:14:58	46.5	64.3	48.8	36.3
01/12/2023	00:14:58	43.7	59.9	47.2	34.5
01/12/2023	00:14:58	40.1	55.9	42.8	35.2
01/12/2023	00:14:58	43.9	58.0	47.6	38.2
01/12/2023	00:14:58	43.3	54.5	46.7	37.6

Date	Duration	LAeq	LAFmax	LAF,Perc4	LAF,Perc6
01/12/2023	00:14:58	44.9	62.9	48.2	35.8
01/12/2023	00:14:58	37.5	50.7	40.0	32.7
01/12/2023	00:14:58	48.6	84.7	37.8	31.6
01/12/2023	00:14:58	37.6	52.7	39.8	33.1
01/12/2023	00:14:58	39.2	55.9	41.7	33.1
01/12/2023	00:14:58	42.4	58.9	41.4	33.1
01/12/2023	00:14:58	41.8	58.3	43.5	34.4
01/12/2023	00:14:58	36.7	47.6	39.2	33.3
01/12/2023	00:14:58	36.0	48.2	38.7	32.2
01/12/2023	00:14:58	36.6	48.2	38.9	32.7
01/12/2023	00:14:58	36.9	56.2	38.1	31.2
01/12/2023	00:14:58	39.5	54.9	43.0	31.2
01/12/2023	00:14:58	45.3	81.2	39.4	30.7
01/12/2023	00:14:58	44.5	62.0	43.4	30.4
02/12/2023	00:14:57	37.8	52.7	42.7	31.6
02/12/2023	00:14:58	39.7	52.5	43.8	32.8
02/12/2023	00:14:58	37.4	52.1	41.3	30.4
02/12/2023	00:14:58	31.2	51.7	32.7	28.2
02/12/2023	00:14:58	39.3	56.5	39.0	28.6
02/12/2023	00:14:58	33.8	50.2	35.2	28.9
02/12/2023	00:14:58	38.3	54.6	38.1	28.8
02/12/2023	00:14:58	33.4	53.9	34.1	27.6
02/12/2023	00:14:58	34.0	53.1	35.5	28.3
02/12/2023	00:14:58	32.2	53.6	32.2	28.1
02/12/2023	00:14:58	32.1	52.7	32.7	27.8
02/12/2023	00:14:58	33.6	51.0	35.7	28.6
02/12/2023	00:14:58	36.8	56.6	40.6	28.3
02/12/2023	00:14:58	33.1	59.6	31.9	27.9
02/12/2023	00:14:58	35.4	51.9	38.3	28.2
02/12/2023	00:14:58	32.4	51.0	33.5	28.5
02/12/2023	00:14:58	33.0	52.5	33.9	27.9
02/12/2023	00:14:58	35.1	53.0	37.3	28.9

Date	Duration	LAeq	LAFmax	LAF,Perc4	LAF,Perc6
02/12/2023	00:14:58	34.9	54.2	35.7	29.5
02/12/2023	00:14:58	37.1	55.1	39.3	29.2
02/12/2023	00:14:58	40.6	56.9	44.8	29.1
02/12/2023	00:14:58	36.0	55.5	37.6	29.1
02/12/2023	00:14:58	40.4	58.3	43.4	29.4
02/12/2023	00:14:58	42.2	62.5	46.1	31.9
02/12/2023	00:14:58	40.5	58.4	44.5	30.3
02/12/2023	00:14:58	39.1	57.8	41.1	31.7
02/12/2023	00:14:58	36.2	53.3	37.9	32.5
02/12/2023	00:14:58	40.7	52.1	45.2	33.5
02/12/2023	00:14:58	41.5	57.6	45.6	34.0
02/12/2023	00:14:58	37.3	51.9	39.3	34.0
02/12/2023	00:14:58	43.8	64.1	44.8	33.7
02/12/2023	00:14:58	40.4	57.6	42.3	36.8
02/12/2023	00:14:58	42.5	63.2	42.9	36.5
02/12/2023	00:14:58	42.8	60.8	44.8	37.7
02/12/2023	00:14:58	40.6	53.3	42.2	38.1
02/12/2023	00:14:58	40.6	59.6	41.9	37.1
02/12/2023	00:14:58	41.5	64.9	42.8	37.1
02/12/2023	00:14:58	41.7	54.7	43.6	38.3
02/12/2023	00:14:58	40.9	61.8	42.7	38.0
02/12/2023	00:14:58	41.2	51.4	42.8	39.2
02/12/2023	00:14:58	44.4	58.9	47.4	39.5
02/12/2023	00:14:58	42.4	53.2	45.0	38.5
02/12/2023	00:14:58	40.8	52.7	42.4	38.3
02/12/2023	00:14:58	42.2	56.1	44.6	37.7
02/12/2023	00:14:58	40.5	60.3	42.9	36.4
02/12/2023	00:14:58	40.2	56.4	42.4	36.6
02/12/2023	00:14:58	41.7	54.1	45.4	37.4
02/12/2023	00:14:58	42.2	56.9	44.3	37.3
02/12/2023	00:14:58	40.0	53.9	41.6	37.2
02/12/2023	00:14:58	41.6	54.1	44.9	36.9

Date	Duration	LAeq	LAFmax	LAF,Perc4	LAF,Perc6
02/12/2023	00:14:58	38.6	52.9	40.6	35.8
02/12/2023	00:14:58	41.0	58.7	42.9	37.4
02/12/2023	00:14:58	52.0	74.3	46.5	38.2
02/12/2023	00:14:58	40.8	64.0	41.7	37.1
02/12/2023	00:14:58	40.0	64.4	41.6	36.4
02/12/2023	00:14:58	45.0	65.0	47.0	38.4
02/12/2023	00:14:58	42.1	62.6	44.6	38.1
02/12/2023	00:14:58	43.5	61.6	46.0	39.0
02/12/2023	00:14:58	43.3	59.2	46.6	38.3
02/12/2023	00:14:58	43.2	61.8	46.5	38.4
02/12/2023	00:14:58	44.0	59.2	46.6	39.6
02/12/2023	00:14:58	44.0	57.8	46.8	39.6
02/12/2023	00:14:58	42.0	55.3	44.6	38.6
02/12/2023	00:14:58	41.6	55.9	44.1	38.9
02/12/2023	00:14:58	42.6	55.5	45.6	39.2
02/12/2023	00:14:58	43.4	64.7	44.9	39.9
02/12/2023	00:14:58	43.5	69.8	45.2	39.7
02/12/2023	00:14:58	42.4	58.7	44.4	39.7
02/12/2023	00:14:58	43.9	58.0	44.0	40.6
02/12/2023	00:14:58	43.3	59.0	44.7	41.4
02/12/2023	00:14:58	45.8	55.9	47.8	43.3
02/12/2023	00:14:58	45.9	51.0	47.4	44.0
02/12/2023	00:14:56	46.4	53.9	48.2	44.3
02/12/2023	00:14:58	45.5	51.6	46.8	43.8
02/12/2023	00:14:58	46.1	57.3	47.8	44.0
02/12/2023	00:14:58	46.9	54.6	48.8	44.8
02/12/2023	00:14:58	47.4	54.1	48.8	45.7
02/12/2023	00:14:58	46.5	53.4	48.4	44.3
02/12/2023	00:14:58	45.9	50.8	47.6	43.6
02/12/2023	00:14:58	46.5	53.3	48.5	44.2
02/12/2023	00:14:58	46.2	58.3	47.9	43.7
02/12/2023	00:14:58	45.2	52.6	47.8	42.0

Date	Duration	LAeq	LAFmax	LAF,Perc4	LAF,Perc6
02/12/2023	00:14:58	47.1	57.1	49.3	44.5
02/12/2023	00:14:58	47.4	58.3	48.7	45.0
02/12/2023	00:14:58	48.8	81.3	48.1	44.7
02/12/2023	00:14:58	47.1	59.0	48.1	44.6
02/12/2023	00:14:58	45.6	50.2	47.0	43.8
02/12/2023	00:14:58	49.2	82.4	47.9	44.7
02/12/2023	00:14:58	47.1	55.4	48.7	44.8
02/12/2023	00:14:58	47.1	53.8	48.6	45.1
02/12/2023	00:14:58	46.7	57.6	48.2	44.8
02/12/2023	00:14:58	46.3	55.8	47.7	44.6
02/12/2023	00:14:58	47.5	58.0	49.0	44.5
02/12/2023	00:14:58	45.9	53.4	47.7	43.7
02/12/2023	00:14:58	48.2	81.2	47.2	43.9
02/12/2023	00:14:58	45.8	61.1	47.4	43.5
03/12/2023	00:14:57	46.7	67.4	47.6	43.9
03/12/2023	00:14:58	45.0	51.9	46.5	43.0
03/12/2023	00:14:58	45.2	62.6	46.5	42.7
03/12/2023	00:14:58	42.7	49.9	44.7	39.6
03/12/2023	00:14:58	42.7	50.0	44.6	40.2
03/12/2023	00:14:58	42.5	51.2	44.5	39.9
03/12/2023	00:14:58	41.9	50.1	43.9	39.3
03/12/2023	00:14:58	41.2	48.1	43.3	38.6
03/12/2023	00:14:58	41.4	52.1	43.3	38.9
03/12/2023	00:14:58	40.9	50.5	43.2	37.2
03/12/2023	00:14:58	39.9	53.6	42.1	36.2
03/12/2023	00:14:58	39.2	49.7	41.8	35.6
03/12/2023	00:14:58	37.6	50.4	39.7	34.0
03/12/2023	00:14:58	37.8	49.3	40.1	33.6
03/12/2023	00:14:58	38.0	55.7	40.1	35.1
03/12/2023	00:14:58	41.6	47.3	43.7	37.2
03/12/2023	00:14:58	42.7	52.7	44.3	40.0
03/12/2023	00:14:58	41.5	48.7	43.1	39.1

Date	Duration	LAeq	LAFmax	LAF,Perc4	LAF,Perc6
03/12/2023	00:14:58	39.3	53.9	41.5	36.8
03/12/2023	00:14:58	37.9	48.1	40.1	35.2
03/12/2023	00:14:58	40.1	56.4	42.3	35.7
03/12/2023	00:14:58	41.0	49.4	43.3	37.6
03/12/2023	00:14:58	39.5	47.6	41.5	36.4
03/12/2023	00:14:58	40.0	49.1	42.0	37.3
03/12/2023	00:14:58	40.6	48.0	42.4	38.4
03/12/2023	00:14:58	42.1	52.4	43.7	39.8
03/12/2023	00:14:58	43.1	52.6	45.0	40.5
03/12/2023	00:14:58	44.1	56.6	45.5	41.6
03/12/2023	00:14:58	43.2	52.3	44.9	41.1
03/12/2023	00:14:58	44.9	54.5	47.1	41.8
03/12/2023	00:14:58	44.1	54.0	45.7	42.2
03/12/2023	00:14:58	44.9	55.6	46.4	43.2
03/12/2023	00:14:58	44.8	57.1	46.5	42.6
03/12/2023	00:14:58	46.0	54.9	47.6	43.9
03/12/2023	00:14:58	46.2	55.2	47.5	44.4
03/12/2023	00:14:58	47.4	60.3	48.9	45.4
03/12/2023	00:14:58	47.7	57.3	49.5	45.0
03/12/2023	00:14:58	47.6	53.9	49.0	46.1
03/12/2023	00:14:58	47.8	54.9	49.0	46.3
03/12/2023	00:14:58	51.3	71.0	52.7	47.1
03/12/2023	00:14:58	48.1	54.6	49.2	46.8
03/12/2023	00:14:58	48.8	61.5	50.2	46.9
03/12/2023	00:14:58	49.0	56.3	50.0	47.9
03/12/2023	00:14:58	49.2	57.3	50.2	47.9
03/12/2023	00:14:58	50.5	73.3	50.9	48.1
03/12/2023	00:14:58	51.0	69.4	53.2	48.3
03/12/2023	00:14:58	49.4	54.8	50.4	48.2
03/12/2023	00:14:58	49.6	57.5	50.4	48.2
03/12/2023	00:14:58	50.1	58.1	51.2	48.7
03/12/2023	00:14:58	51.2	57.1	52.2	49.8

Date	Duration	LAeq	LAFmax	LAF,Perc4	LAF,Perc6
03/12/2023	00:14:58	50.0	58.0	51.1	48.7
03/12/2023	00:14:58	49.0	57.5	50.0	47.7
03/12/2023	00:14:58	48.9	65.4	49.7	47.6
03/12/2023	00:14:58	49.9	65.1	50.1	47.9
03/12/2023	00:14:58	50.0	68.4	50.7	47.8
03/12/2023	00:14:58	49.5	58.8	51.0	47.4
03/12/2023	00:14:58	50.3	65.3	51.2	48.5
03/12/2023	00:14:58	49.7	56.3	50.8	48.2
03/12/2023	00:14:58	49.5	61.4	50.6	47.4
03/12/2023	00:14:58	47.7	52.6	48.7	46.5
03/12/2023	00:14:58	47.5	55.0	48.5	46.3
03/12/2023	00:14:58	48.2	60.7	49.0	46.7
03/12/2023	00:14:58	47.8	64.5	48.4	46.2
03/12/2023	00:14:58	46.2	59.1	47.2	44.5
03/12/2023	00:14:58	47.5	58.5	49.2	45.3
03/12/2023	00:14:58	46.8	59.1	47.8	45.4
03/12/2023	00:14:58	47.7	60.8	48.3	45.3
03/12/2023	00:14:58	46.8	53.8	47.9	45.6
03/12/2023	00:14:58	46.3	61.0	47.2	44.8
03/12/2023	00:14:58	47.5	58.2	49.2	45.1
03/12/2023	00:14:58	48.3	60.5	50.9	45.3
03/12/2023	00:14:58	48.7	63.2	49.6	45.4
03/12/2023	00:14:58	48.1	59.7	48.8	46.0
03/12/2023	00:14:58	47.3	56.5	48.5	46.0
03/12/2023	00:14:58	47.3	53.9	48.5	45.9
03/12/2023	00:14:58	46.9	65.1	47.6	44.2
03/12/2023	00:14:58	46.6	66.9	47.4	43.7
03/12/2023	00:14:58	46.6	65.5	48.5	44.0
03/12/2023	00:14:58	45.2	53.8	46.6	43.7
03/12/2023	00:14:58	48.1	67.9	47.3	43.3
03/12/2023	00:14:58	46.0	56.7	47.6	44.0
03/12/2023	00:14:58	44.9	54.0	46.5	43.0

Date	Duration	LAeq	LAFmax	LAF,Perc4	LAF,Perc6
03/12/2023	00:14:58	48.2	82.8	45.3	41.7
03/12/2023	00:14:58	42.8	48.9	44.3	41.1
03/12/2023	00:14:58	43.6	59.4	44.9	41.7
03/12/2023	00:14:58	43.6	58.1	44.0	40.4
03/12/2023	00:14:58	43.0	59.8	44.6	41.0
03/12/2023	00:14:58	41.7	53.8	43.2	39.2
03/12/2023	00:14:58	42.4	53.4	44.0	40.2
03/12/2023	00:14:58	41.7	48.7	43.5	39.1
03/12/2023	00:14:58	41.7	47.7	43.8	39.2
03/12/2023	00:14:58	40.5	51.2	42.6	37.4
03/12/2023	00:14:58	41.0	46.9	42.6	39.1
03/12/2023	00:14:58	41.7	53.0	43.4	38.8
03/12/2023	00:14:58	42.2	52.9	44.9	37.2
03/12/2023	00:14:58	42.8	51.8	44.0	41.3
04/12/2023	00:14:57	44.2	51.5	45.7	42.4
04/12/2023	00:14:58	42.3	56.0	43.9	39.9
04/12/2023	00:14:58	40.4	52.4	42.5	38.0
04/12/2023	00:14:58	41.0	52.8	43.5	37.5
04/12/2023	00:14:58	40.4	51.5	42.2	38.2
04/12/2023	00:14:58	40.4	51.9	42.3	38.0
04/12/2023	00:14:58	40.7	54.0	42.7	37.8
04/12/2023	00:14:58	40.8	52.5	43.0	38.1
04/12/2023	00:14:58	41.0	48.5	43.3	38.4
04/12/2023	00:14:58	41.4	51.8	43.5	38.3
04/12/2023	00:14:58	40.0	54.5	42.1	37.1
04/12/2023	00:14:58	41.4	51.0	43.3	38.0
04/12/2023	00:14:58	46.4	52.4	47.9	43.6
04/12/2023	00:14:58	47.1	57.0	48.2	45.7
04/12/2023	00:14:58	43.9	57.0	46.7	40.7
04/12/2023	00:14:58	42.2	54.4	44.0	39.8
04/12/2023	00:14:58	41.1	53.4	43.3	37.6
04/12/2023	00:14:58	43.0	52.8	45.2	40.1



Date	Duration	LAeq	LAFmax	LAF,Perc4	LAF,Perc6
04/12/2023	00:14:58	43.8	52.4	45.8	41.0
04/12/2023	00:14:58	42.7	54.0	44.9	40.0
04/12/2023	00:14:58	44.6	63.0	46.2	40.4
04/12/2023	00:14:58	44.8	54.5	46.7	42.3
04/12/2023	00:14:58	46.3	60.4	48.3	43.6
04/12/2023	00:14:58	47.0	55.5	48.8	44.7
04/12/2023	00:14:58	46.8	62.9	48.4	44.9
04/12/2023	00:14:58	48.1	54.6	49.7	46.0
04/12/2023	00:14:58	48.2	57.0	49.7	46.1
04/12/2023	00:14:58	49.4	57.9	50.8	47.5
04/12/2023	00:14:58	49.6	56.5	50.9	47.7
04/12/2023	00:14:58	49.7	60.0	51.2	47.8
04/12/2023	00:14:58	50.1	67.8	51.3	48.4
04/12/2023	00:14:58	50.3	57.4	51.6	48.7
04/12/2023	00:14:58	50.2	58.7	51.4	48.6
04/12/2023	00:14:58	50.9	61.0	51.8	48.9
04/12/2023	00:14:58	50.2	57.1	51.3	48.8
04/12/2023	00:14:58	50.5	57.3	51.8	49.0
04/12/2023	00:14:58	49.9	61.4	51.5	47.7
04/12/2023	00:14:58	50.0	58.3	51.7	48.1
04/12/2023	00:14:58	51.1	65.7	52.2	47.5
04/12/2023	00:14:58	50.4	64.6	50.8	47.7
04/12/2023	00:14:58	49.8	62.6	51.0	47.6
04/12/2023	00:14:58	49.3	58.3	50.6	47.1
04/12/2023	00:14:58	49.6	62.8	51.0	47.4
04/12/2023	00:14:58	49.8	58.6	51.2	47.6
04/12/2023	00:14:58	49.5	58.3	51.0	47.6
04/12/2023	00:14:58	49.8	60.8	51.5	47.5
04/12/2023	00:14:58	49.2	57.4	50.7	47.0
04/12/2023	00:11:35	49.9	67.0	52.0	47.3

Location 5 – 25 Rock Road

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
01/12/2023 13:15	00:15:00	61.3	93.1	54.2	45.4
01/12/2023 13:30	00:15:00	47.8	54.5	49.5	45.6
01/12/2023 13:45	00:15:00	49.6	63.6	50	45.5
01/12/2023 14:00	00:15:00	49.1	69	50.9	45.7
01/12/2023 14:15	00:15:00	47.5	65.2	49.4	44.8
01/12/2023 14:30	00:15:00	50.6	65.5	52.2	48.1
01/12/2023 14:45	00:15:00	52.2	60	53.7	50.2
01/12/2023 15:00	00:15:00	53.4	60.1	55.1	51.2
01/12/2023 15:15	00:15:00	53.2	61	54.7	51.1
01/12/2023 15:30	00:15:00	52.5	60.3	53.9	50.4
01/12/2023 15:45	00:15:00	53.8	71	55.2	50.8
01/12/2023 16:00	00:15:00	52.5	63.4	53.7	50.9
01/12/2023 16:15	00:15:00	51.2	65	52.5	49.1
01/12/2023 16:30	00:15:00	49.8	54.3	50.9	48.5
01/12/2023 16:45	00:15:00	51.2	56.3	52.4	49.5
01/12/2023 17:00	00:15:00	48.8	63.8	50.5	45.8
01/12/2023 17:15	00:15:00	48.8	62	50	46.5
01/12/2023 17:30	00:15:00	46.9	54.2	48.4	45.1
01/12/2023 17:45	00:15:00	48.8	66.2	50.6	45.3
01/12/2023 18:00	00:15:00	49.9	72.9	51	47
01/12/2023 18:15	00:15:00	46.7	53.8	48.5	44.4
01/12/2023 18:30	00:15:00	46.1	55.8	48.1	43.2
01/12/2023 18:45	00:15:00	46.1	57.5	47.8	43.4
01/12/2023 19:00	00:15:00	43.7	51.5	45.3	41.4
01/12/2023 19:15	00:15:00	41.7	52.4	43	39.6
01/12/2023 19:30	00:15:00	42.2	66	42.8	39.1
01/12/2023 19:45	00:15:00	42.9	54.2	44.9	40.2
01/12/2023 20:00	00:15:00	46.5	56.5	49.8	41.6
01/12/2023 20:15	00:15:00	46	53.1	49.4	41.9
01/12/2023 20:30	00:15:00	45.3	55.5	48.1	41.2
01/12/2023 20:45	00:15:00	42	55.5	43.4	39.8
01/12/2023 21:00	00:15:00	41.4	51.2	42.6	39.5
01/12/2023 21:15	00:15:00	42.1	54.7	42.8	40.2
01/12/2023 21:30	00:15:00	41.9	55	42.4	39.3
01/12/2023 21:45	00:15:00	45.3	61.7	44.1	40.1

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
01/12/2023 22:00	00:15:00	44.9	59.8	45.4	40.9
01/12/2023 22:15	00:15:00	41.4	52.9	42.5	39.8
01/12/2023 22:30	00:15:00	41.5	51.6	42.8	39.6
01/12/2023 22:45	00:15:00	41.9	53.5	43	40
01/12/2023 23:00	00:15:00	41.7	53.6	42	39.5
01/12/2023 23:15	00:15:00	42.3	58.6	42.3	39.6
01/12/2023 23:30	00:15:00	41.6	53	42.7	39.8
01/12/2023 23:45	00:15:00	45.4	61	46.5	38.9
02/12/2023 00:00	00:15:00	42.8	53.6	45.7	40
02/12/2023 00:15	00:15:00	44.1	52.2	47.4	40.5
02/12/2023 00:30	00:15:00	42.5	54.5	44.2	39.4
02/12/2023 00:45	00:15:00	40.2	49.7	41	38.9
02/12/2023 01:00	00:15:00	43.1	56.6	43.7	39.6
02/12/2023 01:15	00:15:00	40.7	45.3	41.6	39.7
02/12/2023 01:30	00:15:00	42	53.8	41.8	39.6
02/12/2023 01:45	00:15:00	40.6	48.8	41.3	39.5
02/12/2023 02:00	00:15:00	41	46.4	41.9	39.9
02/12/2023 02:15	00:15:00	40.6	45.6	41.3	39.7
02/12/2023 02:30	00:15:00	40.7	44.2	41.6	39.4
02/12/2023 02:45	00:15:00	41.7	47.4	43	40.3
02/12/2023 03:00	00:15:00	41.1	50.7	42	39.7
02/12/2023 03:15	00:15:00	41.3	47.8	42.3	39.9
02/12/2023 03:30	00:15:00	41.2	46.7	42	40
02/12/2023 03:45	00:15:00	41.8	49.8	42.9	40.4
02/12/2023 04:00	00:15:00	41	47.3	41.8	40
02/12/2023 04:15	00:15:00	40.8	49.3	41.5	39.8
02/12/2023 04:30	00:15:00	41.3	48.5	42.3	40.1
02/12/2023 04:45	00:15:00	41.8	52.1	42.7	40.7
02/12/2023 05:00	00:15:00	41.4	45.8	42.1	40.4
02/12/2023 05:15	00:15:00	41.5	47.9	42.4	40.4
02/12/2023 05:30	00:15:00	41.2	49.2	42.3	40
02/12/2023 05:45	00:15:00	42.1	48.7	43.2	40.8
02/12/2023 06:00	00:15:00	43.6	70.3	42.8	40.6
02/12/2023 06:15	00:15:00	43.3	52.1	44.5	41.8

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
02/12/2023 06:30	00:15:00	43.5	59.6	44.4	42
02/12/2023 06:45	00:15:00	45.1	58.2	47.3	42
02/12/2023 07:00	00:15:00	44.7	57.5	46.9	42.3
02/12/2023 07:15	00:15:00	44.1	58.8	45.7	41.6
02/12/2023 07:30	00:15:00	46.7	65.3	47.8	41.7
02/12/2023 07:45	00:15:00	46.7	67.7	46.5	42.8
02/12/2023 08:00	00:15:00	45.5	68.1	47.1	42.7
02/12/2023 08:15	00:15:00	53.9	66.5	57.8	44
02/12/2023 08:30	00:15:00	47.2	73.7	47.8	44.2
02/12/2023 08:45	00:15:00	45.2	61.6	47.2	41.8
02/12/2023 09:00	00:15:00	47.7	77.5	48.7	43
02/12/2023 09:15	00:15:00	46.1	60.6	47.7	43.8
02/12/2023 09:30	00:15:00	45.4	61.7	47	43.2
02/12/2023 09:45	00:15:00	46.2	64.3	47.2	44.2
02/12/2023 10:00	00:15:00	46.2	58.2	47.5	43.1
02/12/2023 10:15	00:15:00	45.7	62.5	47.6	43.1
02/12/2023 10:30	00:15:00	45.5	64.5	47.3	43.1
02/12/2023 10:45	00:15:00	45.5	61.8	48.1	42.5
02/12/2023 11:00	00:15:00	43.8	67.8	45.9	40.5
02/12/2023 11:15	00:15:00	44.3	60.2	46.8	41.4
02/12/2023 11:30	00:15:00	44.5	63.2	47	41.5
02/12/2023 11:45	00:15:00	44.2	58.4	46.4	42
02/12/2023 12:00	00:15:00	45.4	69.2	47	41.8
02/12/2023 12:15	00:15:00	44.9	58.3	46.6	40.9
02/12/2023 12:30	00:15:00	43.4	64.2	44.3	40.2
02/12/2023 12:45	00:15:00	46.3	76.6	46.9	41.7
02/12/2023 13:00	00:15:00	45.4	60.4	48	42.3
02/12/2023 13:15	00:15:00	43.2	52.1	44	41.7
02/12/2023 13:30	00:15:00	43.9	62.1	45.4	41.4
02/12/2023 13:45	00:15:00	45.8	65.1	47.8	41.4
02/12/2023 14:00	00:15:00	44.3	56	47.5	41.1
02/12/2023 14:15	00:15:00	45.4	57.3	48.4	42.1
02/12/2023 14:30	00:15:00	45.7	66.3	47.3	41.5
02/12/2023 14:45	00:15:00	44.4	53.7	47.2	41.4
02/12/2023 15:00	00:15:00	44.2	60.4	46.5	41.2

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
02/12/2023 15:15	00:15:00	44.2	69.4	45	42
02/12/2023 15:30	00:15:00	48.1	70.5	47.6	41.7
02/12/2023 15:45	00:15:00	43.8	60.6	45.6	40.9
02/12/2023 16:00	00:15:00	44.5	63.1	46.5	41.8
02/12/2023 16:15	00:15:00	45.1	55.6	47.6	42.3
02/12/2023 16:30	00:15:00	44.5	54.3	46	42.5
02/12/2023 16:45	00:15:00	47.5	78.1	46	42.8
02/12/2023 17:00	00:15:00	45.8	58.5	46	42.5
02/12/2023 17:15	00:15:00	44.4	57.9	45.9	42.4
02/12/2023 17:30	00:15:00	46	71.1	47.8	43.1
02/12/2023 17:45	00:15:00	44.9	53.8	47.6	42.2
02/12/2023 18:00	00:15:00	43.7	55.9	44.5	42.1
02/12/2023 18:15	00:15:00	43.6	54.1	44.2	42.3
02/12/2023 18:30	00:15:00	43.3	49.5	44.3	42.2
02/12/2023 18:45	00:15:00	45.5	62.8	47.5	42.5
02/12/2023 19:00	00:15:00	45.2	57.4	46.5	43.2
02/12/2023 19:15	00:15:00	44.9	60.1	46.2	42.5
02/12/2023 19:30	00:15:00	44.4	54.7	45.6	42.5
02/12/2023 19:45	00:15:00	43.3	52	44.5	41.8
02/12/2023 20:00	00:15:00	44.7	69.2	45.2	42
02/12/2023 20:15	00:15:00	45.6	55.8	48.9	42.1
02/12/2023 20:30	00:15:00	46.8	55.1	49.6	43
02/12/2023 20:45	00:15:00	46.2	62.3	47	42.1
02/12/2023 21:00	00:15:00	44.2	53.9	45.6	41.9
02/12/2023 21:15	00:15:00	46.4	60.5	47.2	42
02/12/2023 21:30	00:15:00	43.2	49.4	44.8	41.2
02/12/2023 21:45	00:15:00	43.4	49.6	45	41.4
02/12/2023 22:00	00:15:00	43.5	53.1	45.2	41
02/12/2023 22:15	00:15:00	43.9	61.1	45.5	40.9
02/12/2023 22:30	00:15:00	43.4	54.2	45	40.8
02/12/2023 22:45	00:15:00	42.8	51.2	44.5	40.9
02/12/2023 23:00	00:15:00	46	65.2	46.1	40.6
02/12/2023 23:15	00:15:00	43.2	54.5	44.3	41.2
02/12/2023 23:30	00:15:00	42.7	49.4	44.5	40.5
02/12/2023 23:45	00:15:00	41.8	50.5	42.9	40.5

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
03/12/2023 00:00	00:15:00	42.4	56.5	43.5	40.1
03/12/2023 00:15	00:15:00	41.6	53.7	42.7	39.9
03/12/2023 00:30	00:15:00	40.8	51.7	42.1	39.3
03/12/2023 00:45	00:15:00	40.2	49.7	41.2	38.7
03/12/2023 01:00	00:15:00	40.1	49.1	41.1	39
03/12/2023 01:15	00:15:00	39.8	44.4	40.7	38.6
03/12/2023 01:30	00:15:00	40.2	52.5	41.5	38.8
03/12/2023 01:45	00:15:00	39.6	45.3	40.6	38.5
03/12/2023 02:00	00:15:00	39.6	44.8	40.4	38.6
03/12/2023 02:15	00:15:00	39.1	42.6	40	38.1
03/12/2023 02:30	00:15:00	39.6	59.2	40.1	38
03/12/2023 02:45	00:15:00	39.4	52.5	40.3	38
03/12/2023 03:00	00:15:00	38.6	45.4	39.5	37.5
03/12/2023 03:15	00:15:00	39.1	48.5	40	37.7
03/12/2023 03:30	00:15:00	39.5	53.1	40.3	38.3
03/12/2023 03:45	00:15:00	43.4	65.4	44.7	39.8
03/12/2023 04:00	00:15:00	43.2	66.5	44.3	39.4
03/12/2023 04:15	00:15:00	41.8	62.5	43	38.4
03/12/2023 04:30	00:15:00	38.9	51	39.6	37.9
03/12/2023 04:45	00:15:00	38.9	48.5	39.7	37.8
03/12/2023 05:00	00:15:00	41.2	56.6	41.8	38.5
03/12/2023 05:15	00:15:00	40.5	55	41.4	39
03/12/2023 05:30	00:15:00	39.5	46.4	40.4	38.5
03/12/2023 05:45	00:15:00	39.9	45.6	40.8	38.9
03/12/2023 06:00	00:15:00	40.8	49.9	41.7	39.6
03/12/2023 06:15	00:15:00	41.6	55.2	42.5	40.1
03/12/2023 06:30	00:15:00	41.7	56.3	42.7	40.2
03/12/2023 06:45	00:15:00	43.3	58.6	43.6	40.3
03/12/2023 07:00	00:15:00	42.3	55.2	43.8	40.3
03/12/2023 07:15	00:15:00	43.2	57.8	44.9	40.1
03/12/2023 07:30	00:15:00	42.2	67	42.6	39.8
03/12/2023 07:45	00:15:00	41.8	55.9	42.5	40.2
03/12/2023 08:00	00:15:00	44.8	74.3	46.1	39.9
03/12/2023 08:15	00:15:00	42.1	55.5	42.9	40.2
03/12/2023 08:30	00:15:00	43.1	62	43.8	41

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
03/12/2023 08:45	00:15:00	44.8	61.9	46.5	41.6
03/12/2023 09:00	00:15:00	45.3	62.3	47.3	41.5
03/12/2023 09:15	00:15:00	47.7	71.3	48.4	43.7
03/12/2023 09:30	00:15:00	45.9	58.4	47.4	43.7
03/12/2023 09:45	00:15:00	46.6	62.2	47.4	42.8
03/12/2023 10:00	00:15:00	45.5	62.6	47.3	42.4
03/12/2023 10:15	00:15:00	45.4	61.4	46.8	42.5
03/12/2023 10:30	00:15:00	45.2	68.8	46.2	43.2
03/12/2023 10:45	00:15:00	44.9	55.1	46	43.3
03/12/2023 11:00	00:15:00	46	60.9	48	43.7
03/12/2023 11:15	00:15:00	49.2	65.8	51	43.8
03/12/2023 11:30	00:15:00	44.8	58.4	45.8	43.3
03/12/2023 11:45	00:15:00	45.8	67.2	46.8	43.1
03/12/2023 12:00	00:15:00	46	57.2	47.2	44.2
03/12/2023 12:15	00:15:00	49	64.1	50.5	46.7
03/12/2023 12:30	00:15:00	46.2	57	47.5	44.3
03/12/2023 12:45	00:15:00	45.6	55.6	46.9	44
03/12/2023 13:00	00:15:00	46.7	65.6	48.1	43.9
03/12/2023 13:15	00:15:00	46.1	59.3	47.8	43.1
03/12/2023 13:30	00:15:00	45.1	62.6	46.5	42.3
03/12/2023 13:45	00:15:00	45	61.4	47	42
03/12/2023 14:00	00:15:00	45.3	65	46.4	43.4
03/12/2023 14:15	00:15:00	44.8	61.6	45.4	42.6
03/12/2023 14:30	00:15:00	45.8	60.6	46.3	42.5
03/12/2023 14:45	00:15:00	50.1	76.2	48.4	42.4
03/12/2023 15:00	00:15:00	45.3	64.6	45.5	42.9
03/12/2023 15:15	00:15:00	46.2	63.6	47	43.4
03/12/2023 15:30	00:15:00	44.7	57.1	45.5	43.4
03/12/2023 15:45	00:15:00	43.7	54.9	44.7	42.4
03/12/2023 16:00	00:15:00	45.4	57.5	47.7	42.9
03/12/2023 16:15	00:15:00	44.2	62.6	45.4	42.5
03/12/2023 16:30	00:15:00	47.5	76.9	47.3	42.7
03/12/2023 16:45	00:15:00	44.9	58.8	46	42.9
03/12/2023 17:00	00:15:00	44.3	58.8	44.6	42.7
03/12/2023 17:15	00:15:00	45.7	56.8	48.1	42.9

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
03/12/2023 17:30	00:15:00	47.8	62	51.5	42.7
03/12/2023 17:45	00:15:00	47.5	63.3	48.8	43.2
03/12/2023 18:00	00:15:00	48.1	74.2	46.7	43.3
03/12/2023 18:15	00:15:00	46.2	62.2	47.3	43.6
03/12/2023 18:30	00:15:00	45	55.4	46.4	43.2
03/12/2023 18:45	00:15:00	45.3	61.9	45.3	42.4
03/12/2023 19:00	00:15:00	43.4	61.6	44.4	41.4
03/12/2023 19:15	00:15:00	43	55.3	44.2	41.3
03/12/2023 19:30	00:15:00	42.8	55.2	43.6	41.1
03/12/2023 19:45	00:15:00	45.9	63.3	46	40.7
03/12/2023 20:00	00:15:00	42.3	52.8	43.7	40.4
03/12/2023 20:15	00:15:00	40.8	54.1	42.2	38.8
03/12/2023 20:30	00:15:00	40.5	52.9	41.4	38.8
03/12/2023 20:45	00:15:00	40.5	50.5	41.4	39
03/12/2023 21:00	00:15:00	43.7	72.9	41.8	39.4
03/12/2023 21:15	00:15:00	42.8	59.5	42.1	39.1
03/12/2023 21:30	00:15:00	39.8	49	40.6	38.5
03/12/2023 21:45	00:15:00	39.3	55	39.7	37.9
03/12/2023 22:00	00:15:00	39.3	50.8	40.2	37.9
03/12/2023 22:15	00:15:00	38.6	50.2	39.3	37.3
03/12/2023 22:30	00:15:00	38.5	49.7	39.1	37.3
03/12/2023 22:45	00:15:00	38.4	51.4	38.9	37.1
03/12/2023 23:00	00:15:00	39.6	57.8	40.4	38.2
03/12/2023 23:15	00:15:00	40.2	56.4	40.5	37.5
03/12/2023 23:30	00:15:00	41	58.6	43.4	37.5
03/12/2023 23:45	00:15:00	42.8	59.7	43.9	40.7
04/12/2023 00:00	00:15:00	43	58.1	44.4	40.8
04/12/2023 00:15	00:15:00	39.8	55.9	41	37.9
04/12/2023 00:30	00:15:00	39.7	59.3	40.7	37.6
04/12/2023 00:45	00:15:00	39	57.2	39.9	37.3
04/12/2023 01:00	00:15:00	40.4	56.7	41.7	38.1
04/12/2023 01:15	00:15:00	40.3	56.4	41.5	38.4
04/12/2023 01:30	00:15:00	39.8	53.3	40.9	37.9
04/12/2023 01:45	00:15:00	39.9	59.4	40.9	38.1
04/12/2023 02:00	00:15:00	41.1	65.2	41.8	38.2



Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
04/12/2023 02:15	00:15:00	39	55.9	40	37.4
04/12/2023 02:30	00:15:00	39.5	56	40.6	37.2
04/12/2023 02:45	00:15:00	40.5	60.4	41.7	37.7
04/12/2023 03:00	00:15:00	47.9	67.4	49.3	42.2
04/12/2023 03:15	00:15:00	48.2	69.3	49.3	44.9
04/12/2023 03:30	00:15:00	42.6	64.1	44.2	39.1
04/12/2023 03:45	00:15:00	41	57	42.1	38.7
04/12/2023 04:00	00:15:00	38.8	52.8	39.8	37.4
04/12/2023 04:15	00:15:00	40.9	62.6	42.4	38.3
04/12/2023 04:30	00:15:00	41.7	66.1	43.2	38.6
04/12/2023 04:45	00:15:00	39.6	53.6	40.4	38.1
04/12/2023 05:00	00:15:00	39.7	53.3	40.7	38
04/12/2023 05:15	00:15:00	40.4	51.9	41.3	39
04/12/2023 05:30	00:15:00	41.9	54.3	42.8	40.3
04/12/2023 05:45	00:15:00	42	53.9	43	40.7
04/12/2023 06:00	00:15:00	42.4	61.7	43.4	40.6
04/12/2023 06:15	00:15:00	42.8	56	43.7	41.2
04/12/2023 06:30	00:15:00	43	53.5	44.4	41.1
04/12/2023 06:45	00:15:00	45.3	59.7	48	42.1
04/12/2023 07:00	00:15:00	47.4	74.5	45.1	42.2
04/12/2023 07:15	00:15:00	44.9	68.2	46.4	42.3
04/12/2023 07:30	00:15:00	43.8	64.7	44.2	42.4
04/12/2023 07:45	00:15:00	45.5	69	45.2	42.5
04/12/2023 08:00	00:15:00	44.8	63.9	46.1	42.7
04/12/2023 08:15	00:15:00	45.4	60.6	46.7	42.8
04/12/2023 08:30	00:15:00	45.3	61.4	46.2	42.7
04/12/2023 08:45	00:15:00	44.8	60.7	45.7	42.6
04/12/2023 09:00	00:15:00	44.3	57.3	46.1	41.8
04/12/2023 09:15	00:15:00	44.6	63.7	45.7	41.9
04/12/2023 09:30	00:15:00	43.6	61.4	44.4	41.8
04/12/2023 09:45	00:15:00	45.7	68.5	46	41.9
04/12/2023 10:00	00:15:00	44.1	66.4	45.3	41.9
04/12/2023 10:15	00:15:00	43.9	59.1	45.4	41.5
04/12/2023 10:30	00:15:00	45.8	65.1	47	41.5
04/12/2023 10:45	00:15:00	44.1	56.7	45.7	41.8

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
04/12/2023 11:00	00:15:00	44.2	63.6	46.2	41.6
04/12/2023 11:15	00:15:00	43.7	59.7	45.6	41.4
04/12/2023 11:30	00:15:00	45.2	72.6	45.7	41.4
04/12/2023 11:45	00:15:00	43.9	56.3	45.6	41.3
04/12/2023 12:00	00:08:36	61.7	93.2	48	41.5

### Location 6 21 Orchard Way

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
01/12/2023 13:45	00:14:02	50.7	69	52.7	44.1
01/12/2023 14:00	00:15:00	47.3	64.6	49.8	43.1
01/12/2023 14:15	00:15:00	49.1	71.8	48.6	42.5
01/12/2023 14:30	00:15:00	49	65.5	49.1	45.1
01/12/2023 14:45	00:15:00	48.5	63.4	50.3	46.1
01/12/2023 15:00	00:15:00	48.8	62.6	49.5	46.5
01/12/2023 15:15	00:15:00	49.8	72.7	48.7	45.9
01/12/2023 15:30	00:15:00	48	61.2	49.1	45.6
01/12/2023 15:45	00:15:00	51.1	67.8	52.3	46.3
01/12/2023 16:00	00:15:00	48.6	66.6	49.2	46.4
01/12/2023 16:15	00:15:00	48.4	64.3	49.4	46.1
01/12/2023 16:30	00:15:00	49.7	72.8	47.9	45.1
01/12/2023 16:45	00:15:00	50.9	75.1	48.7	45.8
01/12/2023 17:00	00:15:00	48.3	70.8	47.8	43.5
01/12/2023 17:15	00:15:00	50.6	77.6	50	44.2
01/12/2023 17:30	00:15:00	46.1	65.2	45.7	42.9
01/12/2023 17:45	00:15:00	48.1	66.1	47.1	43.1
01/12/2023 18:00	00:15:00	49	67.6	48.4	43.9
01/12/2023 18:15	00:15:00	45.9	65.2	45.9	42.5
01/12/2023 18:30	00:15:00	46.1	64.6	45.3	41.9
01/12/2023 18:45	00:15:00	45.5	65.4	45.1	42.1
01/12/2023 19:00	00:15:00	42.8	60.9	43.1	40.7
01/12/2023 19:15	00:15:00	44.6	63.4	43.4	40.5
01/12/2023 19:30	00:15:00	48.8	77.8	47.6	40.4
01/12/2023 19:45	00:15:00	47.7	69.2	47	40.8
01/12/2023 20:00	00:15:00	46.3	65.2	49.5	41.2
01/12/2023 20:15	00:15:00	46.3	68.7	48.3	41.2

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
01/12/2023 20:30	00:15:00	44.5	56.4	47.2	40.9
01/12/2023 20:45	00:15:00	42.6	60.8	43.8	40.6
01/12/2023 21:00	00:15:00	44.1	65	42.2	40.5
01/12/2023 21:15	00:15:00	42.5	53	43.2	40.9
01/12/2023 21:30	00:15:00	41.7	47.2	42.7	40.5
01/12/2023 21:45	00:15:00	45.3	61.1	43.8	41.5
01/12/2023 22:00	00:15:00	44.6	58.7	44.8	41.5
01/12/2023 22:15	00:15:00	42.9	64.3	42.3	40.6
01/12/2023 22:30	00:15:00	44.9	66.1	44.7	41
01/12/2023 22:45	00:15:00	44.4	63.6	44.1	41.4
01/12/2023 23:00	00:15:00	44	67.7	42.8	40.7
01/12/2023 23:15	00:15:00	42.5	55.6	42.9	40.9
01/12/2023 23:30	00:15:00	43.2	59.5	44	41.1
01/12/2023 23:45	00:15:00	46.3	63.6	47.4	40.4
02/12/2023 00:00	00:15:00	43.5	51.8	45.4	41.3
02/12/2023 00:15	00:15:00	44.5	53.6	47.5	41.6
02/12/2023 00:30	00:15:00	43.3	52.6	44.8	40.9
02/12/2023 00:45	00:15:00	41.5	44.6	42.4	40.5
02/12/2023 01:00	00:15:00	43.6	51.9	44.7	41.7
02/12/2023 01:15	00:15:00	42.3	46.6	43.2	41.3
02/12/2023 01:30	00:15:00	42.6	51	43.4	41.2
02/12/2023 01:45	00:15:00	44	65.1	43.4	41.1
02/12/2023 02:00	00:15:00	42.5	52.2	43.4	41.5
02/12/2023 02:15	00:15:00	42.2	46	43	41.2
02/12/2023 02:30	00:15:00	42.5	48.2	44	41
02/12/2023 02:45	00:15:00	43.4	48.9	44.9	41.9
02/12/2023 03:00	00:15:00	42.9	49.1	43.9	41.6
02/12/2023 03:15	00:15:00	43.2	61.1	43.2	41.2
02/12/2023 03:30	00:15:00	42.7	46.6	43.7	41.2
02/12/2023 03:45	00:15:00	43.3	49.1	44.5	42
02/12/2023 04:00	00:15:00	42.4	46.7	43.3	41.3
02/12/2023 04:15	00:15:00	42.3	50	43.1	41.3
02/12/2023 04:30	00:15:00	42.8	49	43.7	41.7
02/12/2023 04:45	00:15:00	45.2	59.6	45.5	41.8
02/12/2023 05:00	00:15:00	46.7	62.9	50.5	41.2

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
02/12/2023 05:15	00:15:00	43.2	55.8	43.6	41.6
02/12/2023 05:30	00:15:00	45.4	61.3	47.1	41.3
02/12/2023 05:45	00:15:00	45.1	59.7	46.9	42
02/12/2023 06:00	00:15:00	44.3	60.5	45.7	42
02/12/2023 06:15	00:15:00	47	63.8	47.5	42.8
02/12/2023 06:30	00:15:00	46.3	62.5	47.3	42.7
02/12/2023 06:45	00:15:00	45.4	54.4	47.3	42.8
02/12/2023 07:00	00:15:00	44.7	53.2	46.1	42.6
02/12/2023 07:15	00:15:00	45.1	61	46.9	42.4
02/12/2023 07:30	00:15:00	47.1	63.8	48.7	42.2
02/12/2023 07:45	00:15:00	46.2	63.8	46.7	43.5
02/12/2023 08:00	00:15:00	57.5	88.2	57.4	42.9
02/12/2023 08:15	00:15:00	53	73.3	57.8	47.3
02/12/2023 08:30	00:15:00	63.4	93.3	64.4	48.1
02/12/2023 08:45	00:15:00	47.5	66.1	48.9	42.2
02/12/2023 09:00	00:15:00	52.5	80.6	49.1	43.4
02/12/2023 09:15	00:15:00	48.8	69.8	47.8	43.9
02/12/2023 09:30	00:15:00	45.8	62.2	47.4	42.8
02/12/2023 09:45	00:15:00	47.8	67.8	47.5	44.6
02/12/2023 10:00	00:15:00	47.8	75.1	47.4	43.3
02/12/2023 10:15	00:15:00	49.8	74.7	48.9	43.2
02/12/2023 10:30	00:15:00	52.4	79.4	50.5	43.1
02/12/2023 10:45	00:15:00	48.8	67.9	49.6	43.1
02/12/2023 11:00	00:15:00	48	65.9	48.9	42.6
02/12/2023 11:15	00:15:00	49.5	67.9	49.8	42.4
02/12/2023 11:30	00:15:00	47	68.7	47.7	43
02/12/2023 11:45	00:15:00	46.7	66.3	46.8	42.7
02/12/2023 12:00	00:15:00	46.7	67.4	45.9	42.1
02/12/2023 12:15	00:15:00	48.3	69.2	48.2	41.6
02/12/2023 12:30	00:15:00	48.1	70.5	46.5	40.9
02/12/2023 12:45	00:15:00	51.8	74.4	52.5	42.7
02/12/2023 13:00	00:15:00	45.8	64.2	47.5	42.6
02/12/2023 13:15	00:15:00	47.6	67.4	47.1	42.1
02/12/2023 13:30	00:15:00	44.7	61.9	45.3	42
02/12/2023 13:45	00:15:00	47.2	69.1	47.9	42.1

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
02/12/2023 14:00	00:15:00	48.6	80.3	47.7	41.7
02/12/2023 14:15	00:15:00	47.7	67.2	49.7	42.4
02/12/2023 14:30	00:15:00	47.2	65.8	47.6	41.9
02/12/2023 14:45	00:15:00	45.8	67.3	47.7	42
02/12/2023 15:00	00:15:00	53.3	78.1	49.5	42.3
02/12/2023 15:15	00:15:00	45.9	69.1	45.7	42.4
02/12/2023 15:30	00:15:00	50.7	70.1	53.1	44
02/12/2023 15:45	00:15:00	45.7	62.3	46.4	41.4
02/12/2023 16:00	00:15:00	47.3	64.9	49.4	42.2
02/12/2023 16:15	00:15:00	48.6	64.4	50.2	43.4
02/12/2023 16:30	00:15:00	46.7	66.7	46.6	43
02/12/2023 16:45	00:15:00	46.3	64.4	46	43.5
02/12/2023 17:00	00:15:00	48.4	69.2	47.1	43.3
02/12/2023 17:15	00:15:00	47.1	66.6	47	43.1
02/12/2023 17:30	00:15:00	48.8	66.5	50.6	43.8
02/12/2023 17:45	00:15:00	47.9	67	48.4	42.7
02/12/2023 18:00	00:15:00	46.5	65	45.4	42.5
02/12/2023 18:15	00:15:00	46.3	64.3	45.6	43
02/12/2023 18:30	00:15:00	43.8	62.6	44.5	42.7
02/12/2023 18:45	00:15:00	46.5	63.2	47.8	42.8
02/12/2023 19:00	00:15:00	50.5	70.4	49.3	44.4
02/12/2023 19:15	00:15:00	49.3	70.6	47.7	43.5
02/12/2023 19:30	00:15:00	46.7	69.5	46.7	43.4
02/12/2023 19:45	00:15:00	44.8	64.6	45.3	42.2
02/12/2023 20:00	00:15:00	45.7	64.8	46.4	42.7
02/12/2023 20:15	00:15:00	45.2	55.4	47.6	42.5
02/12/2023 20:30	00:15:00	47	54.3	49.4	43.5
02/12/2023 20:45	00:15:00	46.5	59.2	48.2	42.9
02/12/2023 21:00	00:15:00	45.7	61.2	47.5	42.7
02/12/2023 21:15	00:15:00	47	60.3	48.2	43.1
02/12/2023 21:30	00:15:00	44.7	53.2	46.7	42
02/12/2023 21:45	00:15:00	45.8	63.8	46.8	42.6
02/12/2023 22:00	00:15:00	46.5	63.9	46.9	41.9
02/12/2023 22:15	00:15:00	45.1	61.3	46.9	41.9
02/12/2023 22:30	00:15:00	44.5	54.3	46.3	41.6

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
02/12/2023 22:45	00:15:00	45.2	64.4	46.2	41.8
02/12/2023 23:00	00:15:00	45.7	60.3	46.5	41.7
02/12/2023 23:15	00:15:00	44.1	53	45.7	42.1
02/12/2023 23:30	00:15:00	43.7	51.9	45.4	41.7
02/12/2023 23:45	00:15:00	42.9	49.4	44.3	41.4
03/12/2023 00:00	00:15:00	47.5	72.4	45.2	41.2
03/12/2023 00:15	00:15:00	43.9	67	43.5	40.5
03/12/2023 00:30	00:15:00	41.5	46.3	42.5	40.2
03/12/2023 00:45	00:15:00	42.6	64.6	42.2	39.8
03/12/2023 01:00	00:15:00	41.4	47.9	42.5	40.1
03/12/2023 01:15	00:15:00	41.2	49.7	42.1	39.9
03/12/2023 01:30	00:15:00	41.5	49.9	42.8	40
03/12/2023 01:45	00:15:00	41.2	52.9	42.2	39.8
03/12/2023 02:00	00:15:00	41	45.3	41.9	39.9
03/12/2023 02:15	00:15:00	40.4	48	41.4	39.2
03/12/2023 02:30	00:15:00	40.6	51.3	41.5	39.3
03/12/2023 02:45	00:15:00	40.7	48.6	41.7	39.4
03/12/2023 03:00	00:15:00	40.1	46.1	41	38.9
03/12/2023 03:15	00:15:00	42	64.1	41.7	39.2
03/12/2023 03:30	00:15:00	41.1	50.8	42	40
03/12/2023 03:45	00:15:00	44.7	60.7	46.3	42
03/12/2023 04:00	00:15:00	43.4	61.3	44.8	41
03/12/2023 04:15	00:15:00	42.2	57.6	43.4	40.4
03/12/2023 04:30	00:15:00	40.5	53.6	41.2	39.5
03/12/2023 04:45	00:15:00	40.6	50.9	41.4	39.5
03/12/2023 05:00	00:15:00	43.4	57.6	44.6	40.5
03/12/2023 05:15	00:15:00	42	50.4	43.3	40.6
03/12/2023 05:30	00:15:00	41	46.3	41.8	40
03/12/2023 05:45	00:15:00	41.5	48.5	42.4	40.4
03/12/2023 06:00	00:15:00	42.9	54.8	44.4	41.1
03/12/2023 06:15	00:15:00	44.8	60.7	46.1	42.8
03/12/2023 06:30	00:15:00	44.7	58.2	46.6	42.3
03/12/2023 06:45	00:15:00	46.1	59	48.6	42.4
03/12/2023 07:00	00:15:00	46	65.3	45.4	42
03/12/2023 07:15	00:15:00	45.5	62.5	46.5	41.6

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
03/12/2023 07:30	00:15:00	46.2	67.4	45.3	41.4
03/12/2023 07:45	00:15:00	45	67.9	44.8	41.7
03/12/2023 08:00	00:15:00	49	69.5	47.5	41.6
03/12/2023 08:15	00:15:00	47.2	69.9	45.4	41.9
03/12/2023 08:30	00:15:00	47.6	69.3	45.3	42.2
03/12/2023 08:45	00:15:00	46.4	67.4	47.3	42.6
03/12/2023 09:00	00:15:00	50.5	68.4	52.1	43.1
03/12/2023 09:15	00:15:00	52.9	71.2	53.6	47.2
03/12/2023 09:30	00:15:00	50.8	76.6	50	46.9
03/12/2023 09:45	00:15:00	49.6	76.5	50	44.1
03/12/2023 10:00	00:15:00	50	70.3	50.6	43.4
03/12/2023 10:15	00:15:00	49.7	69.2	48.2	43.5
03/12/2023 10:30	00:15:00	50.3	74.6	48.7	44.5
03/12/2023 10:45	00:15:00	48.8	68.2	47.9	44.5
03/12/2023 11:00	00:15:00	47.6	64.5	48.5	44.7
03/12/2023 11:15	00:15:00	52.3	75.7	54.5	45.5
03/12/2023 11:30	00:15:00	46.3	63.7	46.6	44.4
03/12/2023 11:45	00:15:00	49.1	69	48.3	44.1
03/12/2023 12:00	00:15:00	48.9	68.7	48.1	44.9
03/12/2023 12:15	00:15:00	49.9	67.9	50.1	46.6
03/12/2023 12:30	00:15:00	49.2	67.8	48.4	45.2
03/12/2023 12:45	00:15:00	48.3	68.6	47.3	45.1
03/12/2023 13:00	00:15:00	49.7	69	50	44.8
03/12/2023 13:15	00:15:00	49.5	71.3	47.9	44.4
03/12/2023 13:30	00:15:00	48.9	71.6	46.8	43.5
03/12/2023 13:45	00:15:00	48.2	68.6	47.6	43.3
03/12/2023 14:00	00:15:00	50.1	77.4	47.4	44
03/12/2023 14:15	00:15:00	47.7	69.8	46.1	43.8
03/12/2023 14:30	00:15:00	47.5	63.8	48.4	43.9
03/12/2023 14:45	00:15:00	48.1	72.3	46.4	43.8
03/12/2023 15:00	00:15:00	46.7	65.5	46.9	44.6
03/12/2023 15:15	00:15:00	49	65.1	51.1	45.2
03/12/2023 15:30	00:15:00	47.2	65	47.6	45.1
03/12/2023 15:45	00:15:00	45.6	66	46.1	43.9
03/12/2023 16:00	00:15:00	47	67.4	47.9	44.5

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
03/12/2023 16:15	00:15:00	47.8	67.1	46.9	44.3
03/12/2023 16:30	00:15:00	47.5	65.2	47.9	44.2
03/12/2023 16:45	00:15:00	48.9	70.3	47.3	44.5
03/12/2023 17:00	00:15:00	46.3	60.3	46.8	44.2
03/12/2023 17:15	00:15:00	48.7	66.9	49.6	44.6
03/12/2023 17:30	00:15:00	49.1	68.3	50.5	44.8
03/12/2023 17:45	00:15:00	47.8	62.9	48.9	45
03/12/2023 18:00	00:15:00	47.9	60.2	48.9	45.2
03/12/2023 18:15	00:15:00	47.8	61.2	49	45.5
03/12/2023 18:30	00:15:00	50	66.2	49.8	45
03/12/2023 18:45	00:15:00	47.2	62.7	47.6	44
03/12/2023 19:00	00:15:00	47	65.4	46.1	43
03/12/2023 19:15	00:15:00	45.5	66.5	46.5	42.7
03/12/2023 19:30	00:15:00	45.9	66.5	45.5	43
03/12/2023 19:45	00:15:00	46.8	64	46.8	42.1
03/12/2023 20:00	00:15:00	45.8	65.2	45.3	41.7
03/12/2023 20:15	00:15:00	43.5	62.3	43.8	40.4
03/12/2023 20:30	00:15:00	45.4	65.4	44.3	40.3
03/12/2023 20:45	00:15:00	42.4	57.8	42.7	40.5
03/12/2023 21:00	00:15:00	42.3	52.4	43.2	40.9
03/12/2023 21:15	00:15:00	43.6	59.4	43.6	40.8
03/12/2023 21:30	00:15:00	43.8	62.9	42.6	40.1
03/12/2023 21:45	00:15:00	40.8	50.8	41.6	39.4
03/12/2023 22:00	00:15:00	43	63.8	42	39.6
03/12/2023 22:15	00:15:00	40.1	47.3	41	39.1
03/12/2023 22:30	00:15:00	40.1	46.5	41	39.1
03/12/2023 22:45	00:15:00	40.5	49.7	41.5	39
03/12/2023 23:00	00:15:00	41.3	54.9	42.3	39.8
03/12/2023 23:15	00:15:00	42	53.9	43.5	39.5
03/12/2023 23:30	00:15:00	41.9	55.5	43.8	39.6
03/12/2023 23:45	00:15:00	42.9	54.5	43.9	41.5
04/12/2023 00:00	00:15:00	43.3	56.4	44.6	41.5
04/12/2023 00:15	00:15:00	41.5	55.3	42.8	39.6
04/12/2023 00:30	00:15:00	41.4	53.3	42.7	39.8
04/12/2023 00:45	00:15:00	40.8	53.6	41.9	39.1



Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
04/12/2023 01:00	00:15:00	41.6	54.2	43	39.8
04/12/2023 01:15	00:15:00	43.5	65.2	44.7	40.4
04/12/2023 01:30	00:15:00	41.6	56.4	42.7	39.9
04/12/2023 01:45	00:15:00	41.6	53.4	42.8	39.8
04/12/2023 02:00	00:15:00	41.7	55.6	42.9	39.9
04/12/2023 02:15	00:15:00	40.9	53.1	42	39.3
04/12/2023 02:30	00:15:00	46.2	71.9	42.4	39.1
04/12/2023 02:45	00:15:00	41.4	56.2	42.6	39.3
04/12/2023 03:00	00:15:00	46.4	62	48	42.5
04/12/2023 03:15	00:15:00	47	62.8	48.3	44.8
04/12/2023 03:30	00:15:00	43.4	69.6	44.8	40.8
04/12/2023 03:45	00:15:00	42.2	56.6	43.4	40.4
04/12/2023 04:00	00:15:00	41.6	54.1	42.8	39.7
04/12/2023 04:15	00:15:00	41.9	56.7	43.3	40
04/12/2023 04:30	00:15:00	41.9	55.3	43.3	39.8
04/12/2023 04:45	00:15:00	41.5	57.5	42.7	39.5
04/12/2023 05:00	00:15:00	41.4	60.4	42.5	39.5
04/12/2023 05:15	00:15:00	43.5	61.6	44.1	40
04/12/2023 05:30	00:15:00	43.8	63.6	44.4	40.6
04/12/2023 05:45	00:15:00	42.7	55.3	43.9	40.7
04/12/2023 06:00	00:15:00	44.1	59.6	45.6	41.5
04/12/2023 06:15	00:15:00	44.7	60.9	45.5	41.6
04/12/2023 06:30	00:15:00	47.2	69.3	44.6	41.2
04/12/2023 06:45	00:15:00	46.9	67.1	47.8	42.2
04/12/2023 07:00	00:15:00	46.9	63.8	48.4	43
04/12/2023 07:15	00:15:00	45.1	62.2	46.1	42.5
04/12/2023 07:30	00:15:00	43.5	51	44.2	42.5
04/12/2023 07:45	00:15:00	46.9	71.2	47.3	42.8
04/12/2023 08:00	00:15:00	49	74.6	48.7	43.1
04/12/2023 08:15	00:15:00	47.5	66.3	47.2	43.7
04/12/2023 08:30	00:15:00	53.7	80.4	50.4	43.4
04/12/2023 08:45	00:15:00	49.7	72.3	48.8	43.4
04/12/2023 09:00	00:15:00	51	78.4	49.4	43.3
04/12/2023 09:15	00:15:00	51.1	74.4	48.4	42.4
04/12/2023 09:30	00:15:00	44.2	59.5	45.3	42.5

Time	Duration	LAeq (dB)	LAFMax (dB)	Ln3 (10) (dB)	Ln5 (90) (dB)
04/12/2023 09:45	00:15:00	47.3	69	46.5	42.6
04/12/2023 10:00	00:15:00	46.6	61.9	48.5	42.9
04/12/2023 10:15	00:15:00	47.9	66.9	47	42.1
04/12/2023 10:30	00:15:00	49	68.6	48.5	42.1
04/12/2023 10:45	00:15:00	47	67.7	47.5	42.5
04/12/2023 11:00	00:15:00	49	68.3	49	42.6
04/12/2023 11:15	00:15:00	49.4	68.8	46.7	42.4
04/12/2023 11:30	00:15:00	50.1	68.9	48.2	41.8
04/12/2023 11:45	00:15:00	44.4	60.5	45.5	41.3
04/12/2023 12:00	00:15:00	53.6	74.6	49.4	41.8
04/12/2023 12:15	00:06:34	51	72.4	51.2	42.6

## EUROPEAN OFFICES

### United Kingdom

**AYLESBURY**

T: +44 (0)1844 337380

**BELFAST**

belfast@slrconsulting.com

**BRADFORD-ON-AVON**

T: +44 (0)1225 309400

**BRISTOL**

T: +44 (0)117 906 4280

**CARDIFF**

T: +44 (0)29 2049 1010

**CHELMSFORD**

T: +44 (0)1245 392170

**EDINBURGH**

T: +44 (0)131 335 6830

**EXETER**

T: + 44 (0)1392 490152

**GLASGOW**

T: +44 (0)141 353 5037

**GUILDFORD**

T: +44 (0)1483 889800

**LONDON**

T: +44 (0)203 805 6418

**MAIDSTONE**

T: +44 (0)1622 609242

**MANCHESTER**

T: +44 (0)161 872 7564

**NEWCASTLE UPON TYNE**

T: +44 (0)191 261 1966

**NOTTINGHAM**

T: +44 (0)115 964 7280

**SHEFFIELD**

T: +44 (0)114 245 5153

**SHREWSBURY**

T: +44 (0)1743 23 9250

**STIRLING**

T: +44 (0)1786 239900

**WORCESTER**

T: +44 (0)1905 751310

### Ireland

**DUBLIN**

T: + 353 (0)1 296 4667

### France

**GRENOBLE**

T: +33 (0)6 23 37 14 14