



Amended Decision Notice - 1st July 2022

Mr. Taylor Cherrett Turley The Pinnacle 20 Tudor Road Reading RG1 1NH

Town and Country Planning Act 1990 (as amended)
The Planning (Listed Buildings and Conservation Areas) Act 1990 (as amended)
Town and Country Planning (Development Management Procedure) (England) Order 2015
(DMPO) (as amended)

Application for Approval of Details Reserved by Condition

Proposal: Submission of details to partially discharge condition 34 (Contaminated Land

Verification Report) of planning permission P/00072/096 dated 19/11/2020

Location: Former Akzo Nobel Site, Wexham Road, Slough, SL2 5DS

DATE OF DECISION: 22 June 2022

In pursuance of their powers under the above mentioned Acts and Orders, the Council of the Borough of Slough as the Local Planning Authority has made the following decision in respect of the details submitted (application number P/00072/116) to comply with the condition(s) imposed as described within the above proposal.

1. Condition 34 (Contaminated Land Verification Report)

In accordance with:

- a) Remediation Completion and MMP Verification Report, prepared by Buckingham (Report Ref: BGCL-C19019/007/v3); Dated November 2021; Rec'd 01/12/2021
- b) Remediation Completion Report Phase 3 Residential Area, prepared by Buckingham (Report Ref: BGCL-C19019/006/v2); Dated June 2021; Rec'd 01/12/2021
- c) Phasing plan and details set out in the cover letter by Turley; Dated 26th November, 2021, Rec'd 01/12/2021





INFORMATIVE(S):

1. This decision partially discharges condition 34 (Contaminated Land Verification Report) of planning permission P/00072/096 dated 19/11/2020. The areas of the site hereby discharged are set in the cover letter by Turley; Dated 26th November,2021,Rec'd 01/12/2021.

Your attention is drawn to the notes below.

This decision notice does not convey any approval or consent under the Building Regulations or any enactment other than the Town and Country Planning Act 1990.

Neil Button On behalf of

Group Manager for Planning & Building Control

DEC1subccwi