


DRAFT

Composition Analysis Vs Recovery

Material	Percentage of Input Material	Purity (%)	Target Recovery	Anticipated Recovery (Tonnes)
OCC	5.66%	98%	99.00%	1.05
News and Palms	41.98%	95%	99.00%	7.5
Mixed Paper	32.08%	95%	99.00%	5.88
Ferrous	7.67%	95%	100.00%	1.534
Non Ferrous	1.35%	99%	100.00%	0.27
PET	5.09%	95%	98.00%	0.92
HDPE	3.40%	90%	98.00%	0.55
PTT	1.81%	90%	98.00%	0.25
Textiles	0.96%	---	---	---
Plastic Film	---	---	---	0.5
Residual	---	---	---	1.446
Ballistic Fines	---	---	---	0.1
<b>Total</b>	<b>100.00%</b>			<b>20</b>



THIRD ANGLE PROJECTION	THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE, NOR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION.			<b>TURMEC</b>
	DRAWN/DATE	GD	24.07.16	
DIMENSIONS MILLIMETRES	CHECKED/DATE	TBC	TBC	TITLE:- Process flow
	APPROVED/DATE	TBC	TBC	
INSPECTION DIMENSION	TOLERANCES EXCEPT AS NOTED X.XX+/-0.1 X.XX+/-0.01			CLIENT:- MDR Plant
	BREAK ALL EDGES, REMOVE ALL BURRS			SCALE:- NTS    DWG.No. 00241.2    REV 2