

Slurry Wizard ~ Slurry Data Entry

Stores, yard and roof rainfall, parlour washings and wash water entry

Baseline farm data

Farm name / reference	Wheaton Ashton Pig Unit
Total farmable area (hectares)	0 Ha
Slurry store 10 figure grid reference (e.g. SE3548629596)	SJ8400314720
Cattle in herd/ pig herd size (includes calves, heifers, bulls, sows, finishers etc)	5740 animals
Cows in milk	
Milk yield/cow	
Depreciation buildings (%)	5 %
Interest rate (%)	6.75 %
Water cost (£m3)	1.8 £m3
Slurry spreading cost (£/cubic metre)	3.0 £m3
Water storage cost (£/cubic metre)	85.0 £m3
Divert water cost (£/square metre)	5.0 £m2
Roofing cost (£/square metre)	120.0 £m2
Slurry store cost (£/cubic metre)	75.0 £m3

Slurry storage capacity for earth bank stores

	Total Depth Do NOT deduct freeboard from the total depth	Slurry store bank slope*	Top length	Bottom length	Top width	Bottom width	Total volume	750mm freeboard	Working volume	Surface area	Tick if Covered Store	Surface area to store (m2)
	(m)	Please select	(m)	(m)	(m)	(m)	(m3)	(m3)	(m3)	(m2)		
Store 1		Bank slope of 1:1 (45 degrees)		0		0	0	0	0	0		0
Store 2		Bank slope of 1:1 (45 degrees)		0		0	0	0	0	0		0
Store 3		Bank slope of 1:1 (45 degrees)		0		0	0	0	0	0		0
Store 4		Bank slope of 1:1 (45 degrees)		0		0	0	0	0	0		0
Store 5		Bank slope of 1:1 (45 degrees)		0		0	0	0	0	0		0
Store 6		Bank slope of 1:1 (45 degrees)		0		0	0	0	0	0		0
Store 7		Bank slope of 1:1 (45 degrees)		0		0	0	0	0	0		0
Store 8		Bank slope of 1:1 (45 degrees)		0		0	0	0	0	0		0
Store 9		Bank slope of 1:1 (45 degrees)		0		0	0	0	0	0		0
Store 10		Bank slope of 1:1 (45 degrees)		0		0	0	0	0	0		0
lope factor: click on cell for options					•	Totals	0	0	0	0		0
rth bank lagoons must have 750mm of freeboard to protect banks					Total area	0				•		

Slurry storage capacity for rectangular & circular tower stores

	Length (m)	Width (m)	Circumference of circular store (m)	Diameter of circular store (m)	Depth (m) (less 0.3m freeboard)	Capacity (m3)	Surface area (m2)	Surface area to store (m2)	Tick if Covered Store
Under Slat Storage	145	20			0.5	1450	2900		V
Under Slat Storage	130	20			0.5	1300	2600		V
Store 3						0	0	0	
Store 4						0	0	0	
Store 5						0	0	0	
Store 6						0	0	0	
Store 7						0	0	0	
Store 8						0	0	0	
Store 9						0	0	0	
Store 10						0	0	0	
Store 11 - circular			113	36.0	5.7	5791	1016		V
Store 12 - circular			113	36.0	5.7	5791	1016		V
Store 13 - circular				0.0		0	0	0	
Store 14 - circular				0.0		0	0	0	
Store 15 - circular]			0.0		0	0	0	
				Total existing	g capacity	14332	7532	0	

Freeboard : reduce the depth to allow for freeboard (0.3 metres for a steel or concrete store)

Slurry storage capacity for slurry bags

	Volume (m3)
Store 1	
Store 2	
Store 3	
Store 4	
Store 5	
Store 6	
Store 7	

Total bag volume	0
Store 10	
Store 9	
Store 8	

Slurry separator

Do you operate a separator for the slurry entering the store(s)	Yes	
% reduction in slurry	15	Adjust the % to reflect the average reduction in slurry volume (refer to manufacturers guidance)

Parlour washings to slurry store

Parlour washings to slurry store	
Parlour washing litres per cow per day (l/hd/d)	Note: Suggested 5 to 15 l/hd/d robotic milkers (check with manufacturer). 20 l/hd/d low pressure system. 30 l/hd/d high pressure system.

Pig wash water to slurry store

Pig wash water to slurry store	Yes	Please select from drop-down list
Do you want to use preset NVZ wash water values?	Yes - Use preset NVZ values	Please select from drop-down list

Pigs	NVZ Preset Values Wash water l/place/day	User Entry Values Wash water l/place/day	User Entry Values Wash water total I/day
1 sow place inc. litters - Litter up to 7kg - With syn amino acid	1.43	840	
1 sow place inc. litters - Litter up to 7kg - No syn amino acid	1.43		
Dry sow - Above 150kg	0.08	3200	
Weaner place - 7 to 13kg	0.28	250	
Weaner place - 13 to 31kg	0.37	250	
Grower place - 31 to 66kg - Dry fed	0.27		
Grower place - 31 to 66kg - Liquid fed	0.27		
Finisher place - Over 66kg - Dry fed	0.23		
Finisher place - Over 66kg - Liquid fed	0.23		
Maiden gilt place - Over 66kg	0.08	1200	
Boar - 66kg to 150kg	0.08		
Boar - Over 150kg	0.08]

Uncovered areas of dirty yards, silage silos and earth bank surrounds to slurry store

		,		-
	Length (m)	Width (m)	Area (m2)	Note: For each yard please either enter yard dimensions and the tool will call the yard area, or if yard area known please enter the yard area in m2.
Yard 1			0	1
Yard 2			0	1
Yard 3			0	1
Yard 4			0	1
Yard 5			0	
Yard 6			0	1
Yard 7			0	1
Yard 8			0	1
Yard 9			0	1
Yard 10			0	1
Yard 11			0	1
Yard 12			0	
Yard 13			0	
Yard 14			0	1
Yard 15			0	
Yard 16			0	
Yard 17			0	
Yard 18			0	
Yard 19			0]
Yard 20			0	1
	•	Total yard area	0	1

Roof water area to slurry store

	Length (m)	Width (m)	Area (m2)
Roof 1			0
Roof 2			0
Roof 3			0
Roof 4			0
Roof 5			0
Roof 6			0
Roof 7			0
Roof 8			0
Roof 9			0
Roof 10			0

Roof 11		0
Roof 12		0
Roof 13		0
Roof 14		0
Roof 15		0
	Total roof area	0



Slurry Wizard ~ Livestock Data Entry

Livestock	Age	Liveweight/milk yield (litres)	Number of livestock	%collected as slurry	Annual N output kg/year	Daily excreta (I/day)	Total collected as slurry (I/day)	Total N (kg/year)
Cattle	7							
Dairy Cow	After first calf	High (> 9000)		100%	115.0	115.0 64.00		0
Dairy Cow	After first calf	Medium (6000-9000)		100%	101.0	53.00	0	0
Dairy Cow	After first calf	Low (< 6000)		100%	77.0	42.00	0	0
Dairy heifer replacement	From 12 months to calving			100% 77.0		40.00	0	0
Dairy heifer replacement	2 to 12 months	-		100%	29.0	20.00	0	0
					83.0		0	0
Beef Suckler Beef Suckler	Over 24 months Over 24 months	Large (> 500)		100%	83.0 45.00 61.0 32.00		0	0
		Small (< 500)		100%			-	0
Grower	Over 24 months	-		100%	50.0	32.00	0	
Grower	12 to 24 months	-		100%	50.0	26.00	0	0
Grower	2 to 12 months	-		100%	28.0	20.00	0	0
Bulls Beef	Over 2 months	-		100%	54.0	26.00	0	0
Bulls for breeding	Over 24 months	-		100%	48.0	26.00	0	0
Bulls for breeding	2 to 24 months	-		100%	50.0	26.00	0	0
Calf	Under 2 months	-		100%	1.4	7.00	0	0
		Total number of cattle	0	<u> </u>	·	Totals for cattle	0	0
Pigs	1						· · · · · · ·	
1 sow place inc. litters	Litter up to 7kg	With syn amino acid	840	100%	16.0	11.00	9240	13440
1 sow place inc. litters	Litter up to 7kg	No syn amino acid		100%	18.0	11.00	0	0
Dry sow	Above 150kg	-	3200	100%	17.5	8.67	27744	56000
Weaner place	7 to 13kg	-	250	100%	1.0	1.00	250	250
Weaner place	13 to 31kg	-	250	100%	4.2	1.67	418	1050
Grower place	31 to 66kg	Dry fed		100%	7.7	3.33	0	0
Grower place	31 to 66kg	Liquid fed		100%	7.7	6.00	0	0
Finisher place	Over 66kg	Dry fed		100%	10.6	4.33	0	0
Finisher place	Over 66kg	Liquid fed		100%	10.6	8.67	0	0
Maiden gilt place	Over 66kg	-	1200	100%	11.1	4.33	5196	13320
Boar	66kg to 150kg	-	1200	100%	12.0	5.00	0	0
					17.5	8.67	0	0
Boar	Over 150kg		5740	100%	17.5			
		Total number of pigs	5740	<u> </u>	<u> </u>	Totals for pigs	42848	84060
Sheep								
Ewe	Lamb under 6 months	<60kg		100%	7.60	3.33	0	0
Ewe	Lamb under 6 months	>60kg		100%	11.90	5.00	0	0
Lamb	6 to 9 months	· ·		100%	0.50	1.67	0	0
Lamb	Over 9 months	-		100%	0.70	1.67	0	0
Goats	-							
		1		1000/	45.00	0.07		
Goat	-	-		100%	15.00	3.67	0	0
	7							
_								
Deer						1	r	
Breeding hinds	-	-		100%	15.20	5.00	0	0
	-	- -		100% 100%	15.20 12.00	5.00 3.67	0	0
Breeding hinds Other deer								
Breeding hinds Other deer Horses]	-		100%	12.00	3.67	0	0
Breeding hinds Other deer								
Breeding hinds Other deer Horses]	-		100%	12.00	3.67	0	0
Breeding hinds Other deer Horses Horse]	-		100%	12.00	3.67	0	0
Breeding hinds Other deer Horses Horse	· · · · · · · · · · · · · · · · · · ·			100%	12.00 21.00	3.67 24.67	0	0
Breeding hinds Other deer Horses Horse Layers Replacement layer pullets	Under 17 weeks	· · ·		100% 100%	12.00 21.00 0.21	3.67 24.67 0.04	0	0
Breeding hinds Other deer Horses Horse Layers Replacement layer pullets Laying hens - cages Laying hens - free range	- - Under 17 weeks Over 17 weeks			100% 100% 100%	12.00 21.00 0.21 0.40	3.67 24.67 0.04 0.12	0 0 0	0 0 0 0
Breeding hinds Other deer Horses Horse Layers Replacement layer pullets Laying hens - cages Laying hens - free range Broilers	- - Under 17 weeks Over 17 weeks Over 17 weeks			100% 100% 100% 100%	12.00 21.00 0.21 0.40 0.46	3.67 24.67 0.04 0.12 0.10	0 0 0 0 0	0 0 0 0 0
Breeding hinds Other deer Horses Horse Layers Replacement layer pullets Laying hens - cages Laying hens - free range Broilers Broilers				100% 100% 100% 100% 100%	12.00 21.00 0.21 0.40 0.46 0.33	3.67 24.67 0.04 0.12 0.10 0.05	0 0 0 0 0	0 0 0 0 0 0
Breeding hinds Other deer Horses Horse Layers Replacement layer pullets Laying hens - cages Laying hens - free range Broilers Broiler places Broiler breeder pullets				100% 100% 100% 100% 100%	12.00 21.00 0.21 0.40 0.46 0.33 0.29	3.67 24.67 0.04 0.12 0.10 0.05 0.04	0 0 0 0 0 0	0 0 0 0 0 0 0
Breeding hinds Other deer Horses Horse Layers Replacement layer pullets Laying hens - cages Laying hens - free range Broilers Broilers				100% 100% 100% 100% 100%	12.00 21.00 0.21 0.40 0.46 0.33	3.67 24.67 0.04 0.12 0.10 0.05	0 0 0 0 0	0 0 0 0 0 0
Breeding hinds Other deer Horses Horse Layers Replacement layer pullets Laying hens - cages Laying hens - free range Broilers Broiler places Broiler breeder pullets				100% 100% 100% 100% 100%	12.00 21.00 0.21 0.40 0.46 0.33 0.29	3.67 24.67 0.04 0.12 0.10 0.05 0.04	0 0 0 0 0 0	0 0 0 0 0 0 0
Breeding hinds Other deer Horses Horse Layers Replacement layer pullets Laying hens - cages Laying hens - free range Broiler places Broiler breeder pullets Broiler breeders				100% 100% 100% 100% 100%	12.00 21.00 0.21 0.40 0.46 0.33 0.29	3.67 24.67 0.04 0.12 0.10 0.05 0.04	0 0 0 0 0 0	0 0 0 0 0 0 0
Breeding hinds Other deer Horses Horse Layers Replacement layer pullets Laying hens - cages Laying hens - free range Broiler places Broiler breeder pullets Broiler breeders Turkeys				100% 100% 100% 100% 100% 100%	12.00 21.00 0.21 0.40 0.46 0.33 0.29 0.70	3.67 24.67 0.04 0.12 0.10 0.05 0.04 0.11	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
Breeding hinds Other deer Horses Horse Layers Replacement layer pullets Laying hens - cages Laying hens - free range Broilers Broiler places Broiler breeder pullets Broiler breeders Turkeys Male Female				100% 100% 100% 100% 100% 100% 100%	12.00 21.00 0.21 0.40 0.46 0.33 0.29 0.70 1.23	3.67 24.67 0.04 0.12 0.10 0.05 0.04 0.11 0.14	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
Breeding hinds Other deer Horses Horse Layers Replacement layer pullets Laying hens - cages Laying hens - free range Broilers Broiler places Broiler breeder pullets Broiler breeders Turkeys Male Female Other				100% 100% 100% 100% 100% 100% 100% 100%	12.00 21.00 0.21 0.40 0.46 0.33 0.29 0.70 1.23 0.91	3.67 24.67 0.04 0.12 0.10 0.05 0.04 0.11 0.14 0.11	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0
Breeding hinds Other deer Horses Horse Horse Layers Replacement layer pullets Laying hens - cages Laying hens - free range Broiler places Broiler breeder pullets Broiler breeders Turkeys Male Female Other Ducks				100% 100% 100% 100% 100% 100% 100% 100%	12.00 21.00 0.21 0.40 0.46 0.33 0.29 0.70 1.23 0.91 0.75	3.67 24.67 0.04 0.12 0.10 0.05 0.04 0.11 0.14 0.11 0.08	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0
Breeding hinds Other deer Horses Horse Layers Replacement layer pullets Laying hens - cages Laying hens - free range Broilers Broiler places Broiler breeder pullets Broiler breeders Turkeys Male Female Other				100% 100% 100% 100% 100% 100% 100% 100%	12.00 21.00 0.21 0.40 0.46 0.33 0.29 0.70 1.23 0.91	3.67 24.67 0.04 0.12 0.10 0.05 0.04 0.11 0.14 0.11	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0



Slurry Wizard ~ Slurry Report



Farm Nitrogen Loading

Kg Nitrogen per Ha

NB This is the nitrogen loading BEFORE the import or export of manure

Action points						
Number of months of storage	7					
Maximum likely 2 day rainfall	88					
Recommended reception pit size (m3)	89					
Farming Rules for Water recommendations	You comply with the guidance for minimum storage of 6 months					
Roof water collection recommendations						
Slurry store cover recommendations						

		Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Total
Days		30	31	30	31	31	28	31	30	31	30	31	31	365 days
Total cattle excreta as slurry (m3)		-	-	-	-	-	-	-	-	-	-	-	-	0 m3
% Cattle excreta to slurry store (100% for housed dairy, 20 to 50% if housed overnight, 10% for grazed dairy)		100	100	100	100	100	100	100	100	100	100	100	100	
Total pig excreta as slurry (m3)		1,285	1,328	1,285	1,328	1,328	1,200	1,328	1,285	1,328	1,285	1,328	1,328	
% Pig excreta to slurry store		100	100	100	100	100	100	100	100	100	100	100	100	
Total other livestock excreta as slurry (m3)		-	-	-	-	-	-	-	-	-	-	-	-	
% Other excreta to slurry store		100	100	100	100	100	100	100	100	100	100	100	100	
Excreta to slurry store (m3)		1,285	1,328	1,285	1,328	1,328	1,200	1,328	1,285	1,328	1,285	1,328	1,328	15,639 m3
Slurry separated (m3)	Yes / 15%	193	199	193	199	199	180	199	193	199	193	199	199	2,346 m3
Parlour washings (m3)	0.0	-	-	-	-	-	-	-	-	-	-	-	-	- m3
Pig wash water (m3)	Yes	51	53	51	53	53	48	53	51	53	51	53	53	626 m3
Grid reference average rainfall (mm)		Sep	Oct	Nov	Dec	Jan 65	Feb 44	Mar 53	Apr 55	May 53	Jun 53	Jul 43	Aug	Total
Own average rainfall (mm)		10	/ 1	71		00				55		75	54	mm
Adjusted likely rainfall, (mm)		81	82	82	88	75	50	61	63	61	61	49	62	815 mm
		01	02	02	00	10	00	01	00	01	01	-10	02	010 1111
		Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Total
Storage required		Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	No	
Yard run off area to slurry store (m3)	0 m2	-	-	-	-	-	-	-	-	-	-	-	-	- m3
Slurry store rainfall to store (m3)	0 m2	-	-	-	-	-	-	-	-	-	-	-	-	- m3
Roof water area to store (m3)	0 m2	-	-	-	-	-	-	-	-	-	-	-	-	- m3
Total cubic metres (m3)		1,144	1,182	1,144	1,182	1,182	1,068	1,182	-	-	-	-	-	8,085 m3
Cumulative production (m3)		1,144	2,326	3,470	4,653	5,835	6,903	8,085	8,085	8,085	8,085	8,085	8,085	8,085 m3
Total storage capacity (m3)	14332	14,332	14,332	14,332	14,332	14,332	14,332	14,332	14,332	14,332	14,332	14,332	14,332	14,332 m3
Capacity less production (m3)		13,188	12,006	10,862	9,679	8,497	7,429	6,247	6,247	6,247	6,247	6,247	6,247	6,247 m3

Cost/Benefits	Net Benefit £/year
Divert roof water	0.0
Divert roof water & harvest	0.0
Roof dirty yard	0.0
Roof dirty yard & harvest water	0.0

The cost/benefit is based on a slurry storage cost of £75/cubic metre