

From: [Emily Bright](#)
To: [Una Chandler](#)
Cc: [Richard Corbett](#); [Rosina Riddle](#)
Subject: RE: EPR/KP3122LH/A001 We Need More Information About Your Application CRM:0868089
Date: 07 August 2025 18:17:41
Attachments: [image001.jpg](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[image006.png](#)
[image007.png](#)
[image008.png](#)
[image009.jpg](#)
[image010.jpg](#)
[79637 BAT Responses.pdf](#)
[79637 Bryn y Plentyn Emergency plan.pdf](#)
[79637 Bryn y Plentyn Farm Waste Management Plan.pdf](#)
[79637 V2 Bryn y Plentyn Farm Manure Management plan.pdf](#)
[79637 V2 Bryn y Plentyn Farm Non Technical Summary.pdf](#)
[79637 V2 Bryn y Plentyn Farm Technical summary.pdf](#)
[79637 001 A Location Plan.pdf](#)
[79637 002 Drainage Plan.pdf](#)
[79637 V2 Bryn y Plentyn Farm Raw Materials Inventory.pdf](#)
[79637 V2 Bryn y Plentyn Farm Dust Management Plan.pdf](#)

Hi Una,

Please see attached the documents requested for DA & LJ Woollams new Rearing Unit.

Site Name

I have adjusted the name of the site to **Rearing Unit at Bryn y Plentyn**, apologies for not making this clear in the initial documents.

Site Plan

The site plan now contains updated locations of the clean and dirty water tanks, soakaway, feed bins, generator, fuel tank, fuel spill kit and carcass storage. You will note there is no chemical store, I have added a V2 Raw Material + Inventory plan also to reflect the fact there will be no chemicals stored within the permit boundary.

BAT

Included

Waste Management plan

Updated and Included

Standby Generator

I have included the thermal input capacity and the hours of use in the Technical Standards.

Non-Technical summary

Updated and Included

Technical Standards

Updated and Included

Environmental Risk Assessment

The Emergency Plan document I have included contains the emergency procedures, fire risk assessment and firewater containment strategy.

Dust Management Plan

I've just completed the attached Dust management plan and Alex Woollam has been instructed to pay the £620 required with the reference PSCAPPWOOLL162.

Please let me know if there is any further information you require.

Kind regards

Emily Bright

Emily Bright
Roger Parry & Partners LLP

Please note that I am only in the office on Mondays, Tuesday and Wednesday

[Website](#) | [Facebook](#) | [Twitter](#) |

Direct Line: 01691 655334

23 Church Street, Oswestry, SY11 2SU

9, Mercian House, Darwin Court, Oxon Business Park, Shrewsbury, SY3 5AL

Regulated by RICS



From: Una Chandler <Una.Chandler@environment-agency.gov.uk>

Sent: 05 August 2025 12:16

To: Emily Bright <emily@rogerparry.net>

Cc: Richard Corbett <richard@rogerparry.net>; Rosina Riddle <rosina@rogerparry.net>

Subject: RE: EPR/KP3122LH/A001 We Need More Information About Your Application CRM:0868089

Hi Emily,

It would be good to use the original payment reference, thanks for checking. Hopefully, it will speed up tracking the payment our end.

Kind regards,

Una

Una Chandler

Permitting Officer
Installations Intensive Farming Permitting Team



Environment Agency | Horizon House, Deanery Road, Bristol, BS1 5AH
una.chandler@environment-agency.gov.uk
Mobile: 07721618445

Working days: Monday to Friday



From: Emily Bright <emily@rogerparry.net>
Sent: 05 August 2025 11:51
To: Una Chandler <Una.Chandler@environment-agency.gov.uk>
Cc: Richard Corbett <richard@rogerparry.net>; Rosina Riddle <rosina@rogerparry.net>
Subject: RE: EPR/KP3122LH/A001 We Need More Information About Your Application CRM:0868089

Thank you Una, we will get that done and submitted at the same time as the other documents and we will instruct Mr Woollam to pay the £620 to NRW. Will you need this to have the same payment reference as the original permit payment ?

Original Permit submission reference : PSCAPPWOOLL162

Kind regards

Emily Bright

Emily Bright
Roger Parry & Partners LLP

Please note that I am only in the office on Mondays, Tuesday and Wednesday

[Website](#) | [Facebook](#) | [Twitter](#) |

Direct Line: 01691 655334

23 Church Street, Oswestry, SY11 2SU

9, Mercian House, Darwin Court, Oxon Business Park, Shrewsbury, SY3 5AL

Regulated by RICS

From: Una Chandler <Una.Chandler@environment-agency.gov.uk>
Sent: 05 August 2025 09:59
To: Emily Bright <emily@rogerparry.net>
Cc: Richard Corbett <richard@rogerparry.net>; Rosina Riddle <rosina@rogerparry.net>
Subject: RE: EPR/KP3122LH/A001 We Need More Information About Your Application CRM:0868089

Hi Emily,

Thank you for providing the updated site plan. I have completed the ammonia screening for the installation. The ammonia impacts from the proposal screened out and therefore detailed modelling is not required.

However, I have identified multiple sensitive receptors located <100m from the installation boundary. As there are sensitive receptors within 100m of the installation boundary, please submit a Dust Management Plan (DMP) in accordance with Appendix 11 of guidance [Assessing dust control measures on intensive poultry installations](#).

In accordance with Table 1.19 of the [The Environment Agency \(Environmental Permitting and Abstraction Licensing\) \(England\) Charging Scheme 2022 \(publishing.service.gov.uk\)](#), there is an additional charge of £620 for the assessment of the DMP. Please note, this must be paid in full before the application can be duly made. The deadline for the payment is 12/08/2025, same as for the remainder of the questions in the information request email dated 29/07/2025.

Details of how to pay are provided in Part 11 of the application form B3.5.

Please feel free to contact me if you have any questions.

Kind regards,

Una

Una Chandler
Permitting Officer
Installations Intensive Farming Permitting Team



Environment Agency | Horizon House, Deanery Road, Bristol, BS1 5AH
una.chandler@environment-agency.gov.uk
Mobile: 07721618445

Working days: Monday to Friday



From: Emily Bright <emily@rogerparry.net>

Sent: 04 August 2025 16:23

To: Una Chandler <Una.Chandler@environment-agency.gov.uk>

Cc: Richard Corbett <richard@rogerparry.net>; Rosina Riddle <rosina@rogerparry.net>

Subject: RE: EPR/KP3122LH/A001 We Need More Information About Your Application CRM:0868089

You don't often get email from emily@rogerparry.net. [Learn why this is important](#)

Hi Una,

Thank you for providing that clarification about the permit site boundary, I'll make a note of that for other applications going forward. Please see attached plan with the updated permit boundary.

Kind regards

Emily Bright

Emily Bright
Roger Parry & Partners LLP

Please note that I am only in the office on Mondays, Tuesday and Wednesday

[Website](#) | [Facebook](#) | [Twitter](#) |

Direct Line: 01691 655334

23 Church Street, Oswestry, SY11 2SU

9, Mercian House, Darwin Court, Oxon Business Park, Shrewsbury, SY3 5AL

Regulated by RICS



From: Una Chandler <Una.Chandler@environment-agency.gov.uk>

Sent: 04 August 2025 15:54

To: Emily Bright <emily@rogerparry.net>
Cc: Richard Corbett <richard@rogerparry.net>; Rosina Riddle <rosina@rogerparry.net>
Subject: RE: EPR/KP3122LH/A001 We Need More Information About Your Application CRM:0868089

Hi Emily,

Thank you for your email and the attached ammonia screening application documents. Regarding the site plan – it appears from our screening that there is a large car park located in the upper part of the site plan (north of the poultry shed), although this may no longer represent the actual activities on site. Please could you confirm if there is a car park located within the installation boundary? If that's the case, please omit the car park from the installation boundary as it is not technically connected to the installation and provide a revised site plan.

Thank you for the update regarding the remaining information request.

Please feel free to contact me if you have any questions.

Kind regards,

Una

Una Chandler
Permitting Officer
Installations Intensive Farming Permitting Team



Environment Agency | Horizon House, Deanery Road, Bristol, BS1 5AH
una.chandler@environment-agency.gov.uk
Mobile: 07721618445

Working days: Monday to Friday



From: Emily Bright <emily@rogerparry.net>
Sent: 04 August 2025 13:54
To: Una Chandler <Una.Chandler@environment-agency.gov.uk>
Cc: Richard Corbett <richard@rogerparry.net>; Rosina Riddle <rosina@rogerparry.net>
Subject: FW: EPR/KP3122LH/A001 We Need More Information About Your Application CRM:0868089

You don't often get email from emily@rogerparry.net. [Learn why this is important](#)

Good Afternoon Una,

Thank you for your email below, we really appreciate your timely response to our permit application. The pre-application request form is attached and also the site plan with a clear site boundary (blue line). As per your request all other buildings not relevant to the permit have been excluded. If you have any further questions regarding any of the attached, please do let me know.

We will go through all of your other questions over the next couple days and will aim to give you all the answers before 12/08/25.

Kind regards

Emily Bright

Emily Bright
Roger Parry & Partners LLP

Please note that I am only in the office on Mondays, Tuesday and Wednesday

[Website](#) | [Facebook](#) | [Twitter](#) |

Direct Line: 01691 655334

23 Church Street, Oswestry, SY11 2SU

9, Mercian House, Darwin Court, Oxon Business Park, Shrewsbury, SY3 5AL

Regulated by RICS



From: Richard Corbett <richard@rogerparry.net>

Sent: 03 August 2025 17:10

To: Emily Bright <emily@rogerparry.net>

Subject: FW: EPR/KP3122LH/A001 We Need More Information About Your Application CRM:0868089

Richard

Richard Corbett Bsc Hons MRICS FAAV
Managing Partner, Roger Parry & Partners LLP
07779784673

Website | Facebook | Twitter | richard@rogerparry.net
23 Church Street, Oswestry, Shropshire, SY11 2SU

9, Mercian House, Darwin Court, Oxon Business Park, Shrewsbury, SY3 5AL
Regulated by RICS



The information, attachments and opinions contained in this message are those of its author only and do not necessarily represent those of Roger Parry & Partners LLP and are intended solely for the use of the individual or entity to whom they are addressed. The message may contain privileged and confidential information and you may not copy, distribute or take any action in reliance on it. If you have received this email in error please notify us at mail@rogerparry.net. Although any files attached to this e-mail will have been checked with virus and malware protection software, you should carry out your own software security checks before opening any attachment. Roger Parry & Partners LLP do not accept liability for any damage or loss which may be caused by software viruses. Roger Parry & Partners LLP, Partnership No. OC312203, registered in England and Wales, registered office: Hogstow Hall, Minsterley, Shrewsbury.

From: Una Chandler <Una.Chandler@environment-agency.gov.uk>

Sent: 01 August 2025 15:07

To: Richard Corbett <richard@rogerparry.net>

Subject: FW: EPR/KP3122LH/A001 We Need More Information About Your Application CRM:0868089

You don't often get email from una.chandler@environment-agency.gov.uk. [Learn why this is important](#)

Hi Richard,

As discussed in the call just now, please see the request for further information email below.

Regards,

Una

Una Chandler

Permitting Officer

Installations Intensive Farming Permitting Team



Environment Agency | Horizon House, Deanery Road, Bristol, BS1 5AH

una.chandler@environment-agency.gov.uk

Mobile: 07721618445

Working days: Monday to Friday





From: SM-Defra-RESP-notifications (DEFRA) <RESP-notifications@defra.gov.uk>
Sent: 29 July 2025 11:04
To: Richard Corbett <richard@rogerparry.net>
Cc: Una Chandler <Una.Chandler@environment-agency.gov.uk>
Subject: EPR/KP3122LH/A001 We Need More Information About Your Application CRM:0868089



Dear Richard Corbett

Environmental Permitting (England and Wales) Regulations 2016

Application reference: EPR/KP3122LH/A001

Operator: DA & LJ Woollam

Facility: Land to the West of Bryn y Plentyn Farm, Middleton, Shropshire, SY11 4LP

Thank you for your application received on 09/07/2025.

I have picked up your application for 'duly making'. I have completed an initial review of your application and supporting documents, and need the following additional information before I can 'duly make' your application:

Form B3.5 – Q2 – About this application

1. Submit a pre-application request form so an ammonia screening assessment can be completed. Please send this form directly to me with your responses. Please see the form attached.
2. Please provide a clear site boundary plan with the pre-application form. This should be the installation boundary you propose to include in the permit (with any dwellings and unrelated operations excluded from the installation boundary).

This needs to be provided within 2 working days from this email.

Site plan layout/drainage plan:

Submit a revised site layout plan that includes the following information:

1. Show the location of the carcass storage and include the key.
2. Show the location of feed bins and include the key.
3. Show the location of the bunded chemicals storage and include the key.
4. Show the spill kit location(s) for the bunded chemicals storage and include the key.
5. Show the location of the bunded fuel store.

6. Show the spill kit location(s) for the bunded fuel tank and include the key.
7. Show the location of soakaways.
8. Provide the drainage routes and outlet locations for clean/uncontaminated water and dirty water clearly marked on the site plan.
9. Where do the soakaways drain to? Provide the outlet location to the drainage ditches referenced in the Technical Standards document. Where do ditches ultimately drain to, i.e. name the watercourse (river) that the discharge ultimately drains to.
10. Include a diverter valve if present on site for periods of washdown.

Note: The Technical standards document provides soakaways as an emission source, however, they are not shown on the site plan.

Site name

Confirm the site name you wish to proceed with. Form B3.5 – Q2b states the site name as ‘Land to the West of Bryn y Plentyn Farm’, but some of the documents state the site name as ‘Bryn y Plentyn Farm’ while others refer to ‘Pullet Rearing Unit’.

BAT

1. Provide a BAT document to confirm the new housing will comply with sector BAT, i.e. BAT 3, 4, 24, 25, 26, 27 and 32.

Waste management plan

1. Provide a waste management plan with your application.

Note: You have provided a waste minimisation plan with your application. Please also provide a waste management plan in line with the sector guidance for intensive farming [IPPC](#)

[Technical Guidance Note](#).

Standby generator

1. Please confirm the thermal input capacity of the standby generator in MWth.
2. Please confirm how many hours per annum the standby generator is operated for testing purposes.
3. Please confirm the standby generator is only used for emergency power supply use, where mains power has gone down, for less than 500 hours per annum.

Note: In accordance with guidance Emergency backup diesel engines on installations: best available techniques (BAT) - GOV.UK (www.gov.uk), you must test the standby generator for less than 50 hours a year. In the Intensive Farming sector, operators generally test for 1 hour per week which we can accept.

Non-Technical Summary (NTS)

Submit a revised NTS that includes the following information:

1. Description of location of the site with nearest village quoted and reference to national grid reference for the centre of the installation.
2. Provide the cycle times for bird rearing and cleaning/downtime between the cycles.
3. Provide ventilation type, e.g. high velocity fans.
4. Provide fan efflux velocity in m/s.
5. Please provide a brief description of clean water drainage, i.e. summarise where clean roof and yard water drains to.
6. Please include the number of poultry houses (even if it's just one house) for clarity.

Technical Standards (TS)

Submit a revised technical standards document that includes the following information:

1. Please confirm which type of ventilation will be used and provide revised plans accordingly (site plan, NTS, TS).
2. Include vent from the fuel oil tank for the generator as an emission source in the emission point table.

Note: Emission point description/source and location table, as well as text in the TS references high-velocity roof fans. However, the site layout plan as well as the non-technical summary (NTS) state that fans are positioned along the sides of the building. Please confirm which type of ventilation will be used and provide revised plans accordingly so they are consistent across the application (site plan, NTS, TS).

Note: The emissions table includes emissions from the generator but not the fuel oil tank.

Environmental Risk Assessment (ERA)

1. Provide a contingency measure document that lists plans/actions that will be put in place in case of an emergency.
2. Please provide an emergency plan with your application. Please include fire risk assessment and firewater containment procedure in the emergency plan, e.g. diverter valves changed to containment to prevent contamination of clean water drainage.

Please reply directly to this email with your information and copy me in.

You must send us the information and payment by the following deadlines:

- **Ammonia assessment application: 31/07/2025**
- **All other responses: 12/08/2025.** Please note that I'm on leave 11 - 22/08/2025. If practical, please provide your responses at your earliest convenience so these can be processed promptly before I go on leave.

If we do not receive this by this deadline, we will return your application.

If we receive what is missing by the deadline, we will continue to check your application. We'll check to see if there's enough information for the application to be 'duly made'. Duly made means that we have all the information we need to begin determination. Determination is where we assess your application and decide if we can allow what you've asked for.

We'll let you know by email whether your application can be duly made. If it can't be duly made, we'll return your application to you.

If we do have to return your application, we'll send you a partial refund of your application payment. We'll retain 20% of the correct application charge to cover our costs in reviewing your application. This maximum amount we'll retain is capped at £1,500. Further information on charging can be found at: <https://www.gov.uk/government/publications/environmental-permits-and-abstraction-licences-tables-of-charges>

Note: Our email system has a file size limit of 25MB, if your returns exceed this limit you will have to arrange an online file transfer. Please ensure the file transfer link does not have a time limit on it.

Please feel free to contact me if you have any questions.

Yours sincerely,

Una Chandler

Una Chandler

Permitting Officer

Installations Intensive Farming Permitting Team



Environment Agency | Horizon House, Deanery Road, Bristol, BS1 5AH

una.chandler@environment-agency.gov.uk

Mobile: 07721618445

Working days: Monday to Friday



Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you

should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.