ENERGY AND CLIMATE CHANGE ENVIRONMENT AND SUSTAINABILITY INFRASTRUCTURE AND UTILITIES LAND AND PROPERTY MINING AND MINERAL PROCESSING MINERAL ESTATES WASTE RESOURCE MANAGEMENT

wardell-armstrong.com



VALENCIA WASTE (SOMERSET) LIMITED

APPLICATION TO VARY PERMIT NUMBER EPR/BK6785IE

ASSESSMENT OF BEST AVAILABLE TECHNIQUES

JUNE 2023





DATE ISSUED:	JUNE 2023
JOB NUMBER:	ST20272
REPORT NUMBER:	001
VERSION:	V1.0
STATUS:	FINAL

VALENCIA WASTE (SOMERSET) LIMITED

APPLICATION TO VARY PERMIT NUMBER EPR/BK6785IE

ASSESSMENT OF BEST AVAILABLE TECHNIQUES

JUNE 2023

PREPARED BY:

Konrad Wysocki S

Senior Waste and Resources Consultant

APPROVED BY:

Alison Cook Technical Director

aluson Sat

This report has been prepared by Wardell Armstrong LLP with all reasonable skill, care and diligence, within the terms of the Contract with the Client. The report is confidential to the Client and Wardell Armstrong LLP accepts no responsibility of whatever nature to third parties to whom this report may be made known.

No part of this document may be reproduced without the prior written approval of Wardell Armstrong LLP.



Wardell Armstrong is the trading name of Wardell Armstrong LLP, Registered in England No. OC307138.

Registered office: Sir Henry Doulton House, Forge Lane, Etruria, Stoke-on-Trent, ST1 5BD, United Kingdom

UK Offices: Stoke-on-Trent, Birmingham, Bolton, Bristol, Bury St Edmunds, Cardiff, Carlisle, Edinburgh, Glasgow, Leeds, London, Newcastle upon Tyne and Truro. International Office: Almaty.

ENERGY AND CLIMATE CHANGE ENVIRONMENT AND SUSTAINABILITY INFRASTRUCTURE AND UTILITIES LAND AND PROPERTY MINING AND MINERAL PROCESSING MINERAL ESTATES WASTE RESOURCE MANAGEMENT



CONTENTS

1	INTRODUCTION	1
2	COMPLIANCE WITH 2018 BAT CONCLUSIONS	1
3	USE OF WATER	6
4	USE OF RAW MATERIALS	6
5	USE OF ENERGY	7
6	WASTE MINIMISATION	9



1 INTRODUCTION

- 1.1.1 Wardell Armstrong have been appointed to prepare an application to vary the permit for Walpole Landfill Site at Pawlett near Bridgwater, Somerset. The site is operated by Valencia Waste (Somerset) Limited under permit number EPR/BK6785IE.
- 1.1.2 The landfill site is permitted to accept non-hazardous commercial, industrial and household waste as well as having a separate cell for asbestos.
- 1.1.3 Valencia is seeking to move waste up the waste hierarchy by treating mixed nonhazardous waste arriving at the landfill to recover materials for recycling. The waste will be further treated to remove non-combustible material from combustible material before it is sent off site for energy recovery. The residual waste will be placed in the landfill.
- 1.1.4 No asbestos will be treated. The measures in place for the safe disposal of asbestos into a dedicated cell within the landfill will continue.
- 1.1.5 This document shows how the site will comply with 2018 BAT Conclusions for Waste Treatment.

2 COMPLIANCE WITH 2018 BAT CONCLUSIONS

- 2.1.1 Table 2.1 below describes how the site will comply with the best available techniques as set out by the European Commission in the 2018 BAT Conclusions for Waste Treatment.
- 2.1.2 The Environment Agency has recently published appropriate measures for the transfer and treatment of non-hazardous and inert waste. These are largely based on the BAT conclusions. This document, along with the other documents that make up the application show how the appropriate measures are applied.
- 2.1.3 There are no sensitive human receptors in close proximity to the site and the only protected habitat within 1km of the site is the Somerset Wetlands NNR which lies to the north of the existing landfill. Due to the distance an engineered odour abatement system and noise management plan are not considered to be required for the new activities.



2.1.4 Further detail regarding the measures in place is given in the Operating Techniques, Odour Management Plan, Dust Management Plan, Fire Prevention Plan and Accident and Amenity Risk Assessment.

Table 2.1 Compliance with the 2018 BAT Conclusions		
BAT Requirement	Compliance	
BAT 1 Environmental Management System	Valencia has a companywide EMS which will be rolled out to the new Materials Recycling Facility (MRF) covering issues such as staff appraisal and training Standard operating procedures will be in place for waste pre-acceptance and acceptance and all waste treatment operations. Where necessary the EMS includes management plans submitted to the EA including an Accident Management Plan and site	
BAT 2 Site pre-acceptance and acceptance procedures, waste tracking, sorting of waste, waste segregation and managing the quality of outputs	specific Fire Prevention Plan. Pre acceptance and acceptance procedures will be as those for the landfill, ensuring the waste is permitted and is suitable for transfer or treatment. Records will be kept of all incoming waste, any treatment process to which it was subjected and all outgoing materials. Where appropriate, manual sorting will take place to remove non-conforming materials or those that might impact waste treatment. Visual inspection of outgoing materials will be made to ensure they are of appropriate quality with a picking line to give quality control.	
BAT 3 Inventory of waste gas and wastewater streams	There will be no point source emissions to water or air from the permitted activities. Only water from roofs and clean areas will discharge to the existing surface water system.	
BAT 4 Adequate storage at an optimised location. Separate storage for hazardous waste.	No hazardous waste will be received in the MRF. Storage bays and skips provided to allow good management of waste types. Site designed with sufficient capacity. Wastes stored in building to minimise emissions. Building not near any sensitive boundary.	
BAT 5 safe handling including management of spills and staff training	No liquid wastes or powders to be accepted. Staff trained regarding safe storage, appropriate wastes for treatment, proper control of sorting machinery, quality of output and environmental risks (e.g.	



BAT Requirement Compliance understanding of dust prevention plan and fire prevention plan) understanding of dust prevention plan) BAT 6 and BAT 7 Monitoring emissions to water No emissions to water BAT 9 monitor emissions from regeneration of solvents, treatment of solvents and use of solvents to a duse of solvents to a duse of solvents, treatment of solvents and use of solvents to a duse of solvents, treatment of solvents and use of solvents to a duse of solvents and use of solvents to a duse of solvents and use of solvents to a duse of solvents and use of solvents and use of solvents to a duse of solvents and use of solvents to a duse of solvents and use of disel, electricity, water and raw materials (e.g. lubricants for site plant) will be monitored and recorded. BAT 12 Odour Management Plan in place An Odour Management Plan has been prepared and is submitted as part of this application. BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. BAT 14 Minimise sources of diffuse emissions, using good quality well maintained plant, damping down where an ecesary to prevent abuildup of dust. Plant will needed, cleaning waste storage areas having a leak detection and repair (LDAR) programme <t< th=""><th colspan="3">Table 2.1 Compliance with the 2018 BAT Conclusions</th></t<>	Table 2.1 Compliance with the 2018 BAT Conclusions		
BAT 6 and BAT 7 Monitoring emissions to waterNo emissions to waterBAT 8 Monitoring of point source emissions to airNo point source emissions to airBAT 9 monitor emissions from regeneration ofNot applicable. No waste solvents will be accepted.Solvents, treatment of solvents and use of solvents atNot applicable. No waste solvents will be accepted.BAT 10 Odour monitoring where a nuisance atNot applicable. There are no sensitive receptors insensitive receptors is expected or has beensubstantiated.substantiated.Occur and will be recorded.BAT 11 monitor energy, raw material and water useUse of disesl, electricity, water and raw materials (e.g. lubricants for site plant) will be monitored and recorded.BAT 12 Odour Management Plan in placeAn Odour Management Plan has been prepared and is submitted as part of this application.BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatmentThere will be no aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the doour.BAT 14 Minimise sources of diffuse emissions, using good quality well maintained plant, damping down where needed, cleaning wast estorage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. There are no sensitive receptors in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 And BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There ar	BAT Requirement	Compliance	
BAT 6 and BAT 7 Monitoring emissions to water No emissions to water BAT 8 Monitoring of point source emissions to air No point source emissions to air BAT 9 monitor emissions from regeneration of solvents, treatment of solvents and use of solvents to decontaminate equipment containing POPs. Not applicable. No waste solvents will be accepted. No POPs waste will be treated. BAT 10 Odour monitoring where a nuisance at substantiated. Not applicable. There are no sensitive receptors in close proximity to the site. No odour nuisance has been substantiated. BAT 11 monitor energy, raw material and water use substantiated decour Management Plan in place An Odour Management Plan is place there are of this application. BAT 12 Odour Management Plan in place An Odour Management Plan has been prepared and is submitted as part of this application. BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatment There will be no aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. BAT 14 Minimise sources of diffuse emissions e.g. dust by minimising sources of emissions, using good quality well maintained plant, damping down where as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendiations. A water supply is available to allow damping down where necessary. BAT 13 no BAT 16 Flaring only for safety reasons, correct design of flare Not applicable. There are no sensit		understanding of dust prevention plan and fir	
BAT 8 Monitoring of point source emissions to air No point source emissions to air BAT 9 monitor emissions from regeneration of solvents, treatment of solvents and use of solvents to decontaminate equipment containing POPs. Not applicable. No waste solvents will be accepted. No POPs waste will be treated. BAT 10 Odour monitoring where a nuisance at sensitive receptors is expected or has been substantiated. Not applicable. There are no sensitive receptors in close proximity to the site. No odour nuisance has been substantiated. Daily olfactory monitoring will occur and will be recorded. BAT 11 monitor energy, raw material and water use use of diesel, electricity, water and raw materials (e.g. lubricants for site plant) will be monitored and recorded. BAT 12 Odour Management Plan in place An Odour Management Plan has been prepared and is submitted as part of this application. BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be screed or site for more than 72 hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF. BAT 14 Minimise sources of diffuse emissions e.g. duality well maintained plant, damping down where necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where neacessary to		prevention plan)	
BAT 9 monitor emissions from regeneration of solvents, treatment of solvents and use of solvents to decontaminate equipment containing POPs. Not applicable. No waste solvents will be accepted. BAT 10 Odour monitoring where a nuisance at sensitive receptors is expected or has been substantiated. Not applicable. There are no sensitive receptors in close proximity to the site. No odour nuisance has been substantiated. BAT 11 monitor energy, raw material and water use Use of diesel, electricity, water and raw materials (e.g. lubricants for site plant) will be monitored and recorded. BAT 12 Odour Management Plan in place An Odour Management Plan has been prepared and is submitted as part of this application. BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. Residence times set will not be stored on site for more than 72 hours. Waste containing a high proportion of putrescible wastes will not be accepted at the MRF. BAT 14 Minimise sources of diffuse emissions e.g. quality well maintained plant, damping down where necessary to prevent a build-up of dust. Plant will be waste storage areas having a leak detection and repair (LDAR) programme BAT 15 and BAT 16 Flaring only for safety reasons, using good quality well maintained plant, damping down where asersary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.	BAT 6 and BAT 7 Monitoring emissions to water	No emissions to water	
solvents, treatment of solvents and use of solvents to decontaminate equipment containing POPs.No POPs waste will be treated.BAT 10 Odour monitoring where a nuisance at sensitive receptors is expected or has been substantiated.Not applicable. There are no sensitive receptors in close proximity to the site. No odour nuisance has been substantiated. Daily olfactory monitoring will occur and will be recorded.BAT 11 monitor energy, raw material and water use using chemical treatment and optimising aerobic treatmentUse of diesel, electricity, water and raw materials (e.g. lubricants for site plant) will be monitored and recorded.BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatmentThere will be no aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions e.g. dust by minimising sources of emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treatment does not generate flammable gas.BAT 15 and BAT 16 Flaring only for safety reasons, substantiated.Not applicable. There are no sensitive receptors in aclose proximity to the site. Operations take place inside a building and within an existing landfill	BAT 8 Monitoring of point source emissions to air	No point source emissions to air	
decontaminate equipment containing POPs.Not applicable. There are no sensitive receptors in close proximity to the site. No odour nuisance has been substantiated. Daily olfactory monitoring will occur and will be recorded.BAT 11 monitor energy, raw material and water use and the manitor energy, raw material and water use been substantiated.Use of diesel, electricity, water and raw materials (e.g. lubricants for site plant) will be monitored and recorded.BAT 12 Odour Management Plan in place using chemical treatment and optimising aerobic treatmentAn Odour Management Plan has been prepared and is submitted as part of this application.BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatmentThere will be no aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions e.g. quality well maintained plant, damping down where needed, cleaning waste	BAT 9 monitor emissions from regeneration of	Not applicable. No waste solvents will be accepted.	
BAT 10 Odour monitoring where a nuisance at sensitive receptors is expected or has been substantiated.Not applicable. There are no sensitive receptors in close proximity to the site. No odour nuisance has been substantiated. Daily olfactory monitoring will occur and will be recorded.BAT 11 monitor energy, raw material and water use BAT 12 Odour Management Plan in placeUse of diesel, electricity, water and raw materials (e.g. lubricants for site plant) will be monitored and recorded.BAT 12 Odour Management Plan in placeAn Odour Management Plan has been prepared and is submitted as part of this application.BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatmentThere will be no aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, substantiated.Not applicable. There are no sensitive receptors in acose proximity to the site. Operations take place inside a building and within an existing	solvents, treatment of solvents and use of solvents to	No POPs waste will be treated.	
sensitive receptors is expected or has been substantiated.close proximity to the site. No odour nuisance has been substantiated. Daily olfactory monitoring will occur and will be recorded.BAT 11 monitor energy, raw material and water use BAT 12 Odour Management Plan in placeUse of diesel, electricity, water and raw materials (e.g. lubricants for site plant) will be monitored and recorded.BAT 12 Odour Management Plan in placeAn Odour Management Plan has been prepared and is submitted as part of this application.BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatmentThere will be no aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour.BAT 14 Minimise sources of diffuse emissions e.g. quality well maintained plant, damping down where needed, cleaning waste sorage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, substantiated.Not applicable. There are no sensitive receptors is expected or has been programing and within an existing landfill	decontaminate equipment containing POPs.		
substantiated.been substantiated. Daily olfactory monitoring will occur and will be recorded.BAT 11 monitor energy, raw material and water useUse of diesel, electricity, water and raw materials (e.g. lubricants for site plant) will be monitored and recorded.BAT 12 Odour Management Plan in placeAn Odour Management Plan has been prepared and is submitted as part of this application.BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatmentThere will be no aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour.BAT 14 Minimise sources of diffuse emissions, using good quality well maintained plant, damping down where needed, cleaning wast estorage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treatment does not generate flammable gas.BAT 15 and BAT 16 Flaring only for safety reasons, substantiated.Not applicable the waste treatment does not generate flammable gas.BAT 17 Noise Management Plan where nuisance at substantiated.Not applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill	BAT 10 Odour monitoring where a nuisance at	Not applicable. There are no sensitive receptors in	
occur and will be recorded.BAT 11 monitor energy, raw material and water useUse of diesel, electricity, water and raw materials (e.g. lubricants for site plant) will be monitored and recorded.BAT 12 Odour Management Plan in placeAn Odour Management Plan has been prepared and is submitted as part of this application.BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatmentThere will be no aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be stored on site for more than 72 hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions e.g. quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill	sensitive receptors is expected or has been	close proximity to the site. No odour nuisance has	
BAT 11 monitor energy, raw material and water useUse of diesel, electricity, water and raw materials (e.g. lubricants for site plant) will be monitored and recorded.BAT 12 Odour Management Plan in placeAn Odour Management Plan has been prepared and is submitted as part of this application.BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatmentThere will be no aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be stored on site for more than 72 hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill	substantiated.	been substantiated. Daily olfactory monitoring will	
(e.g. lubricants for site plant) will be monitored and recorded.BAT 12 Odour Management Plan in placeAn Odour Management Plan has been prepared and is submitted as part of this application.BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatmentThere will be no aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be stored on site for more than 72 hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill		occur and will be recorded.	
Image: constant and provide the second sec	BAT 11 monitor energy, raw material and water use	Use of diesel, electricity, water and raw materials	
BAT 12 Odour Management Plan in placeAn Odour Management Plan has been prepared and is submitted as part of this application.BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatmentThere will be no aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be stored on site for more than 72 hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions e.g. quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill		(e.g. lubricants for site plant) will be monitored and	
Is submitted as part of this application.BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatmentThere will be no aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be stored on site for more than 72 hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions e.g. dust by minimising sources of emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill		recorded.	
BAT 13 Reduce odour by limiting residence times, using chemical treatment and optimising aerobic treatmentThere will be no aerobic treatment on the MRF (outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be stored on site for more than 72 hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions e.g. dust by minimising sources of emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There are no sensitive receptors is expected or has been substantiated.BAT 17 Noise Management Plan where nuisance at substantiated.Not applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill	BAT 12 Odour Management Plan in place	An Odour Management Plan has been prepared and	
using chemical treatment and optimising aerobic treatment(outside of the existing OWC site located at the south of the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour. Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be stored on site for more than 72 hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions e.g. dust by minimising sources of emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill		is submitted as part of this application.	
treatmentof the landfill). Chemicals will not be used as these may add to emissions and can mask rather than treat the odour.Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be stored on site for more than 72 hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions e.g. quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept a sa necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill	BAT 13 Reduce odour by limiting residence times,	There will be no aerobic treatment on the MRF	
may add to emissions and can mask rather than treat the odour.Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be stored on site for more than 72 hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions e.g. quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill	using chemical treatment and optimising aerobic	bic (outside of the existing OWC site located at the south	
the odour.Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be stored on site for more than 72 hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions e.g. dust by minimising sources of emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill	treatment	of the landfill). Chemicals will not be used as these	
Residence times are limited. Waste will be turned round as soon as possible and readily biodegradable wastes will not be stored on site for more than 72 hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions e.g. dust by minimising sources of emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill		may add to emissions and can mask rather than treat	
Part 14 Minimise sources of diffuse emissions e.g. dust by minimising sources of emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill			
wastes will not be stored on site for more than 72 hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions e.g. dust by minimising sources of emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable the waste treatment does not generate flammable gas.BAT 17 Noise Management Plan where nuisance at sensitive receptors is expected or has been substantiated.Not applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill			
hours. Waste containing a high proportion of putrescible waste will not be accepted at the MRF.BAT 14 Minimise sources of diffuse emissions e.g. dust by minimising sources of emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable the waste treatment does not generate flammable gas.BAT 17 Noise Management Plan where nuisance at sensitive receptors is expected or has been substantiated.Not applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill			
BAT 14 Minimise sources of diffuse emissions e.g. dust by minimising sources of emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill			
BAT 14 Minimise sources of diffuse emissions e.g. dust by minimising sources of emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeDue to the type of waste treated LDAR is not applicable. Site roads and storage areas will be swept as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable the waste treatment does not generate flammable gas.BAT 17 Noise Management Plan where nuisance at substantiated.Not applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill			
dust by minimising sources of emissions, using good quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeapplicable. Site roads and storage areas will be swept as necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable the waste treatment does not generate flammable gas.BAT 17 Noise Management Plan where nuisance at substantiated.Not applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill			
quality well maintained plant, damping down where needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmeas necessary to prevent a build-up of dust. Plant will be maintained in accordance with the manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable the waste treatment does not generate flammable gas.BAT 17 Noise Management Plan where nuisance at sensitive receptors is expected or has been substantiated.Not applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill			
needed, cleaning waste storage areas having a leak detection and repair (LDAR) programmebe maintainedinaccordancewiththe manufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable the waste treatment does not generate flammable gas.BAT 17 Noise Management Plan where nuisance at substantiated.Not applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill			
detection and repair (LDAR) programmemanufacturer's recommendations. A water supply is available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable the waste treatment does not generate flammable gas.BAT 17 Noise Management Plan where nuisance at sensitive receptors is expected or has been substantiated.Not applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill			
available to allow damping down where necessary.BAT 15 and BAT 16 Flaring only for safety reasons, correct design of flareNot applicable the waste treatment does not generate flammable gas.BAT 17 Noise Management Plan where nuisance at sensitive receptors is expected or has been substantiated.Not applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill			
correct design of flaregenerate flammable gas.BAT 17 Noise Management Plan where nuisance at sensitive receptors is expected or has been substantiated.Not applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill	detection and repair (LDAR) programme		
BAT 17 Noise Management Plan where nuisance at sensitive receptors is expected or has been substantiated. Not applicable. There are no sensitive receptors in close proximity to the site. Operations take place inside a building and within an existing landfill	BAT 15 and BAT 16 Flaring only for safety reasons,		
sensitive receptors is expected or has been close proximity to the site. Operations take place inside a building and within an existing landfill	correct design of flare		
substantiated. inside a building and within an existing landfill	BAT 17 Noise Management Plan where nuisance at		
	sensitive receptors is expected or has been		
complex.	substantiated.	inside a building and within an existing landfill	
		complex.	



Table 2.1 Compliance with the 2018 BAT Conclusions		
BAT Requirement Compliance		
BAT 18 reduce noise by one, or a combination of	f The building will provide some attenuation. Doors	
appropriate location, proper operation and	will be kept closed. Plant will be operated by trained	
maintenance of plant, low noise equipment, noise	staff and maintained in line with the manufacturer's	
attenuation.	recommendations. Noise levels will be a	
	consideration in purchasing new equipment with	
	quieter models used where cost effective.	
BAT 19 Manage water effectively by managing water	Water use will be metered and use of water for	
use, recirculating water where appropriate, reducing	damping down dust or cleaning will be limited to that	
the chance of overflows, roofing waste storage areas,	which is appropriate. Water in the water bath will	
impermeable surfacing and adequate drainage.	be kept at an appropriate level to prevent overflows.	
	All waste will be stored and treated in a building	
	limiting contaminated run-off from the waste. Roof	
	water and water from clean areas will be kept	
	separate from any drainage from waste storage	
	areas. All waste storage and treatment areas will	
	have impermeable pavement and sealed drainage.	
	Water from the sump will be sent for disposal when	
	required as it is likely to be contaminated. Roof water	
	may be captured and used on site.	
BAT 20 treatment of wastewater	The process does not use water other than in the	
	water bath and there are no emissions to water so	
	water treatment is not necessary.	
BAT 21 Limit emissions from incidents by protecting	Fire Prevention Plan in place, including management	
plant from malevolent acts, effective controls,	ls, of firewater. Safe means to isolate plant in the event	
prevention of fire, incident management plan,	n, of an incident. Site security in place including fencing	
logging incidents and reviewing.	around the site and lockable door on the building, all	
	incidents and near misses logged as reviewed on a	
	regular basis for lessons learned.	
BAT 22 reduce raw material use by substituting waste	Not applicable. Raw materials limited to those	
	necessary for proper operation of site plant and use	
	of waste is not appropriate.	
BAT 23 Energy balance and energy efficiency plan	Specific energy use recorded. Energy used measured	
	and will be reviewed on a regular basis. Plant	
	properly maintained to prevent excessive use of	
	diesel.	
BAT 24 Reuse of packaging	Not applicable waste is accepted loose.	
BAT 25 Reduce emissions of dust to air by use of	No point source emissions to air external to the	
cyclone, fabric filter or wet scrubber or damping by	building.	
injecting water into shredder.		



Table 2.1 Compliance with	the 2018 BAT Conclusions	
BAT Requirement	Compliance	
	The 3 way separator has localised extraction which	
	feeds air from the plant via a dust filter back into the	
	building. Spray bar provided at transfer point for ligh	
	wastes to minimise fugitive emissions to atmosphere	
	from the 3 way separator.	
BAT 26, 27 and 28 applicable to shredding of metal	Not applicable	
BAT 2 and 30 applicable to treatment of WEEE	Not applicable	
BAT 31 limit emissions of VOCs to air from mechanical	Waste to be treated is not expected to give rise to	
treatment of waste with calorific value by use of	significant emissions of VOCs and should not cause a	
adsorption, biofilter, thermal oxidation or wet	nuisance. To be reviewed should olfactory	
scrubbing.	monitoring show odour is a problem.	
BAT32 applicable to treatment of WEEE	Not applicable	
BAT 33,34,35,36,37,38 and 39 applicable to biological	Not applicable. No biological treatment on site.	
treatment		
BAT 40 Monitor waste inputs for metals, salts,	Not practicable where the input is mixed waste,	
odorous compounds, oxidisers and organics.	largely C&D waste. Pre-acceptance procedures in	
	place and the waste will be subject to visual	
	inspection prior to treatment to ensure that nothing	
	is present that might damage the plant or cause other	
	issues. No chemical treatment of waste will take	
	place.	
BAT 41 Limit emissions of dust, organic compounds	Not applicable. No point source emissions to air.	
and ammonia by use of adsorption, wet scrubber,		
biofilter or fabric filter.		
BAT 42,43 and 44 applicable to re-refining of oil	Not applicable. No waste oil to be accepted.	
BAT 45 reduce emissions of VOC to air by cryogenic	Not applicable no point source emissions to air.	
condensation, thermal oxidation, adsorption or wet		
scrubbing.		
BAT 46 and 47 applicable to regeneration of spent	Not applicable	
solvent		
BAT 48 and 49 applicable to thermal treatment of	Not applicable	
spent activated carbon, contaminated soil and waste		
catalysts		
BAT 50 applicable to washing of contaminated soil	Not applicable	
BAT 51 applicable to treatment of equipment	Not applicable	
containing PCBs		
BAT 52 and 53 applicable to treatment of liquid waste	Not applicable only solid wastes will be treated.	



3 USE OF WATER

- 3.1.1 The process does not use water other than in the water bath. Otherwise use of water will be limited to damping down of dust and cleaning. As a rule, bays will be cleaned by dry sweeping or vacuuming to limit water use.
- 3.1.2 The water bath will use between 4m³ and 8m³ of water during each 10 hour shift. Losses are via evaporation or entrained in the waste streams from the plant and there are no emissions. Water will be topped up from the mains supply.
- 3.1.3 A water meter is installed to monitor water use. Records will be kept of water usage and these will be reviewed annually with targets set for reduction where appropriate.
- 3.1.4 It is not intended to reuse water from the sump as in normal circumstances very little water will be present. By unloading and storing the waste inside a building the amount of run-off from stored wastes should be negligible. In the event of a fire the water collecting in the sump will be recirculated for reuse in firefighting. Ultimately it is likely to become contaminated and will be taken off-site for disposal.
- 3.1.5 Consideration will be given to the collection of roof water for use on site for damping down dust or cleaning. This will be implemented subject to being practicable and to health and safety considerations being acceptable, that is legionella can be prevented.
- 3.1.6 Water use will be reviewed at least once every four years to assess whether any improvements can be made.

4 USE OF RAW MATERIALS

- 4.1.1 The following raw materials will be used on site:
 - Lubricating oil for site plant
 - Hydraulic oil for site plant
- 4.1.2 The new MRF is for the mechanical treatment of waste and so no raw materials are used directly in the process.
- 4.1.3 Raw material use will be reviewed at least once every 4 years and where more environmentally friendly options are available these will be adopted provide that they provide the correct performance and are cost effective.



5 USE OF ENERGY

5.1 **Compliance with BREF Note on Energy Efficiency**

- 5.1.1 In order to comply with the BAT Conclusions on energy efficiency Valencia will have an energy efficiency and management system incorporated in their EMS. This will include a commitment from senior managers to use energy efficiently and to seek to reduce carbon emissions. Valencia is committed to complying with all energy efficiency legislation.
- 5.1.2 Communications will be made to staff to raise awareness of the energy policy and encourage employee engagement.
- 5.1.3 Energy use will be reviewed at least once every four years and targets for efficiencies will be set, seeking continuous improvement and reduction in emissions.
- 5.1.4 Where new plant is being purchased energy efficiency will be an important consideration and all processing plant, lighting and HVAC systems will be designed with expert input to ensure the most efficient schemes are adopted. This will include optimising layouts, assessing correct sizing of motors and using variable speed drives where appropriate and effective.
- 5.1.5 All plant will be part of the planned preventative maintenance programme and will be properly maintained so as to operate without excessive use of energy. Staff will receive training so that procedures are followed correctly and idling of plant or inefficient loads are avoided.
- 5.1.6 All energy use will be recorded so that quantitative comparisons can be made and energy savings can be properly assessed.

5.2 Specific Energy Consumption

- 5.2.1 To allow benchmarking and assessment of progress against any energy efficiency targets that are set the specific energy consumption will be calculated each year. An initial assessment of electricity usage is given below.
- 5.2.2 An overall breakdown of the power required by the recycling plant has been provided by the technology supplier, based on the installation of the technology at a number of Valencia's sites. This indicates that the plant will require a 627.71kW supply and will operate for 2,000 hours a year. The scale of the final scheme is to be confirmed and the energy use calculations will be updated as required when the site specific energy usage is finalised.



- 5.2.3 On the basis of the currently available information, it is anticipated that the site will have an electricity usage of 1,255.42MWh per year.
- 5.2.4 This allows the potential carbon emissions to be calculated as shown in the following tables.

	Table 5:1 Energy Consumption		
Energy Source	Units/year as delivered MWh	At primary source Unit MWh/year	
Electricity from mains supply	1,255.42	3,013.01*	
Total MWh	1,255.42	3,013.01	
Notes: * When electricity from the national grid is utilised there are losses from the grid between the power station and the plant. Environment Agency guidance requires that a conversion factor of 2.4 is used to account for this. <u>https://www.gov.uk/guidance/assess-the-impact-of-air-emissions-on-global-</u> <u>warming#greenhouse-gases-impact-of-your-emissions</u>			

5.2.5 As the site will process 150,000 tonnes of waste a year the specific energy use per tonne of waste treated will be as follows.

Table 5.2 Projected SEC for First Year of Operation			
Year	Total Energy Consumption (kWh)	Total Waste received (tonnes)	Projected SEC for year (kWh/ Tonne)
1	3,013,010	150,000	20.1

- 5.2.6 Since the quantity of waste treated may vary from year to year the specific energy usage can be calculated to make like for like comparisons regarding energy efficiency.
- 5.2.7 Currently the expected energy usage would equate to the following carbon emissions.



Table 5:3 Annual Carbon Dioxide Emissions from Energy Use			
Energy source	Primary Energy Usage (MWh)	Conversion factor & CO ₂ factor	CO2 (tonnes per annum)
Electricity	3,013.01	0.166*	499.66
TOTAL	3,013.01		499.66
* Conversion factor taken from <u>https://www.gov.uk/guidance/assess-the-impact-of-air-</u> emissions-on-global-warming#greenhouse-gases-impact-of-your-emissions accessed on 7 th April			

- 5.2.1 As yet there is no estimate of diesel usage for mobile plant at the site. During the first year of operation diesel usage will be monitored and recorded, allowing this to be incorporated into the specific energy use calculation. An assessment of available mobile plant will be made at the point that it is ordered to establish whether available diesel or electric plant is more suitable for operational purposes.
- 5.2.2 Energy use will be recorded and will be reviewed at least once every four years to assess where savings could be made. Where assets come up for replacement consideration will be given to the following options:
 - use of more efficient models;
 - use of alternative fuel (e.g. biofuel);
 - use of renewable electricity where possible.

6 WASTE MINIMISATION

2020.

6.1.1 The whole purpose of the variation is to move waste further up the waste hierarchy. Waste treatment will allow the recovery of ferrous metal, non-ferrous metal, plastics and wood for recycling. It will also allow energy recovery from waste that might otherwise have been landfilled, selecting the light wastes which will have the best calorific value. Finally, the heavier fractions, comprising mainly inert waste, will be utilised for landfill engineering, for example in maintaining site roads. Heavies and fines from the trommel may also be used as daily cover on the landfill, using the waste through recovery rather than disposal.



- 6.1.2 Overall the new plant will therefore maximise the recycling or recovery of the waste delivered to site.
- 6.1.3 Since waste is subject to mechanical treatment the waste arising from the plant itself will be minimal. Oils or oily rags arising from plant maintenance will be sent for recycling where appropriate or will be sent for energy recovery.
- 6.1.4 At least once every four years the waste treatment will be reviewed to determine whether there are cost effective options for improving recovery of materials for recycling.
- 6.1.5 All wastes will be stored in appropriate bays or containers and waste oil drums will be provided with a bunded tray as secondary containment.
- 6.1.6 All waste dispatched from site will be sent to a permitted waste recovery or disposal facility. Transfer notes will be provided (or consignment notes for waste oils that are hazardous). Records will be maintained detailing the quantity of waste dispatched form the site and its final destination.

wardell-armstrong.com

STOKE-ON-TRENT

Sir Henry Doulton House Forge Lane Etruria Stoke-on-Trent ST1 5BD Tel: +44 (0)1782 276 700

BIRMINGHAM

Two Devon Way Longbridge Technology Park Longbridge Birmingham B31 2TS Tel: +44 (0)121 580 0909

BOLTON

41-50 Futura Park Aspinall Way Middlebrook Bolton BL6 6SU Tel: +44 (0)1204 227 227

BRISTOL

Temple Studios Temple Gate Redcliffe Bristol BS1 6QA Tel: +44 (0)117 203 4477

BURY ST EDMUNDS

Armstrong House Lamdin Road Bury St Edmunds Suffolk IP32 6NU Tel: +44 (0)1284 765 210

CARDIFF

Tudor House 16 Cathedral Road Cardiff CF11 9⊔ Tel: +44 (0)292 072 9191

CARLISLE

Marconi Road Burgh Road Industrial Estate Carlisle Cumbria CA2 7NA Tel: +44 (0)1228 550 575

EDINBURGH Great Michael House 14 Links Place Edinburgh EH6 7EZ Tel: +44 (0)131 555 3311

GLASGOW 24 St Vincent Place Glasgow G1 2EU Tel: +44 (0)141 428 4499

LEEDS 36 Park Row Leeds LS1 5JL Tel: +44 (0)113 831 5533

LONDON

Third Floor 46 Chancery Lane London WC2A 1JE Tel: +44 (0)207 242 3243

NEWCASTLE UPON TYNE

City Quadrant 11 Waterloo Square Newcastle upon Tyne NE1 4DP Tel: +44 (0)191 232 0943

TRURO

Baldhu House Wheal Jane Earth Science Park Baldhu Truro TR3 6EH Tel: +44 (0)187 256 0738

International office:

ALMATY 29/6 Satpaev Avenue Hyatt Regency Hotel Office Tower Almaty Kazakhstan 050040 Tel: +7(727) 334 <u>1310</u>

