

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

273817799_1_1

Customer Reference:

100419175-001

National Grid Reference:

601910, 143350

Slice:

A

Site Area (Ha):

14.43

Search Buffer (m):

1000

Site Details:

Ashford WTW and STC

Ashford

Kent

Client Details:

Miss L Bethell

Mott Macdonald

Demeter House

Station Road

Cambridge

CB1 2RS

Prepared For:

Southern Water

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	55
Hazardous Substances	-
Geological	58
Industrial Land Use	64
Sensitive Land Use	92
Data Currency	93
Data Suppliers	98
Useful Contacts	99

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2021. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2021. © Natural Resources Wales & United Kingdom Research and Innovation 2021.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2021. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 4		40	15	12
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls	pg 20			2	
Integrated Pollution Prevention And Control	pg 21	5		4	
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 23		1	1	5
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 24		Yes		
Pollution Incidents to Controlled Waters	pg 24		10	19	19
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality	pg 32		2		
River Quality Biology Sampling Points	pg 32			2	
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register	pg 33			2	
Water Abstractions	pg 33			6	(*2)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 35	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Groundwater Vulnerability - Local Information			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 36	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 36	Yes	n/a	n/a	n/a
Source Protection Zones	pg 37		2	3	2
Extreme Flooding from Rivers or Sea without Defences	pg 37	Yes	Yes	n/a	n/a
Flooding from Rivers or Sea without Defences	pg 41	Yes		n/a	n/a
Areas Benefiting from Flood Defences	pg 41	Yes	Yes	n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 43		39	33	26

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 55		1		1
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 55	2	4		
Local Authority Landfill Coverage	pg 56	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Potentially Infilled Land (Non-Water)	pg 56			1	3
Potentially Infilled Land (Water)	pg 56	1	1	3	7
Registered Landfill Sites					
Registered Waste Transfer Sites	pg 57		1		
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 58	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 58	Yes		Yes	Yes
BGS Recorded Mineral Sites	pg 62			1	2
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain	pg 62	Yes		n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 63	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 63	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 63	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 63	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 63	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 64		37	48	74
Fuel Station Entries	pg 77				4
Points of Interest - Commercial Services	pg 77		10	12	16
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 81	4	26	22	13
Points of Interest - Public Infrastructure	pg 86	13	7	8	28
Points of Interest - Recreational and Environmental	pg 91			2	7
Gas Pipelines					
Underground Electrical Cables					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves	pg 92		1		
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 92	2			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12SW (E)	0	1	602300 143200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12SW (E)	0	1	602450 143250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11NE (E)	0	1	602050 143350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11NW (NW)	0	1	601750 143500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12SW (SE)	0	1	602200 143150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12SW (SE)	0	1	602350 143150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11SE (SE)	0	1	602100 143200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11NE (NE)	0	1	602050 143500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11SE (E)	0	1	602050 143300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12SW (E)	0	1	602350 143300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11NE (S)	0	1	601909 143350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A11NE (NW)	0	1	601909 143353
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12SW (SE)	11	1	602450 143100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12SW (SE)	64	1	602250 143050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12SE (E)	65	1	602550 143150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12SE (SE)	81	1	602500 143050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (E)	92	1	602550 143350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A15SE (N)	115	1	601909 143750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12NE (E)	122	1	602550 143353
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12NE (E)	139	1	602600 143350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (E)	155	1	602550 143450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12NE (E)	160	1	602600 143353

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NW (SE)	164	1	602200 142950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12SE (E)	177	1	602650 143100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (E)	187	1	602600 143400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (E)	200	1	602600 143450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12SE (E)	203	1	602700 143250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12SE (E)	204	1	602650 143050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (E)	212	1	602700 143350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A11SW (W)	221	1	601650 143250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12SE (SE)	231	1	602650 143000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (E)	250	1	602700 143353
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (E)	267	1	602650 143500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NE (E)	275	1	602700 143450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NE (S)	292	1	601909 142900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12SE (E)	303	1	602800 143200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12SE (E)	303	1	602800 143250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12SE (SE)	315	1	602750 143000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	355	1	602850 143150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NE (E)	358	1	602750 143500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	370	1	602850 143350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NE (S)	382	1	601850 142900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A10SE (W)	384	1	601450 143300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A15SE (N)	387	1	601950 143900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A15SW (N)	389	1	601750 143900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	407	1	602900 143300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NW (SE)	412	1	602350 142700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16SE (NE)	417	1	602600 143750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	426	1	602850 142950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16SE (NE)	434	1	602700 143700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16SE (NE)	437	1	602550 143800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A15SE (N)	437	1	601950 143950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A15SW (N)	449	1	601700 143950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	453	1	602850 142900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16SW (NE)	461	1	602450 143950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	461	1	602950 143100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16SW (NE)	465	1	602450 143900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16SE (E)	468	1	602750 143700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NE (S)	468	1	601850 142800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A16SE (NE)	473	1	602700 143750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A16SW (NE)	493	1	602400 143900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A10NE (W)	493	1	601300 143353
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7NW (S)	494	1	601800 142800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Bybrook Pumping Station, Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00991 Permit Version: 1 Effective Date: 23rd July 2001 Issued Date: 23rd July 2001 Revocation Date: 20th August 2001 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	A11NE (NE)	80	2	602070 143580
2	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Bybrook Pumping Station, Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00991 Permit Version: 2 Effective Date: 20th August 2001 Issued Date: 20th August 2001 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	A11NE (N)	96	2	601910 143590
2	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Bybrook W P S, Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00808 Permit Version: 1 Effective Date: 26th June 1998 Issued Date: 26th June 1998 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A11NE (N)	96	2	601910 143590
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford S.T.W., Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Old-Great Sour Reference: W00492 Permit Version: 1 Effective Date: 10th October 1981 Issued Date: 10th October 1981 Revocation Date: 23rd December 1998 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	195	2	602500 143550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 14 Effective Date: 31st March 2018 Issued Date: 31st March 2018 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	229	2	602500 143590
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 11 Effective Date: 30th March 2010 Issued Date: 30th March 2010 Revocation Date: 16th December 2013 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	229	2	602500 143590
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 12 Effective Date: 31st March 2014 Issued Date: 30th March 2010 Revocation Date: 30th March 2018 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	229	2	602500 143590
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 10 Effective Date: 5th October 2009 Issued Date: 5th October 2009 Revocation Date: 29th March 2010 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	229	2	602500 143590

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 9 Effective Date: 1st April 2009 Issued Date: 14th October 2008 Revocation Date: 4th October 2009 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	229	2	602500 143590
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 8 Effective Date: 1st October 2007 Issued Date: 1st October 2007 Revocation Date: 31st March 2009 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	229	2	602500 143590
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 7 Effective Date: 14th December 2005 Issued Date: 14th December 2005 Revocation Date: 30th September 2007 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	229	2	602500 143590
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 6 Effective Date: 19th July 2005 Issued Date: 19th July 2005 Revocation Date: 13th December 2005 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	229	2	602500 143590

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 5 Effective Date: 22nd October 2004 Issued Date: 22nd October 2004 Revocation Date: 18th July 2005 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	229	2	602500 143590
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 4 Effective Date: 25th May 2004 Issued Date: 25th May 2004 Revocation Date: 21st October 2004 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	229	2	602500 143590
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 3 Effective Date: 25th January 2001 Issued Date: 25th January 2001 Revocation Date: 24th May 2004 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	229	2	602500 143590
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 2 Effective Date: 19th March 1999 Issued Date: 19th March 1999 Revocation Date: 24th January 2001 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	229	2	602500 143590

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 1 Effective Date: 23rd December 1998 Issued Date: 23rd December 1998 Revocation Date: 18th March 1999 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	229	2	602500 143590
3	<p>Discharge Consents</p> <p>Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 13 Effective Date: 17th December 2013 Issued Date: 17th December 2013 Revocation Date: 30th March 2014 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	A12NE (E)	236	2	602508 143594
4	<p>Discharge Consents</p> <p>Operator: John Frake Property Type: Not Given Location: Sewage System Ashford Urban Confluence, Hythe Road Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: RP.13/71 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 28th June 1971 Revocation Date: Not Supplied Discharge Type: Sewage Effluent Discharge-Storm Effluent Discharge: Freshwater Stream/River Environment: Receiving Water: Not Supplied Status: Not Supplied Positional Accuracy: Located by supplier to within 100m</p>	A11NW (W)	200	2	601595 143425
4	<p>Discharge Consents</p> <p>Operator: John Frake Property Type: Not Given Location: Sewage System Ashford Urban Confluence, Lower Queens Road Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: RP.13/71 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 28th June 1971 Revocation Date: Not Supplied Discharge Type: Sewage Effluent Discharge-Storm Effluent Discharge: Freshwater Stream/River Environment: Receiving Water: Not Supplied Status: Not Supplied Positional Accuracy: Located by supplier to within 100m</p>	A11NW (W)	202	2	601595 143420

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	<p>Discharge Consents</p> <p>Operator: John Frake Property Type: Not Given Location: Sewage System Ashford Urban Confluence, Mace Lane Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: RP.13/71 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 28th June 1971 Revocation Date: Not Supplied Discharge Type: Sewage Effluent Discharge-Storm Effluent Discharge: Freshwater Stream/River Environment: Receiving Water: Not Supplied Status: Not Supplied Positional Accuracy: Located by supplier to within 100m</p>	A11NW (W)	204	2	601595 143415
4	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Central Area Pumping Station, South Of Ashford By-Pass Road Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: K02077 Permit Version: 1 Effective Date: 28th June 1971 Issued Date: 28th June 1971 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	A11NW (W)	207	2	601590 143420
4	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: Sewerage Network - Pumping Station - Water Company Location: Central Area Pumping Station, South Of Ashford By-Pass Road Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: K02077 Permit Version: 1 Effective Date: 28th June 1971 Issued Date: 28th June 1971 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	A11NW (W)	207	2	601590 143420
4	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Central Area Wwps, Henwood, Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00825 Permit Version: 1 Effective Date: 9th July 1998 Issued Date: 9th July 1998 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A11NW (W)	224	2	601580 143400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford S.T.W., Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Old-Great Sour Reference: W00492 Permit Version: 1 Effective Date: 10th October 1981 Issued Date: 10th October 1981 Revocation Date: 23rd December 1998 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	A12NW (NE)	203	2	602250 143650
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 11 Effective Date: 30th March 2010 Issued Date: 30th March 2010 Revocation Date: 16th December 2013 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NW (NE)	221	2	602290 143650
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 10 Effective Date: 5th October 2009 Issued Date: 5th October 2009 Revocation Date: 29th March 2010 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NW (NE)	221	2	602290 143650
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 9 Effective Date: 1st April 2009 Issued Date: 14th October 2008 Revocation Date: 4th October 2009 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NW (NE)	221	2	602290 143650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 8 Effective Date: 1st October 2007 Issued Date: 1st October 2007 Revocation Date: 31st March 2009 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NW (NE)	221	2	602290 143650
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 7 Effective Date: 14th December 2005 Issued Date: 14th December 2005 Revocation Date: 30th September 2007 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NW (NE)	221	2	602290 143650
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 6 Effective Date: 19th July 2005 Issued Date: 19th July 2005 Revocation Date: 13th December 2005 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NW (NE)	221	2	602290 143650
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 5 Effective Date: 22nd October 2004 Issued Date: 22nd October 2004 Revocation Date: 18th July 2005 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NW (NE)	221	2	602290 143650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 4 Effective Date: 25th May 2004 Issued Date: 25th May 2004 Revocation Date: 21st October 2004 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NW (NE)	221	2	602290 143650
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 3 Effective Date: 25th January 2001 Issued Date: 25th January 2001 Revocation Date: 24th May 2004 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NW (NE)	221	2	602290 143650
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 2 Effective Date: 19th March 1999 Issued Date: 19th March 1999 Revocation Date: 24th January 2001 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NW (NE)	221	2	602290 143650
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 1 Effective Date: 23rd December 1998 Issued Date: 23rd December 1998 Revocation Date: 18th March 1999 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A12NW (NE)	221	2	602290 143650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	<p>Discharge Consents</p> <p>Operator: Batchelors'Peas Ltd Property Type: Undefined Or Other Location: Kennington Road, Willesborough, Ashford, Kent, Tn24 0lt Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: K01539 Permit Version: 1 Effective Date: 22nd October 1956 Issued Date: 22nd October 1956 Revocation Date: 31st March 1997 Discharge Type: Trade Effluent Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m</p>	A12SE (E)	218	2	602700 143270
7	<p>Discharge Consents</p> <p>Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 14 Effective Date: 31st March 2018 Issued Date: 31st March 2018 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	A16SW (NE)	229	2	602290 143660
7	<p>Discharge Consents</p> <p>Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 12 Effective Date: 31st March 2014 Issued Date: 30th March 2010 Revocation Date: 30th March 2018 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	A16SW (NE)	229	2	602290 143660
7	<p>Discharge Consents</p> <p>Operator: Southern Water Services Limited. + Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Ashford Wastewater Treatment Works Canterbury Road, ., Ashford, Kent, Tn24 9rd Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00805 Permit Version: 13 Effective Date: 17th December 2013 Issued Date: 17th December 2013 Revocation Date: 30th March 2014 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	A16SW (NE)	234	2	602295 143662

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	<p>Discharge Consents</p> <p>Operator: Brook Bond Foods Ltd. Property Type: Undefined Or Other Location: Batchelors Factory, Kennington Road, Ashford, Kent, Tn24 0lu Authority: Environment Agency, Southern Region Catchment Area: Old-Great Sour Reference: K00015 Permit Version: 1 Effective Date: 19th March 1985 Issued Date: 19th March 1985 Revocation Date: 25th November 1994 Discharge Type: Trade Discharges - Cooling Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m</p>	A12SE (E)	303	2	602800 143200
8	<p>Discharge Consents</p> <p>Operator: E.W.Hubbard Property Type: Undefined Or Other Location: Proprietary Perfumes Int., Kennington Road, Willesborough, Ashford Kent Authority: Environment Agency, Southern Region Catchment Area: Old-Great Sour Reference: N00104 Permit Version: 1 Effective Date: 19th March 1985 Issued Date: 19th March 1985 Revocation Date: 29th September 1994 Discharge Type: Trade Discharges - Cooling Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m</p>	A12SE (E)	303	2	602800 143200
9	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Queens Road Cso (R/O Hedleys), Queens Road, Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00913 Permit Version: 2 Effective Date: 27th March 2002 Issued Date: 27th March 2002 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: The Great Stour Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A11SW (W)	336	2	601520 143270
9	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: 68 Queens Road Cso, Queens Road, Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A01153 Permit Version: 1 Effective Date: 27th March 2002 Issued Date: 27th March 2002 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	A11SW (W)	336	2	601520 143270

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Queens Road Cso (R/O Hedleys), Quens Road, Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00913 Permit Version: 1 Effective Date: 18th May 1999 Issued Date: 18th May 1999 Revocation Date: 26th March 2002 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: The Great Stour Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A11SW (W)	336	2	601520 143270
9	<p>Discharge Consents</p> <p>Operator: Southern Water Services Limited. + Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Queens Road Ashford, Redington Cso, 100 Lower Queens Road, Ashford, Kent, Tn24 8he Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A01461 Permit Version: 1 Effective Date: 29th August 2008 Issued Date: 29th August 2008 Revocation Date: 9th June 2015 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: The Great Stour Status: Revoked under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	A11SW (W)	345	2	601510 143270
10	<p>Discharge Consents</p> <p>Operator: Kenhire Ltd. Property Type: REAL ESTATE ACTIVITIES/BUYING/SELLING/RENTING Location: Kenhire Ltd., Henwood Industrial Est, Ashford, Kent, Tn24 8ff Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P01287 Permit Version: 1 Effective Date: 4th November 1987 Issued Date: 4th November 1987 Revocation Date: Not Supplied Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	A11SW (SW)	350	2	601750 143000
11	<p>Discharge Consents</p> <p>Operator: Milchurch Developments Ltd Property Type: Undefined Or Other Location: Henwood Business Centre, Plot 4, Henwood, Ashford Kent Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P02313 Permit Version: 1 Effective Date: 10th May 1989 Issued Date: 10th May 1989 Revocation Date: 31st March 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m</p>	A7NW (S)	354	2	601790 142970

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	<p>Discharge Consents</p> <p>Operator: Kent Fire Brigade Property Type: Not Given Location: Ashford Fire Station, Bybrook Estate, Canterbury Road, ASHFORD Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: Jan-58 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 6th January 1958 Revocation Date: Not Supplied Discharge Type: Trade Effluent Discharge: Freshwater Stream/River Environment: Receiving Water: Not Supplied Status: Not Supplied Positional Accuracy: Located by supplier to within 100m</p>	A15SW (NW)	381	2	601550 143800
12	<p>Discharge Consents</p> <p>Operator: Kent County Council Property Type: Undefined Or Other Location: Ashford Fire Station, Bybrook Estate, Canterbury Road, ASHFORD, Kent Authority: Environment Agency, Southern Region Catchment Area: Old-Great Sour Reference: K02029 Permit Version: 1 Effective Date: 6th January 1958 Issued Date: 6th January 1958 Revocation Date: 31st March 1997 Discharge Type: Trade Discharges - Site Drainage (Contam Surface Water, Not Tips) Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m</p>	A15SW (NW)	416	2	601500 143800
13	<p>Discharge Consents</p> <p>Operator: 4 Delivery Limited Property Type: CSO ON UNADOPTED SEWERAGE NETWORK (NOT WATER COMPANY) Location: Gw Settled For Construction Site At End Of Cradlebridge Drive, Willesborough, Ashford, Kent, Tn24 0rn Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: Npswqd007491 Permit Version: 1 Effective Date: 1st August 2009 Issued Date: 28th July 2009 Revocation Date: 26th May 2010 Discharge Type: Trade Effluent Discharge: Freshwater Stream/River Environment: Receiving Water: M20 Culvert To Great Stour Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A8NE (SE)	420	2	602643 142739
14	<p>Discharge Consents</p> <p>Operator: Headley Brothers Ltd Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Headley Brothers Ltd, The Invicta Press, Queens Road, Ashford, Kent, Tn24 8hh Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: P21204 Permit Version: 1 Effective Date: 7th September 2006 Issued Date: 7th September 2006 Revocation Date: 7th April 2017 Discharge Type: Trade Effluent Discharge-Site Drainage Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of The Great Stour Status: Authorisation revoked Positional Accuracy: Located by supplier to within 10m</p>	A11SW (SW)	441	2	601500 143080

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
15	<p>Discharge Consents</p> <p>Operator: Headley Brothers Ltd Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Headley Brothers, Lower Queens Rd, Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: P09248 Permit Version: 1 Effective Date: 31st October 2000 Issued Date: 31st October 2000 Revocation Date: 18th April 2017 Discharge Type: Trade Effluent Discharge-Site Drainage Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m</p>	A10SE (W)	471	2	601400 143200
16	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Castle Street Cso, Castle Street, Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00906 Permit Version: 1 Effective Date: 18th May 1999 Issued Date: 18th May 1999 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A7NW (SW)	481	2	601600 142940
16	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Somerset/Wellesly Road Cso, Somerset/Wellesly Road, Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00911 Permit Version: 1 Effective Date: 18th May 1999 Issued Date: 18th May 1999 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A7NW (SW)	481	2	601600 142940
17	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Martyrs Field Cso Martyrs Field Public Park, Mace Lane, Adj. To Road Bridge, Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00390 Permit Version: 3 Effective Date: 30th June 1995 Issued Date: 30th June 1995 Revocation Date: 26th March 2002 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: The East Stour Status: Revised Consent, by Application (Water Resources Act 1991, Section 34(2)) Positional Accuracy: Located by supplier to within 10m</p>	A7NW (SW)	551	2	601610 142850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Martyrs Field Cso Martyrs Field Public Park, Mace Lane, Adj. To Road Bridge, Ashford, Kent</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: A00390 Permit Version: 2 Effective Date: 15th July 1993 Issued Date: 15th July 1993 Revocation Date: 29th June 1995 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: The East Stour Status: Revised Consent, by Application (Water Resources Act 1991, Section 34(2)) Positional Accuracy: Located by supplier to within 100m</p>	A7NW (SW)	551	2	601610 142850
17	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Martyrs Field Cso Martyrs Field Public Park, Mace Lane, Adj. To Road Bridge, Ashford, Kent</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00390 Permit Version: 1 Effective Date: 13th September 1989 Issued Date: 13th September 1989 Revocation Date: 14th July 1993 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: The East Stour Status: Temporary Consents (Water Act 1989, Section 113) Positional Accuracy: Located by supplier to within 10m</p>	A7NW (SW)	551	2	601610 142850
17	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Martyrs Field Cso Martyrs Field Public Park, Mace Lane, Adj. To Road Bridge, Ashford, Kent</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A00390 Permit Version: 4 Effective Date: 27th March 2002 Issued Date: 27th March 2002 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: The East Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A7NW (SW)	556	2	601600 142850
18	<p>Discharge Consents</p> <p>Operator: Tenstar Products Ltd Property Type: Undefined Or Other Location: Tenstar Products Ltd, Rhm Site, Po Box 527, Ashford, Kent</p> <p>Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: P02379 Permit Version: 1 Effective Date: 22nd June 1989 Issued Date: 22nd June 1989 Revocation Date: 1st April 1992 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	A7NW (SW)	688	2	601560 142720

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Bockhanger Ceo Cemetery Lane, Bockhanger, Ashford, Kent, Tn25 4bn Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A01021 Permit Version: 2 Effective Date: 31st March 2019 Issued Date: 31st January 2019 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Bockhanger Dyke Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	A14SW (NW)	759	2	601100 143820
19	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Bockhanger Ceo Cemetery Lane, Bockhanger, Ashford, Kent, Tn25 4bn Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A01021 Permit Version: 2 Effective Date: 31st March 2019 Issued Date: 31st January 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Bockhanger Dyke Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	A14SW (NW)	759	2	601100 143820
19	<p>Discharge Consents</p> <p>Operator: Southern Water Services Limited. + Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Bockhanger Ceo Cemetery Lane, Bockhanger, Ashford, Kent, Tn25 4bn Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A01408 Permit Version: 1 Effective Date: 2nd July 2008 Issued Date: 2nd July 2008 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Bockhanger Dyke Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	A14SW (NW)	759	2	601100 143820
19	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Bockhanger Ceo Cemetery Lane, Bockhanger, Ashford, Kent, Tn25 4bn Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A01021 Permit Version: 1 Effective Date: 13th July 2001 Issued Date: 13th July 2001 Revocation Date: 30th March 2019 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Bockhanger Dyke Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	A14SW (NW)	759	2	601100 143820

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	<p>Discharge Consents</p> <p>Operator: Dr J.G.Bradfield Property Type: CSO ON UNADOPTED SEWERAGE NETWORK (NOT WATER COMPANY) Location: Bockhanger Dyke, Bybrook, Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P03283 Permit Version: 1 Effective Date: 26th November 1990 Issued Date: 26th November 1990 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m</p>	A14SW (NW)	763	2	601100 143830
20	<p>Discharge Consents</p> <p>Operator: Tenstar Products Ltd Property Type: Undefined Or Other Location: Tenstar Products Ltd, Rhm Site, Po Box 527, Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: P02379 Permit Version: 1 Effective Date: 22nd June 1989 Issued Date: 22nd June 1989 Revocation Date: 1st April 1992 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	A7SW (SW)	845	2	601520 142560
21	<p>Discharge Consents</p> <p>Operator: J Sainsbury Plc T/A Sainsburys Supermarkets Ltd Property Type: SHOP INCL GARDEN CENTRE/RETAIL TRADE(NOT MOTOR VEHICLE) Location: Sainsbury Supermarket Warren Interchange Site, Simone Weil Avenue, Ashford, Kent, TN24 8xh Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P03757 Permit Version: 1 Effective Date: 19th July 1991 Issued Date: 19th July 1991 Revocation Date: Not Supplied Discharge Type: Trade Effluent Discharge-Site Drainage Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Post National Rivers Authority Legislation where issue date > 31/08/1989 Positional Accuracy: Located by supplier to within 100m</p>	A14SW (NW)	982	2	600870 143850
22	<p>Integrated Pollution Controls</p> <p>Name: Alpha Metals Ltd Location: Henwood Industrial Estate, Hythe Road, ASHFORD, Kent, TN24 8DR Authority: Environment Agency, Southern Region Permit Reference: BC8490 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 4.4 A (D) processes involving Halogens within the Chemical Industry Status: Revoked - Now IPPC Positional Accuracy: Unknown</p>	A7NW (S)	395	2	601786 142925
23	<p>Integrated Pollution Controls</p> <p>Name: Alpha Metals Ltd Location: Henwood Industrial Estate, Hythe Road, ASHFORD, Kent, TN24 8DH Authority: Environment Agency, Southern Region Permit Reference: AN0576 Dated: 22nd June 1994 Process Type: IPC new application Description: 4.4 A (D) processes involving Halogens within the Chemical Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Manually positioned to the road within the address or location</p>	A7NW (S)	480	2	601722 142864

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	<p>Integrated Pollution Prevention And Control</p> <p>Name: Southern Water Services Limited Location: Ashford Wastewater Treatment Works, Bybrook, ASHFORD, Kent, TN24 9QS Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: BP3630TV Original Permit Ref: Kp3736gs Effective Date: 15th December 2010 Status: Superseded By Variation Application Type: Variation App. Sub Type: Simple Standard Variation Positional Accuracy: Located by supplier to within 100m Activity Code: 1.1 A(1) (B) (III) Activity Description: Combustion; Waste Derived Fuel Greater Or Equal To 3Mw But Less Than 50Mw Primary Activity: Y</p>	A11SE (E)	0	2	602100 143300
24	<p>Integrated Pollution Prevention And Control</p> <p>Name: Southern Water Services Limited Location: Ashford Wastewater Treatment Works, Bybrook, ASHFORD, Kent, TN24 9QS Authority: Environment Agency, Southern Region Permit Reference: BP3630TV Original Permit Ref: Kp3736gs Effective Date: 15th December 2010 Status: Effective Application Type: Variation App. Sub Type: Simple Standard Variation Positional Accuracy: Located by supplier to within 100m Activity Code: 1.1 A(1) (B) (III) Activity Description: Combustion; Waste Derived Fuel Greater Or Equal To 3Mw But Less Than 50Mw Primary Activity: Y</p>	A11SE (E)	0	2	602100 143300
24	<p>Integrated Pollution Prevention And Control</p> <p>Name: Southern Water Services Limited Location: Ashford Wastewater Treatment Works, Bybrook, ASHFORD, Kent, TN24 9QS Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: KP3736GS Original Permit Ref: Kp3736gs Effective Date: 25th October 2009 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Located by supplier to within 100m Activity Code: 1.1 A(1) (B) (III) Activity Description: Combustion; Waste Derived Fuel Greater Or Equal To 3Mw But Less Than 50Mw Primary Activity: Y</p>	A11SE (E)	0	2	602100 143300
24	<p>Integrated Pollution Prevention And Control</p> <p>Name: Southern Water Services Limited Location: Ashford Wastewater Treatment Works, Bybrook, ASHFORD, Kent, TN24 9QS Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: NP3834ZJ Original Permit Ref: Kp3736gs Effective Date: Not Supplied Status: Valid Application Type: Variation App. Sub Type: Minor Positional Accuracy: Located by supplier to within 100m Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: Y</p>	A11SE (E)	0	2	602100 143300
25	<p>Integrated Pollution Prevention And Control</p> <p>Name: Southern Water Services Limited Location: Ashford Wastewater Treatment Works, Bybrook, ASHFORD, Kent, TN24 9QS Authority: Environment Agency, Southern Region Permit Reference: KP3736GS Original Permit Ref: Kp3736gs Effective Date: 25th October 2009 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Manually positioned to the address or location Activity Code: 1.1 A(1) (B) (III) Activity Description: Combustion; Waste Derived Fuel Greater Or Equal To 3Mw But Less Than 50Mw Primary Activity: Y</p>	A11NE (NE)	0	2	602051 143459

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	<p>Integrated Pollution Prevention And Control</p> <p>Name: Alpha Fry Limited Location: Ashford Chemical Flux Manufacturer, Cookson Electronics Assembly Materials, Plot 16, Henwood Industrial Estate, Hythe Road, Ashford, Kent, TN24 8DH</p> <p>Authority: Environment Agency, Southern Region Permit Reference: Wp3739sk Original Permit Ref: Wp3739sk Effective Date: 19th July 2005 Status: Superseded By Variation</p> <p>Application Type: Application App. Sub Type: New Positional Accuracy: Manually positioned to the address or location Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N Activity Code: 4.2 A(1) (B) Activity Description: Inorganic Chemicals; Using Halogens Etc If Release To Air/Water (Unless Otherwise Prescribed) (Unless Chlorination Of Water)</p> <p>Primary Activity: Y Activity Code: 4.2 A(1) (B) Activity Description: Inorganic Chemicals; Using Halogens Etc If Release To Air/Water (Unless Otherwise Prescribed) (Unless Chlorination Of Water)</p> <p>Primary Activity: N</p>	A7NW (S)	395	2	601785 142925
26	<p>Integrated Pollution Prevention And Control</p> <p>Name: Alpha Fry Limited Location: Ashford Chemical Flux Manufacturer, Cookson Electronics Assembly Materials, Henwood Industrial Estate, Hythe Road, Plot 16., Ashford, Kent, TN24 8DH</p> <p>Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: LP3538KG Original Permit Ref: Wp3739sk Effective Date: 12th April 2011 Status: Surrender Effective</p> <p>Application Type: Surrender App. Sub Type: Whole Positional Accuracy: Located by supplier to within 10m Activity Code: 4.2 A(1) (B) Activity Description: Inorganic Chemicals; Using Halogens Etc If Release To Air/Water (Unless Otherwise Prescribed) (Unless Chlorination Of Water)</p> <p>Primary Activity: Y Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N Activity Code: 4.2 A(1) (B) Activity Description: Inorganic Chemicals; Using Halogens Etc If Release To Air/Water (Unless Otherwise Prescribed) (Unless Chlorination Of Water)</p> <p>Primary Activity: N</p>	A7NW (S)	402	2	601780 142920
26	<p>Integrated Pollution Prevention And Control</p> <p>Name: Alpha Fry Limited Location: Ashford Chemical Flux Manufacturer, Cookson Electronics Assembly Materials, Henwood Industrial Estate, Hythe Road, Plot 16., Ashford, Kent, TN24 8DH</p> <p>Authority: Environment Agency, Southern Region Permit Reference: LP3538KG Original Permit Ref: Wp3739sk Effective Date: 12th April 2011 Status: Surrender Effective</p> <p>Application Type: Surrender App. Sub Type: Whole Positional Accuracy: Located by supplier to within 10m Activity Code: 4.2 A(1) (B) Activity Description: Inorganic Chemicals; Using Halogens Etc If Release To Air/Water (Unless Otherwise Prescribed) (Unless Chlorination Of Water)</p> <p>Primary Activity: N Activity Code: 4.2 A(1) (B) Activity Description: Inorganic Chemicals; Using Halogens Etc If Release To Air/Water (Unless Otherwise Prescribed) (Unless Chlorination Of Water)</p> <p>Primary Activity: Y Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N</p>	A7NW (S)	402	2	601780 142920

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	<p>Integrated Pollution Prevention And Control</p> <p>Name: Alpha Fry Limited Location: Ashford Chemical Flux Manufacturer, Cookson Electronics Assembly Materials, Henwood Industrial Estate, Hythe Road, Plot 16., Ashford, Kent, TN24 8DH Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: WP3739SK Original Permit Ref: Wp3739sk Effective Date: 19th July 2005 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Located by supplier to within 10m Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: N Activity Code: 4.2 A(1) (B) Activity Description: Inorganic Chemicals; Using Halogens Etc If Release To Air/Water (Unless Otherwise Prescribed) (Unless Chlorination Of Water) Primary Activity: Y Activity Code: 4.2 A(1) (B) Activity Description: Inorganic Chemicals; Using Halogens Etc If Release To Air/Water (Unless Otherwise Prescribed) (Unless Chlorination Of Water) Primary Activity: N</p>	A7NW (S)	402	2	601780 142920
27	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: Caffyns Plc Location: Concept House, Henwood Industrial Estate, ASHFORD, Kent, TN24 8DH Authority: Ashford Borough Council, Environmental Health Department Permit Reference: 22/92/RJW Dated: 1st June 1993 Process Type: Local Authority Air Pollution Control Description: PG6/34 Respraying of road vehicles Status: Authorised Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	200	3	601834 143124
28	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: Headley Bros Ltd Location: The Invicta Press, Upper Queens Road, ASHFORD, Kent, TN24 8HH Authority: Ashford Borough Council, Environmental Health Department Permit Reference: Lappc/15/05 Dated: 1st February 1995 Process Type: Local Authority Pollution Prevention and Control Description: PG6/16 Printworks Status: Permitted Positional Accuracy: Manually positioned to the address or location</p>	A10SE (SW)	486	3	601408 143140
29	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: East Stour Filling Station Location: Hythe Road, ASHFORD, Kent, TN24 8AH Authority: Ashford Borough Council, Environmental Health Department Permit Reference: Lappc/31 Dated: 1st December 1998 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Automatically positioned to the address</p>	A7SE (S)	684	3	601990 142485
30	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: Conoco LtdJet Location: Hythe Road, ASHFORD, Kent, TN24 8AH Authority: Ashford Borough Council, Environmental Health Department Permit Reference: 43/99/VJN Dated: 1st December 1998 Process Type: Local Authority Air Pollution Control Description: PG1/14 Petrol filling station Status: Not Supplied Positional Accuracy: Manually positioned to the road within the address or location</p>	A8SW (SE)	696	3	602335 142422
31	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: Shell UK Oil Products Limited Location: North Street, ASHFORD, Kent, TN24 Authority: Ashford Borough Council, Environmental Health Department Permit Reference: Lappc/24 Dated: 1st December 1998 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Manually positioned to the address or location</p>	A10SW (W)	869	3	601034 143042

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
32	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: First Choice Dry Cleaners Location: 67 Faversham Road, Kennington, Ashford Authority: Ashford Borough Council, Environmental Health Department Permit Reference: LAPPC/04/06 Dated: 1st October 2006 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: Permitted Positional Accuracy: Manually positioned to the address or location</p>	A19SE (N)	932	3	602047 144445
33	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: Sainsbury'S Supermarkets Limited Location: Simone Weil Avenue, ASHFORD, Kent, TN24 8UX Authority: Ashford Borough Council, Environmental Health Department Permit Reference: Lappc/28 Dated: 1st July 1998 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Manually positioned to the address or location</p>	A14SW (W)	997	3	600827 143772
	<p>Nearest Surface Water Feature</p>	A12NW (NE)	5	-	602179 143473
34	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Other Transport Location: Between Junctions 9 & 10 Southbound Authority: Environment Agency, Southern Region Pollutant: Chemicals - Other Organic Note: Lorry Overturned; Diesel And Polyester Resin Has Entered The Drains; Road (Road Traffic Accident) Incident Date: 24th July 1995 Incident Reference: 295146 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Industrial Chemicals Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A11SE (SE)	46	2	602110 143150
35	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Other Transport Location: Heathfield Road, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Diesel On River Stour; Rail Incident Date: 16th September 1995 Incident Reference: 295280 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A11SW (W)	155	2	601700 143300
36	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Engineering Location: Just U/S Bybrook Wwtw, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Unknown Note: Lots Of Diesel Or Oil In Stour Incident Date: 17th May 1996 Incident Reference: 296194 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Industrial - Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A15SW (N)	183	2	601800 143700
37	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Domestic/Residential Location: Shalmesford Bridge, CHARTHAM, Kent Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Foam Note: Foam On Stour Incident Date: 24th March 1996 Incident Reference: 296086 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A12NE (E)	195	2	602500 143550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Chemical industry Location: Location Description Not Available Authority: Environment Agency, Southern Region Pollutant: Chemicals - Unknown Note: River Smelling Strongly Of Perfume Incident Date: 22nd March 1993 Incident Reference: CD/051/93 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Industrial Chemicals Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A12NE (NE)	237	2	602500 143600
38	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Industrial: Other Location: 50 Yards Upstream Of M20 Authority: Environment Agency, Southern Region Pollutant: Chemicals - Detergents/Surfactant Note: Foam 6 Feet High On River Stour; Industrial: Other Incident Date: 2nd October 1994 Incident Reference: CD/357/94 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Industrial Chemicals Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A11NW (W)	201	2	601600 143410
38	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Other General Premises Location: Footbridge, Heathfield Road, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Oil In River; Miscellaneous Premises: Other Incident Date: 26th November 1995 Incident Reference: 295359 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A11NW (W)	206	2	601600 143400
38	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Road (Road Traffic Accident) Location: Heathfield Road, ASHFORD, Kent Authority: Environment Agency, Southern Region Pollutant: Oils - Other Fuel Oil Note: Oil On Stour Incident Date: 29th November 1996 Incident Reference: 296429 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Road Traffic Accident Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A11NW (W)	208	2	601600 143395
39	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Domestic/Residential Location: Footbridge At, Heathfield Road Authority: Environment Agency, Southern Region Pollutant: Oils - Other Fuel Oil Note: Oil On River Stour Incident Date: 27th October 1996 Incident Reference: 296440 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A12NE (E)	224	2	602600 143500
40	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Chemical industry Location: Quest International, ASHFORD, Kent Authority: Environment Agency, Southern Region Pollutant: Chemicals - Acid Note: Acid Spill Into Quest Interceptor Incident Date: 11th October 1993 Incident Reference: CD/215/93 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Industrial Chemicals Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A12SE (E)	229	2	602700 143300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
41	Pollution Incidents to Controlled Waters Property Type: WSC Sewage, Sewerage & Supply Location: Behind Fire Station, Henwood Industrial Estate, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Other Mineral & Synthetic Oils Note: Not Supplied Incident Date: 7th May 1999 Incident Reference: 1487 Catchment Area: Great Stour Receiving Water: Potential River Cause of Incident: Drainage Failures Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m	A11NW (W)	286	2	601515 143395
41	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Surface Water Outfall Location: Henwood, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Waste Oil Note: Oil On The River Stour Incident Date: 24th April 1993 Incident Reference: CD/068/93 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A11NW (W)	289	2	601510 143400
41	Pollution Incidents to Controlled Waters Property Type: Manufacturing Location: Hythe Road, ASHFORD, Kent Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Mixed / Unidentified / Waste Mineral & Synthetic Oils Note: Not Supplied Incident Date: 11th March 1999 Incident Reference: 1798 Catchment Area: Great Stour Receiving Water: Potential River Cause of Incident: Drainage Failures : Urban Land Run-Off Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m	A11NW (W)	291	2	601510 143395
41	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Surface Water Outfall Location: Heathfield Road Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Diesel In River Stour Incident Date: 25th February 1997 Incident Reference: 297079 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A11NW (W)	295	2	601505 143395
41	Pollution Incidents to Controlled Waters Property Type: Other General Premises Location: Near Henwood, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Other Oil Note: Oil On River Stour; Miscellaneous Premises: Unknown Incident Date: 8th December 1994 Incident Reference: CD/442/94 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A11NW (W)	298	2	601500 143400
41	Pollution Incidents to Controlled Waters Property Type: Industrial: Other Location: Great Stour, Henwood Industrial Estate, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Unknown Note: Oil On River Incident Date: 25th May 1996 Incident Reference: 296202 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Industrial - Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A11NW (W)	300	2	601500 143395

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
42	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Miscellaneous Premises: Other Location: West Bank From Wasteland , Adjacent Headley Bros & Below , Arden Drive, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Unknown Note: Pipe Discharging To River Stour Incident Date: 2nd November 1997 Incident Reference: 297423 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m</p>	A11SW (W)	300	2	601550 143300
42	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Industrial: Other Location: Heathfield Road Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Oil In River; Industrial: Other Incident Date: 22nd October 1995 Incident Reference: 295316 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A11SW (W)	343	2	601500 143300
42	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Arable Location: Lower Queens Road, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Liquid Thought To Be Sewerage Leaking Into Pond Incident Date: 13th July 1998 Incident Reference: 29215 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Leaking Tank Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A11SW (W)	345	2	601500 143295
43	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Industrial: Other Location: Nr Fire Station, HENWOOD Authority: Environment Agency, Southern Region Pollutant: Oils - Unknown Note: Oil On Stour Incident Date: 14th December 1996 Incident Reference: 296474 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Industrial - Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A11SW (SW)	346	2	601600 143110
44	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Construction Location: Bockhanger Dyke, Near Bybrook Barn, ASHFORD, Kent Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Inert Suspended Solids Note: Contractor De-Watering Into Stream Incident Date: 13th February 1997 Incident Reference: 297091 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Miscellaneous/Other Pollution Type Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A15SW (NW)	405	2	601480 143760
44	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Domestic/Residential Location: Bockhanger Dyke Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Stream Smelling Of Diesel Incident Date: 23rd April 1992 Incident Reference: CD/079/92 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A14SE (NW)	411	2	601450 143730

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
45	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Engineering Location: The Mill, East Hill, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Waste Oil Note: Oil On River Stour Incident Date: 21st March 1996 Incident Reference: 296082 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Industrial - Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A16SE (NE)	418	2	602500 143800
46	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Industrial: Other Location: Heathfield Road, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Oil In River Stour; Industrial: Other Incident Date: 9th October 1995 Incident Reference: 295301 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A7NW (SW)	461	2	601700 142900
47	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Water Company Sewage: Surface Water Outfall Location: Bottom End Of Bockhanger, Going Into Main River (Bybrook) Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Oil/Creosote On Top Of Water Incident Date: 3rd February 1993 Incident Reference: CD/019/93 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A14SE (NW)	463	2	601400 143750
48	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Manufacturing Location: Invicta Press, Queens Road, ASHFORD, Kent Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Industrial Fuel Oils Note: Not Supplied Incident Date: 5th November 1999 Incident Reference: 3922 Catchment Area: Stour Receiving Water: Potential River Cause of Incident: Containment Failure : Other Containment Failure Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m</p>	A10SE (W)	471	2	601400 143200
49	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Industrial: Other Location: Riverside Industrial Estate, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Blocked Sewer Overflowing Incident Date: 14th August 1996 Incident Reference: 296317 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Industrial - Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A7NW (SW)	473	2	601600 142950
49	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Domestic/Residential Location: Mace Lane, ASHFORD, Kent Authority: Environment Agency, Southern Region Pollutant: Oils - Unknown Note: Slick Of Oil Incident Date: 21st February 1998 Incident Reference: 29043 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A7NW (SW)	484	2	601580 142950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
49	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: WSC Sewage, Sewerage & Supply Location: Rear Of Fire Station, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Mixed / Unidentified / Waste Mineral & Synthetic Oils Note: Not Supplied Incident Date: 6th March 1999 Incident Reference: 1710 Catchment Area: Great Stour Receiving Water: Potential River Cause of Incident: Drainage Failures Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m</p>	A7NW (SW)	500	2	601610 142910
49	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: WSC Sewage, Sewerage & Supply Location: Heathfield Road, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Mixed / Unidentified / Waste Mineral & Synthetic Oils Note: Not Supplied Incident Date: 7th April 1999 Incident Reference: 1711 Catchment Area: Great Stour Receiving Water: Potential River Cause of Incident: Drainage Failures : Surface Water Sewer Failure Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m</p>	A7NW (SW)	504	2	601610 142905
50	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Chemical industry Location: Mace Industrial Estate, ASHFORD, Kent Authority: Environment Agency, Southern Region Pollutant: Chemicals - Unknown Note: Sauflon Pharmaceuticala Tipping Chemicals Down Drain Incident Date: 16th October 1996 Incident Reference: 296419 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Chemical Spillage Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A10SE (SW)	547	2	601420 143010
51	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Domestic/Residential Location: East Hill Bridge, ASHFORD, Kent Authority: Environment Agency, Southern Region Pollutant: Contaminated Water : Urban Run Off Note: Not Supplied Incident Date: 30th December 1999 Incident Reference: 4367 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Climatic Conditions : Localised High Rainfall Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m</p>	A7NW (SW)	591	2	601480 142890
52	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Water Company Sewage: Other Location: East Stour At Mace Lane, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Other Oil Note: Oil On River; Water Company Sewage: Surface Water Outfall Incident Date: 22nd April 1994 Incident Reference: CD/120/94 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A7NW (SW)	599	2	601600 142800
52	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: No Premises Identified Location: River Stour, Mace Lane, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Mineral & Synthetic Oils Note: Not Supplied Incident Date: 2nd June 1999 Incident Reference: 1513 Catchment Area: Great Stour Receiving Water: Potential River Cause of Incident: Climatic Conditions : Localised High Rainfall Incident Severity: Category 3 - Minor Incident Positional Accuracy: Approximate location provided by supplier</p>	A7NW (SW)	601	2	601605 142795

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
52	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: No Premises Identified Location: Mace Lane & Hythe Road, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Mixed / Unidentified / Waste Mineral & Synthetic Oils Note: Not Supplied Incident Date: 21st March 1999 Incident Reference: 2598 Catchment Area: Swale Receiving Water: Potential River Cause of Incident: Containment Failure : Other Containment Failure Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m</p>	A7NW (SW)	603	2	601600 142795
53	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Construction/Demolition Location: Where Brockhanger Stream Flows, Under Cemetary Lane, BYBROOK Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Iridescent Oil On Bockhanger Stream Incident Date: 17th February 1993 Incident Reference: CD/033/93 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A14SE (NW)	621	2	601360 143950
54	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Wholesale & Retail Trade Location: Location Description Not Available, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Industrial Fuel Oils Note: Not Supplied Incident Date: 29th November 1999 Incident Reference: 4176 Catchment Area: Stour Receiving Water: Potential River Cause of Incident: Unauthorised Activity : Unconsented Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m</p>	A7NW (SW)	653	2	601500 142800
54	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Wholesale & Retail Trade Location: Location Description Not Available, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Industrial Fuel Oils Note: Not Supplied Incident Date: 29th November 1999 Incident Reference: 4178 Catchment Area: Great Stour Receiving Water: Potential River Cause of Incident: Unauthorised Activity : Unconsented Discharge Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m</p>	A7NW (SW)	657	2	601500 142795
55	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Manufacturing Location: Old Rhm Site, Hythe Road, ASHFORD, Kent Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Tarry Waste : Creosotes Note: Not Supplied Incident Date: 11th November 1999 Incident Reference: 5143 Catchment Area: Stour Receiving Water: Potential River Cause of Incident: Human Actions : Operator Error Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m</p>	A7SW (S)	802	2	601700 142500
56	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Other General Premises Location: Civic Centre, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Chemicals - Detergents/Surfactant Note: Circus Tipping Into River Incident Date: 29th April 1992 Incident Reference: CD/085/92 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Miscellaneous/Other Pollution Type Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A6SE (SW)	822	2	601450 142630

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
57	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Miscellaneous Premises: Other Location: North Street, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Fire water / Foam Note: Warehouse Fire Incident Date: 3rd December 1997 Incident Reference: 297470 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A6NW (SW)	919	2	601020 142950
58	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Road (Road Traffic Accident) Location: Essella Road, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Unknown Note: 2000 P Unknown Liquid Leaking From Truck Incident Date: 3rd March 1998 Incident Reference: 29072 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Industrial Chemicals Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A4NW (S)	970	2	602150 142150
59	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Horticultural Location: Tudor Road Off A251 , Kennington, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Unknown Note: Diesel/Oil/Petrol In River Incident Date: 1st November 1998 Incident Reference: 29406 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Poor Operational Practice Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A19SE (N)	983	2	601944 144500
59	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Wholesale & Retail Trade Location: Tudor Road, KENNINGTON Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Mixed / Unidentified / Waste Mineral & Synthetic Oils Note: Not Supplied Incident Date: 29th December 1999 Incident Reference: 4095 Catchment Area: Great Stour Receiving Water: Potential River Cause of Incident: Wrong Connection Incident Severity: Category 3 - Minor Incident Positional Accuracy: Approximate location provided by supplier</p>	A19SE (N)	992	2	601990 144505
59	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Wholesale & Retail Trade Location: Tudor Road, KENNINGTON Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Mixed / Unidentified / Waste Mineral & Synthetic Oils Note: Not Supplied Incident Date: 22nd September 1999 Incident Reference: 4088 Catchment Area: Great Stour Receiving Water: Potential River Cause of Incident: Wrong Connection Incident Severity: Category 3 - Minor Incident Positional Accuracy: Approximate location provided by supplier</p>	A19SE (N)	997	2	601990 144510
60	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Industrial: Other Location: Tannery Lane, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Unknown Note: Iridescent Oil On Great Stour At Tannery Lane; Industrial: Other Incident Date: 20th December 1995 Incident Reference: 295394 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A6SE (SW)	986	2	601350 142500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
60	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Water Company Sewage: Other Location: Tannery Lane, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Other Oil Note: Oil In River; Water Company Sewage: Surface Water Outfall Incident Date: 4th December 1994 Incident Reference: CD/432/94 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A6SE (SW)	990	2	601350 142495
61	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Road (Road Traffic Accident) Location: Junction 9, M20 London Bound Authority: Environment Agency, Southern Region Pollutant: Oils - Other Oil Note: Road Traffic Accident Anti-Freeze And Engine Oil Spilled On Carriageway Incident Date: 19th March 1997 Incident Reference: 297109 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	A14SW (NW)	996	2	600900 143950
	<p>River Quality</p> <p>Name: Great Stour GQA Grade: River Quality D Reach: Wye Bridge - Bybrook Bridge Estimated Distance (km): 1.9 Flow Rate: Flow less than 2.5 cumecs Flow Type: River Year: 2000</p>	A11NE (N)	34	2	601912 143543
	<p>River Quality</p> <p>Name: Great Stour GQA Grade: River Quality B Reach: Bybrook Bridge - Lenham Estimated Distance (km): 8.5 Flow Rate: Flow less than 1.25 cumecs Flow Type: River Year: 2000</p>	A11NW (NW)	68	2	601694 143476
62	<p>River Quality Biology Sampling Points</p> <p>Name: Great Stour Reach: Wye Bridge To Bybrook Bridge Estimated Distance: 5.60 Positional Accuracy: Located by supplier to within 100m Year: 1990 GQA Grade: River Quality Biology GQA Grade B - Good Year: 1995 GQA Grade: River Quality Biology GQA Grade A - Very Good Year: 2000 GQA Grade: River Quality Biology GQA Grade A - Very Good Year: 2002 GQA Grade: River Quality Biology GQA Grade A - Very Good Year: 2003 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2004 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2005 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2006 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2007 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2008 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2009 GQA Grade: River Quality Biology GQA Grade B - Good</p>	A15SW (N)	281	2	601800 143800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
62	<p>River Quality Biology Sampling Points</p> <p>Name: Great Stour Reach: Wye Bridge To Bybrook Bridge Estimated Distance: 1.90 Positional Accuracy: Located by supplier to within 100m Year: 1990 GQA Grade: River Quality Biology GQA Grade B - Good Year: 1995 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 2000 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2002 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2003 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2004 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2005 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 2006 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 2007 GQA Grade: River Quality Biology GQA Grade C - Fairly Good Year: 2008 GQA Grade: River Quality Biology GQA Grade B - Good Year: 2009 GQA Grade: River Quality Biology GQA Grade B - Good</p>	A15SW (N)	281	2	601800 143800
63	<p>Substantiated Pollution Incident Register</p> <p>Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 30th April 2009 Incident Reference: 675199 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Oils - Unknown</p>	A12NE (E)	265	2	602674 143429
64	<p>Substantiated Pollution Incident Register</p> <p>Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 1st July 2001 Incident Reference: 12586 Water Impact: Category 2 - Significant Incident Air Impact: Category 3 - Minor Incident Land Impact: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Crude Sewage</p>	A16SE (NE)	424	2	602501 143806
65	<p>Water Abstractions</p> <p>Operator: Mitchell Brothers T/A W J Mitchell Licence Number: 9/40/04/0138/Sr Permit Version: 100 Location: Points A-B, River Great Stour At Hinxhill Authority: Environment Agency, Southern Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): 366 Yearly Rate (m3): 11024.1 Details: Area Boldly Outlined On Map Authorised Start: 01 March Authorised End: 30 September Permit Start Date: 1st December 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m</p>	A12NE (E)	303	2	602690 143500
66	<p>Water Abstractions</p> <p>Operator: South East Water Ltd Licence Number: 9/40/04/0278/Gr Permit Version: 103 Location: Adits At Henwood Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: N/A Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 13th February 2013 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A8NW (SE)	339	2	602231 142776

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
67	<p>Water Abstractions</p> <p>Operator: Mid Kent Water Company Licence Number: 4/0270/ /GR Permit Version: Not Supplied Location: Pumping Station, HENWOOD Authority: Environment Agency, Southern Region Abstraction: Public Water Supply Abstraction Type: Not Supplied Source: Groundwater Daily Rate (m3): 2273 Yearly Rate (m3): 227300 Details: H2B Hythe Beds Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m</p>	A7NE (S)	365	2	602090 142790
68	<p>Water Abstractions</p> <p>Operator: South East Water Limited Licence Number: 9/40/04/0270/Gr Permit Version: 102 Location: Borehole At Henwood Ps Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: N/A Authorised Start: 01 October Authorised End: 30 September Permit Start Date: 27th October 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A7NE (S)	379	2	601840 142910
68	<p>Water Abstractions</p> <p>Operator: South East Water Plc Licence Number: 9/40/04/0270/Gr Permit Version: 101 Location: Borehole At Henwood Ps - (Tr 02234 42763) Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: N/A Authorised Start: 01 October Authorised End: 30 September Permit Start Date: 14th December 2007 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A7NE (S)	379	2	601840 142910
68	<p>Water Abstractions</p> <p>Operator: Mid Kent Water Plc Licence Number: 9/40/04/0270/Gr Permit Version: 100 Location: Boreholes At Henwood Ps Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): 2273 Yearly Rate (m3): 227300 Details: N/A Authorised Start: 01 October Authorised End: 30 September Permit Start Date: 1st December 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A7NE (S)	379	2	601840 142910

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>Water Abstractions</p> <p>Operator: Kvaerner Construction Ltd. Licence Number: 11/059 Permit Version: 100 Location: Points A-B, Chart Road To Beaver Bridge, Ashford. Authority: Environment Agency, Southern Region Abstraction: Construction: Dust Suppression Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: As Boldly Outlined On Licence Map. Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 3rd August 1999 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	(W)	1759	2	600060 143140
	<p>Water Abstractions</p> <p>Operator: Kvaerner Construction Ltd. Licence Number: 11/057 Permit Version: 100 Location: Point A, Aylesford Stream, Ashford, Kent. Authority: Environment Agency, Southern Region Abstraction: Construction: Dust Suppression Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: As Boldly Outlined On Licence Map. Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 23rd July 1999 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	(S)	1860	2	602500 141250
	<p>Groundwater Vulnerability Map</p> <p>Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data</p>	A11NE (NW)	0	4	601909 143353
	<p>Groundwater Vulnerability Map</p> <p>Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data</p>	A11NE (N)	0	4	601884 143522

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>Groundwater Vulnerability Map</p> <p>Combined Classification: Secondary Superficial Aquifer - High Vulnerability</p> <p>Combined Vulnerability: High</p> <p>Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer</p> <p>Pollutant Speed: High</p> <p>Bedrock Flow: Mixed</p> <p>Dilution: 300-550 mm/year</p> <p>Baseflow Index: >70%</p> <p>Superficial Patchiness: <90%</p> <p>Superficial Thickness: <3m</p> <p>Superficial Recharge: High</p>	A11NE (E)	0	4	602000 143353
	<p>Groundwater Vulnerability Map</p> <p>Combined Classification: Secondary Superficial Aquifer - High Vulnerability</p> <p>Combined Vulnerability: High</p> <p>Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer</p> <p>Pollutant Speed: High</p> <p>Bedrock Flow: Mixed</p> <p>Dilution: 300-550 mm/year</p> <p>Baseflow Index: >70%</p> <p>Superficial Patchiness: <90%</p> <p>Superficial Thickness: <3m</p> <p>Superficial Recharge: High</p>	A11NE (NE)	0	4	602000 143527
	<p>Groundwater Vulnerability Map</p> <p>Combined Classification: Secondary Bedrock Aquifer - High Vulnerability</p> <p>Combined Vulnerability: High</p> <p>Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer</p> <p>Pollutant Speed: High</p> <p>Bedrock Flow: Mixed</p> <p>Dilution: 300-550 mm/year</p> <p>Baseflow Index: >70%</p> <p>Superficial Patchiness: <90%</p> <p>Superficial Thickness: <3m</p> <p>Superficial Recharge: High</p>	A11NE (E)	0	4	602033 143399
	<p>Groundwater Vulnerability Map</p> <p>Combined Classification: Secondary Bedrock Aquifer - High Vulnerability</p> <p>Combined Vulnerability: High</p> <p>Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer</p> <p>Pollutant Speed: Intermediate</p> <p>Bedrock Flow: Well Connected Fractures</p> <p>Dilution: 300-550 mm/year</p> <p>Baseflow Index: >70%</p> <p>Superficial Patchiness: <90%</p> <p>Superficial Thickness: <3m</p> <p>Superficial Recharge: No Data</p>	A11NE (W)	0	4	601822 143361
	<p>Groundwater Vulnerability - Soluble Rock Risk</p> <p>None</p>				
	<p>Bedrock Aquifer Designations</p> <p>Aquifer Designation: Secondary Aquifer - A</p>	A11NE (NW)	0	4	601909 143353
	<p>Superficial Aquifer Designations</p> <p>Aquifer Designation: Secondary Aquifer - A</p>	A11NE (NW)	0	4	601909 143353
	<p>Superficial Aquifer Designations</p> <p>Aquifer Designation: Secondary Aquifer - A</p>	A11NE (N)	0	4	601884 143522

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
69	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone IIc (Outer Protection Zone): Either 25% of the source area or a 400 day travel time whichever is greater - subsurface activity only.	A7NE (S)	175	2	601932 142934
70	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone Ic (Inner Protection Zone): Travel time of 50 days or less to the groundwater source - subsurface activity only.	A7NE (S)	214	2	601994 142937
71	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone III (Total Catchment): The total area needed to support the discharge from the protected groundwater source.	A7NE (S)	293	2	601933 142934
72	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone II (Outer Protection Zone): Either 25% of the source area or a 400 day travel time whichever is greater.	A7NE (S)	293	2	601933 142934
73	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone I (Inner Protection Zone): Travel time of 50 days or less to the groundwater source.	A7NE (S)	293	2	601939 142929
74	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone III (Total Catchment): The total area needed to support the discharge from the protected groundwater source.	A7SE (S)	802	2	601823 142422
75	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone II (Outer Protection Zone): Either 25% of the source area or a 400 day travel time whichever is greater.	A7SE (S)	802	2	601823 142422
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12NW (E)	0	2	602214 143439
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A11NW (NW)	0	2	601800 143490
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	A11NE (N)	0	2	601944 143568
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12NW (E)	0	2	602192 143449
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12NW (NE)	5	2	602162 143474
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12NW (E)	10	2	602192 143464
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A11NE (NE)	17	2	602131 143512

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12SE (E)	43	2	602536 143168
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	A12SE (E)	44	2	602542 143188
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (E)	44	2	602542 143194
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12SE (E)	46	2	602544 143194
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NE (N)	46	2	601972 143554
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (E)	50	2	602542 143165
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (E)	55	2	602547 143224
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A11NE (N)	68	2	601939 143569
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NE (N)	69	2	601922 143569
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12SE (E)	70	2	602556 143234
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (E)	73	2	602557 143244
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A11NE (N)	74	2	601922 143571
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NE (N)	77	2	601901 143584
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12SE (E)	78	2	602559 143244
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NE (N)	79	2	601912 143574
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A11NE (N)	81	2	601912 143575

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NE (N)	82	2	601907 143579
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (E)	83	2	602557 143264
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A11NE (N)	84	2	601887 143594
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A11NE (N)	85	2	601902 143583
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NW (W)	86	2	601677 143389
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12SE (E)	106	2	602571 143284
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (E)	108	2	602572 143294
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12SE (E)	112	2	602574 143294
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	A11NW (NW)	114	2	601682 143542
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12NE (E)	122	2	602577 143324
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12NE (E)	124	2	602554 143349
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12NE (E)	140	2	602586 143334
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12NE (E)	141	2	602587 143344
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12NE (E)	149	2	602591 143344
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12NE (E)	152	2	602592 143353
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A11NW (NW)	153	2	601632 143474

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12NE (E)	158	2	602595 143354
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12NE (E)	169	2	602597 143369
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12NE (E)	211	2	602621 143419
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12NE (E)	212	2	602622 143419
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12SE (E)	216	2	602677 143069
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (E)	216	2	602677 143069
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12NE (E)	218	2	602626 143429
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12NE (E)	223	2	602688 143334
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12SE (E)	225	2	602685 143064
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (E)	228	2	602687 143062
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12NE (E)	232	2	602687 143339
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12NE (E)	234	2	602686 143360
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12SE (E)	235	2	602693 143059
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A12SE (E)	240	2	602697 143056
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A11SW (SW)	242	2	601675 143182
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	A12SE (E)	244	2	602701 143054

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	A11NE (N)	0	2	601972 143554
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12NW (E)	0	2	602357 143353
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12NW (E)	0	2	602312 143374
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12NW (E)	0	2	602212 143439
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12NW (NE)	6	2	602162 143474
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12SW (E)	15	2	602447 143294
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12NW (NE)	28	2	602227 143554
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12NW (NE)	38	2	602162 143509
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12SE (E)	44	2	602542 143194
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NE (N)	47	2	601972 143554
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NE (NE)	47	2	602137 143534
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NE (N)	51	2	601984 143559
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12NW (NE)	57	2	602197 143514
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NE (NE)	70	2	602062 143574
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NE (N)	79	2	601901 143584
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12SE (E)	83	2	602557 143264
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NE (NE)	84	2	602082 143584
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (NW)	89	2	601747 143584
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NE (N)	91	2	601928 143593
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (NW)	100	2	601772 143609

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NE (N)	103	2	601863 143624
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NE (N)	103	2	601822 143624
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (NW)	107	2	601677 143494
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (NW)	122	2	601662 143474
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (NW)	126	2	601751 143629
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NE (NE)	137	2	602137 143624
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A15SW (N)	145	2	601787 143659
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A15SW (NW)	151	2	601747 143654
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12NE (E)	154	2	602562 143419
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A15SE (N)	159	2	601807 143679
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12NE (E)	169	2	602597 143369
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (W)	169	2	601632 143414
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12SE (E)	177	2	602647 143094
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A15SW (NW)	178	2	601707 143664
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A16SW (NE)	197	2	602242 143659
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (W)	198	2	601622 143374
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12NE (E)	204	2	602547 143529
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12NW (NE)	206	2	602437 143599
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (W)	208	2	601637 143339
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A15SW (NW)	214	2	601672 143684
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (W)	214	2	601577 143434

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A16SW (NE)	217	2	602317 143654
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12NE (E)	222	2	602537 143559
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A15SW (NW)	230	2	601672 143704
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12SE (E)	231	2	602716 143264
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11SW (SW)	236	2	601637 143239
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A12SE (E)	238	2	602697 143059
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11SW (SW)	242	2	601642 143224
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A15SW (NW)	242	2	601727 143744
	Areas Benefiting from Flood Defences Type: Area Benefiting from Flood Defences Boundary Accuracy: As Supplied	A11NW (W)	247	2	601557 143379
	Flood Water Storage Areas None				
	Flood Defences None				
76	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 177.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12NW (NE)	6	5	602179 143474
77	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (E)	12	5	602505 143204
78	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 79.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12NW (E)	13	5	602403 143332
79	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 62.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12NW (NE)	35	5	602152 143536

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (E)	46	5	602540 143171
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A11NE (NE)	56	5	602122 143543
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (E)	60	5	602550 143160
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 350.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A11NE (N)	60	5	601967 143570
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (E)	65	5	602554 143157
85	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 61.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12NW (NE)	67	5	602143 143547
86	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 47.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A11NE (NE)	71	5	602071 143585
87	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (E)	74	5	602562 143151
88	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (E)	78	5	602565 143149

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
89	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 165.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12NW (E)	80	5	602400 143479
90	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 178.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12NW (NE)	83	5	602246 143575
91	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 144.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A11NE (NE)	86	5	602066 143590
92	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (E)	98	5	602581 143138
93	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 627.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A11NW (NW)	100	5	601688 143529
94	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 232.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (E)	101	5	602584 143137
95	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 138.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A11NW (NW)	116	5	601769 143625
96	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 117.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A16SW (NE)	186	5	602188 143658
97	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A16SW (NE)	198	5	602175 143675

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
98	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 99.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A16SW (NE)	198	5	602175 143675
99	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 164.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12NW (E)	206	5	602468 143584
100	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 183.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A16SW (NE)	208	5	602292 143654
101	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 77.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A15SE (NE)	209	5	602107 143721
102	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 290.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A12NE (E)	212	5	602668 143341
103	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 390.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A15SE (NE)	221	5	602096 143723
104	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A15SE (NE)	223	5	602107 143721
105	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 86.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A15SW (NW)	229	5	601657 143691
106	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A15SW (NW)	229	5	601657 143691

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
107	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A16SW (NE)	233	5	602273 143672
108	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A16SW (NE)	233	5	602273 143672
109	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 224.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A16SW (NE)	239	5	602298 143670
110	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 172.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A12NE (E)	239	5	602521 143592
111	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 14.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A16SW (NE)	241	5	602275 143681
112	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 60.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A15SE (NE)	242	5	602101 143744
113	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 259.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12NE (E)	247	5	602624 143504
114	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 128.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A12NE (E)	247	5	602624 143504
115	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 245.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A15SW (NW)	252	5	601662 143723

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
116	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 124.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A15SW (N)	252	5	601768 143770
117	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12NE (E)	255	5	602679 143403
118	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 96.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A16SW (NE)	256	5	602279 143695
119	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 114.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12NE (NE)	262	5	602512 143622
120	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 76.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A11NW (W)	267	5	601519 143455
121	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 78.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A12SE (E)	304	5	602801 143179
122	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (E)	304	5	602801 143179
123	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (SE)	325	5	602762 143000
124	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (E)	325	5	602776 143023

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
125	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 111.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (E)	325	5	602781 143030
126	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (SE)	325	5	602762 143000
127	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (SE)	329	5	602766 142998
128	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 76.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A12SE (SE)	333	5	602769 142996
129	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 106.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A16SW (NE)	334	5	602410 143759
130	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 95.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A11SW (SW)	348	5	601597 143111
131	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 171.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A11SW (SW)	348	5	601597 143111
132	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A16SE (NE)	360	5	602501 143737
133	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 75.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A16SE (NE)	368	5	602527 143735

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
134	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 136.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A8NE (SE)	392	5	602708 142815
135	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 82.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A8NE (SE)	398	5	602796 142919
136	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 190.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A16SE (NE)	403	5	602585 143743
137	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 543.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A14SE (NW)	418	5	601447 143739
138	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 134.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A14SE (NW)	418	5	601447 143739
139	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 52.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A7NE (S)	426	5	601824 142863
140	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A11SW (SW)	434	5	601506 143084
141	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A11SW (SW)	434	5	601506 143084
142	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A15SE (N)	457	5	601894 143976

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
143	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A7NW (SW)	475	5	601608 142942
144	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A7NW (SW)	475	5	601608 142942
145	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 210.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A15NE (N)	481	5	601894 144001
146	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 62.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A14SE (NW)	496	5	601462 143874
147	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A14SE (NW)	500	5	601450 143868
148	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 75.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A7NW (SW)	527	5	601601 142883
149	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: East Stour River Catchment Name: Stour Kent Primacy: 1	A7NW (SW)	527	5	601601 142883
150	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A7NW (SW)	528	5	601622 142870
151	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 58.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A14SE (NW)	533	5	601456 143919

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
152	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 173.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A14SE (NW)	533	5	601456 143919
153	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 113.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: East Stour River Catchment Name: Stour Kent Primacy: 1	A7NW (SW)	536	5	601603 142873
154	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 255.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A14SE (NW)	552	5	601377 143867
155	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A7NW (SW)	602	5	601553 142826
156	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 55.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: East Stour River Catchment Name: Stour Kent Primacy: 2	A7NW (SW)	602	5	601553 142826
157	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A7NW (SW)	627	5	601533 142809
158	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 56.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A7NW (SW)	631	5	601531 142806
159	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 650.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: East Stour River Catchment Name: Stour Kent Primacy: 1	A7NW (SW)	645	5	601558 142771
160	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 152.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A14NE (NW)	656	5	601463 144075

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
161	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A7NW (SW)	686	5	601502 142759
162	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 340.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	A7NW (SW)	689	5	601500 142756
163	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 129.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A15NE (N)	690	5	601903 144210
164	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A14SW (NW)	760	5	601068 143747
165	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 20.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A15NE (N)	810	5	601959 144324
166	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 67.3 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A19SE (N)	829	5	601968 144342
167	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 69.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A14SW (NW)	893	5	600990 143900
168	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 35.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A14SW (NW)	893	5	600990 143900
169	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A19SE (N)	896	5	601981 144408

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
170	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.1 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A19SE (N)	903	5	601982 144416
171	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 145.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A19SE (N)	904	5	601982 144417
172	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A14SW (NW)	934	5	600953 143918
173	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 178.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	A14SW (NW)	959	5	600937 143942

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
174	<p>Historical Landfill Sites</p> <p>Licence Holder: Croftyard Dumpers Location: Bybrook, Near Ashford, Kent Name: Cant Road Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD19681 First Input Date: 1st January 1976 Last Input Date: 31st December 1980 Specified Waste: Deposited Waste included Inert Waste and Liquid Sludge Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2200/7424 BGS Ref: Not Supplied Other Ref: AS2</p>	A11NW (NW)	106	2	601677 143524
175	<p>Historical Landfill Sites</p> <p>Licence Holder: Not Supplied Location: Ashford Name: Warwick Road Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD34111 First Input Date: Not Supplied Last Input Date: Not Supplied Specified Waste: Not Supplied Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2200/7521 BGS Ref: Not Supplied Other Ref: AS36</p>	A16NW (NE)	805	2	602294 144275
176	<p>Licensed Waste Management Facilities (Locations)</p> <p>Licence Number: 400026 Location: Bybrook, Ashford, Kent, TN24 9QS Operator Name: Southern Water Services Limited Operator Location: Not Supplied Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Landfill Gas Engine (<3 mW) Licence Status: Issued Issued: 2nd April 2013 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A12NW (E)	0	2	602157 143393
177	<p>Licensed Waste Management Facilities (Locations)</p> <p>Licence Number: 10358 Location: Ashford W W T W, Canterbury Road, Bybrook, Ashford, Kent, TN24 9RD Operator Name: Southern Water Services Limited Operator Location: Not Supplied Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Treatment - Biological Licence Status: Modified Issued: 20th February 2007 Last Modified: 14th September 2012 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A12SW (E)	0	2	602170 143313
178	<p>Licensed Waste Management Facilities (Locations)</p> <p>Licence Number: 102907 Location: Mobile Plant Operator Name: Aircraft Salvage & Disposal Limited Operator Location: Not Supplied Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Mobile Plant Licence Status: Issued Issued: 2nd September 2011 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m</p>	A11SW (SW)	154	2	601800 143200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
179	<p>Licensed Waste Management Facilities (Locations)</p> <p>Licence Number: 101448 Location: Ashford Highway Depot, Javelin Way, Henwood Ind Est, Ashford, Kent, TN24 8DH Operator Name: Enterprise (A O L) Ltd Operator Location: Not Supplied Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Mechanical biological treatment Licence Status: Modified Issued: 19th May 2010 Last Modified: 2nd September 2019 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A8NW (SE)	183	2	602160 142960
180	<p>Licensed Waste Management Facilities (Locations)</p> <p>Licence Number: 10314 Location: Plot 16, Hythe Road, Ashford, Kent, TN24 8DH Operator Name: Alpha Fry Ltd Operator Location: Not Supplied Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Metal Recycling Sites (Mixed) Licence Status: Surrendered Issued: 30th September 2004 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: 6th January 2010 IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m</p>	A11SE (S)	186	2	601900 143100
181	<p>Licensed Waste Management Facilities (Locations)</p> <p>Licence Number: 102339 Location: Unit 18, Henwood Ind Est, Ashford, Kent, TN24 8DH Operator Name: Autoeconomics Ltd Operator Location: Not Supplied Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Vehicle depollution facility Licence Status: Expired Issued: 17th January 2011 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	A11SW (SW)	188	2	601720 143214
	<p>Local Authority Landfill Coverage</p> <p>Name: Ashford Borough Council - Has no landfill data to supply</p>		0	3	601909 143353
	<p>Local Authority Landfill Coverage</p> <p>Name: Kent County Council - Had landfill data but passed it to the relevant environment agency</p>		0	6	601909 143353
182	<p>Potentially Infilled Land (Non-Water)</p> <p>Bearing Ref: NE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993</p>	A16SE (NE)	362	-	602631 143682
183	<p>Potentially Infilled Land (Non-Water)</p> <p>Bearing Ref: NW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993</p>	A15NW (NW)	591	-	601554 144050
184	<p>Potentially Infilled Land (Non-Water)</p> <p>Bearing Ref: NE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993</p>	A16NW (NE)	721	-	602265 144195
185	<p>Potentially Infilled Land (Non-Water)</p> <p>Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993</p>	A20SW (N)	885	-	602261 144367
186	<p>Potentially Infilled Land (Water)</p> <p>Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938</p>	A12NW (E)	0	-	602343 143358

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
187	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A12SW (E)	25	-	602403 143310
188	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1962	A11NW (W)	339	-	601472 143321
189	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A8NW (SE)	406	-	602359 142713
190	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1962	A7NW (SW)	492	-	601600 142927
191	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1962	A7NW (SW)	522	-	601597 142892
192	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1962	A14SE (NW)	532	-	601435 143899
193	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1962	A8SE (SE)	586	-	602675 142570
194	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A8SE (SE)	648	-	602673 142503
195	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A19SE (N)	831	-	602087 144342
196	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1962	A7SW (SW)	853	-	601484 142572
197	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938	A7SE (S)	884	-	601809 142353
198	Registered Waste Transfer Sites Licence Holder: Caffyns Plc Licence Reference: P/13/26 Site Location: Concept House, Henwood Industrial Estate, ASHFORD, Kent, TN24 8DH Operator Location: Meads Road, EASTBOURNE, East Sussex, BN20 7DR Authority: Environment Agency - Southern Region, Kent Area Site Category: Transfer Max Input Rate: Very Small (Less than 10,000 tonnes per year) Waste Source: Some restriction on source of waste Restrictions: Licence Status: Site exempt from licenceExempt Dated: 17th September 1992 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Positioned by the supplier Boundary Quality: Moderate Authorised Waste: Cellulose Thinners Waste Contam.With Paint From Spraying Max.Storage In Working Plan Prohibited Waste: Waste N.O.S.	A11SE (S)	159	2	601835 143171

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Lower Greensand Group	A11NE (NW)	0	1	601909 143353
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11NE (W)	0	1	601822 143361
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11NE (E)	0	1	602000 143353
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11NE (N)	0	1	601884 143522
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11NE (NW)	0	1	601909 143353
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A15SW (NW)	306	1	601658 143783
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A11NW (W)	319	1	601468 143390

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <100 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A12SE (SE)	321	1	602757 143000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 40 - 60 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <100 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A15SE (N)	324	1	602029 143840
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 40 - 60 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <100 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A12NE (E)	335	1	602803 143351
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <100 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A16SE (E)	352	1	602650 143655
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 40 - 60 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <100 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A15SE (N)	404	1	602000 143917
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 40 - 60 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <100 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A15SW (N)	424	1	601721 143930

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: 100 - 200 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A15NE (N)	478	1	601858 144000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 40 - 60 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: 100 - 200 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A15NE (N)	478	1	601893 144000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 40 - 60 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: 100 - 200 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A15NE (N)	479	1	601807 144000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 40 - 60 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: 100 - 200 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A15NE (N)	480	1	601909 144000
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 40 - 60 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <100 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A14SE (NW)	491	1	601401 143798
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: 100 - 200 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A15NW (NW)	542	1	601564 144000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 40 - 60 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <100 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A10NE (W)	593	1	601203 143339
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 40 - 60 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <100 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A7SW (S)	680	1	601792 142586
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 40 - 60 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <100 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A10NW (W)	699	1	601092 143392
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: 100 - 200 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A15NW (N)	743	1	601646 144240
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic <15 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <100 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A15NW (NW)	839	1	601500 144296
	<p>BGS Estimated Soil Chemistry</p> <p>Source: British Geological Survey, National Geoscience Information Service</p> <p>Soil Sample Type: Sediment</p> <p>Arsenic 15 - 25 mg/kg</p> <p>Concentration:</p> <p>Cadmium <1.8 mg/kg</p> <p>Concentration:</p> <p>Chromium 60 - 90 mg/kg</p> <p>Concentration:</p> <p>Lead Concentration: <100 mg/kg</p> <p>Nickel 15 - 30 mg/kg</p> <p>Concentration:</p>	A3NW (S)	964	1	601752 142287

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: 100 - 200 mg/kg Nickel 15 - 30 mg/kg Concentration:	A19SW (N)	965	1	601500 144430
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	A19SE (N)	984	1	601956 144500
199	BGS Recorded Mineral Sites Site Name: Little Burton Gravel Pit Location: Ashford, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 246935 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits, 3 Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	A16SE (NE)	444	1	602700 143713
200	BGS Recorded Mineral Sites Site Name: Great Burton Brick Works Location: Kennington, Ashford, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 117230 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: Head Commodity: Common Clay and Shale Positional Accuracy: Located by supplier to within 10m	A20SW (NE)	879	1	602340 144338
201	BGS Recorded Mineral Sites Site Name: Kennington Gravel Pit Location: Kennington, Ashford, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 117386 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits, 4 Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	A20SW (N)	996	1	602221 144490
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain Risk: Rare Source: British Geological Survey, National Geoscience Information Service	A11NE (NW)	0	1	601909 143353

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (N)	0	1	601884 143522
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (NW)	0	1	601909 143353
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (NW)	0	1	601909 143353
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A11NE (N)	0	1	601884 143522
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (NW)	0	1	601909 143353
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (NW)	0	1	601909 143353
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A11NE (W)	0	1	601822 143361
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (NW)	0	1	601909 143353
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A11NE (NW)	0	1	601909 143353
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A11NE (N)	0	1	601884 143522
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A11NE (NW)	0	1	601909 143353
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A11NE (NW)	0	1	601909 143353

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
202	<p>Contemporary Trade Directory Entries</p> <p>Name: Leon Jaeggi & Sons Ltd Location: Unit 6, Vanguard Industrial Estate, Henwood, Ashford, Kent, TN24 8DH Classification: Catering Equipment Status: Active Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	105	-	602000 143133
202	<p>Contemporary Trade Directory Entries</p> <p>Name: Dalziel Ltd Location: Unit 2, Vanguard Industrial Estate, Henwood, Ashford, TN24 8DH Classification: Food Colouring, Flavours & Additive Manufacturers & Distributors Status: Active Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	145	-	601999 143087
203	<p>Contemporary Trade Directory Entries</p> <p>Name: Southern Fluid Power Location: Unit 1, Javelin Enterprise Park, Javelin Way, Ashford, Kent, TN24 8DE Classification: Car Component Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address</p>	A11SE (SE)	112	-	602090 143084
203	<p>Contemporary Trade Directory Entries</p> <p>Name: Forza Industries Ltd Location: Unit 5, Javelin Enterprise Park, Javelin Way, Ashford, Kent, TN24 8DE Classification: Food Products - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SE (SE)	113	-	602122 143066
203	<p>Contemporary Trade Directory Entries</p> <p>Name: Cpc Professional & Mechanical Location: Javelin Enterprise Park, Javelin Way, Ashford, Kent, TN24 8DE Classification: Mechanical Engineers Status: Inactive Positional Accuracy: Manually positioned within the geographical locality</p>	A11SE (SE)	123	-	602115 143058
204	<p>Contemporary Trade Directory Entries</p> <p>Name: Axis Medicare Ltd Location: Unit 1, Vanguard Industrial Estate, Henwood, Ashford, TN24 8DH Classification: Chemists' & Pharmacists' Suppliers & Wholesalers Status: Active Positional Accuracy: Automatically positioned to the address</p>	A11SE (SE)	133	-	602023 143086
204	<p>Contemporary Trade Directory Entries</p> <p>Name: V I P-Heinke Location: Henwood, Henwood Ind Est, Ashford, Kent, TN24 8DH Classification: Rubber & Plastic Products - Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location</p>	A11SE (S)	161	-	602015 143058
205	<p>Contemporary Trade Directory Entries</p> <p>Name: Hartwood Joinery Location: Unit 8, Grove Business Park, Henwood, Ashford, Kent, TN24 8AB Classification: Cabinet Makers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SW (W)	143	-	601709 143307
205	<p>Contemporary Trade Directory Entries</p> <p>Name: Get Sublimation Blanks Location: Unit 14, Grove Business Park, Henwood, Ashford, TN24 8AB Classification: Colour Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SW (W)	148	-	601704 143307
205	<p>Contemporary Trade Directory Entries</p> <p>Name: S G Commercial Van & Car Centre Location: Unit 15b, Grove Business Park, Henwood, Ashford, TN24 8AB Classification: Commercial Vehicle Servicing, Repairs, Parts & Accessories Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SW (W)	151	-	601701 143308
205	<p>Contemporary Trade Directory Entries</p> <p>Name: Nutech Cleaning Solutions Ltd Location: Unit 2, Grove Business Park, Henwood, Ashford, TN24 8AB Classification: Steam Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SW (W)	151	-	601701 143308
205	<p>Contemporary Trade Directory Entries</p> <p>Name: Ashford Classic Cars Location: Unit 11, Grove Business Park, Henwood, Ashford, TN24 8AB Classification: Car Body Repairs Status: Active Positional Accuracy: Automatically positioned to the address</p>	A11SW (W)	164	-	601686 143311

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
206	<p>Contemporary Trade Directory Entries</p> <p>Name: Sitra Uk Ltd Location: Unit 9, Highpoint Business Village, Henwood, Ashford, Kent, TN24 8DH Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	166	-	601954 143090
206	<p>Contemporary Trade Directory Entries</p> <p>Name: Unigears (Ashford) Ltd Location: Unit 8, Highpoint Business Village, Henwood, Ashford, Kent, TN24 8DH Classification: Gear Cutters Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	A11SE (S)	166	-	601948 143094
206	<p>Contemporary Trade Directory Entries</p> <p>Name: Moss Fabrications Location: Unit 6, Heron Business Centre, Ashford, Kent, TN24 8DH Classification: Wrought Ironwork Status: Active Positional Accuracy: Manually positioned to the address or location</p>	A11SE (S)	167	-	601922 143109
207	<p>Contemporary Trade Directory Entries</p> <p>Name: Dinneck Garage Location: Unit 7, Henwood, Ashford, TN24 8DH Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address</p>	A11SE (SE)	180	-	602055 143021
208	<p>Contemporary Trade Directory Entries</p> <p>Name: All Spark Automotive Location: Henwood Ind Est, Ashford, Kent, TN24 8DR Classification: Tyre Dealers Status: Inactive Positional Accuracy: Manually positioned within the geographical locality</p>	A11SW (SW)	180	-	601728 143218
208	<p>Contemporary Trade Directory Entries</p> <p>Name: Piper Joinery Location: Fraser House, Henwood Industrial Estate, Henwood, Ashford, TN24 8DT Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SW (SW)	184	-	601727 143215
209	<p>Contemporary Trade Directory Entries</p> <p>Name: Andrews Sykes Location: Unit 1 Henwood Industrial Estate, Henwood, Ashford, Kent, TN24 8DH Classification: Air Conditioning Equipment & Systems Status: Active Positional Accuracy: Manually positioned to the address or location</p>	A11SE (S)	196	-	601996 143029
209	<p>Contemporary Trade Directory Entries</p> <p>Name: G A P Location: Unit 4 Henwood Industrial Estate, 7 Wyvern Way, Ashford, Kent, TN24 8DW Classification: Cladding Suppliers & Installers Status: Active Positional Accuracy: Manually positioned to the address or location</p>	A11SE (S)	225	-	602015 142987
209	<p>Contemporary Trade Directory Entries</p> <p>Name: Omnico Location: 4, Wyvern Way, Henwood Industrial Estate, Ashford, TN24 8DW Classification: PVC-U Products - Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	227	-	602011 142986
209	<p>Contemporary Trade Directory Entries</p> <p>Name: S I G Building Plastics Location: 4, Wyvern Way, Henwood Industrial Estate, Ashford, TN24 8DW Classification: Cladding Suppliers & Installers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	227	-	602011 142986
209	<p>Contemporary Trade Directory Entries</p> <p>Name: Willowbridge Joinery Co Ltd Location: 4, Wyvern Way, Henwood Industrial Estate, Ashford, Kent, TN24 8DW Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	227	-	602011 142986
210	<p>Contemporary Trade Directory Entries</p> <p>Name: Auto Wash Ltd Location: Unit 17 Wyvern Way, Henwood Ind Est, Ashford, Kent, TN24 8DW Classification: Washing Machines - Servicing & Repairs Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location</p>	A11SE (S)	200	-	602040 143004

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
210	<p>Contemporary Trade Directory Entries</p> <p>Name: Sulzer Dowding & Mills Location: 6, Wyvern Way, Henwood Industrial Estate, Ashford, Kent, TN24 8DW Classification: Electric Motor Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NE (SE)	220	-	602074 142970
210	<p>Contemporary Trade Directory Entries</p> <p>Name: Index Enclosures Ltd Location: 5, Wyvern Way, Henwood Industrial Estate, Ashford, TN24 8DW Classification: Machine Shops Status: Active Positional Accuracy: Automatically positioned to the address</p>	A7NE (S)	235	-	602068 142956
211	<p>Contemporary Trade Directory Entries</p> <p>Name: Easy Lift Ltd Location: Unit 18, Henwood, ASHFORD, Kent, TN24 8DH Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	200	-	601834 143124
212	<p>Contemporary Trade Directory Entries</p> <p>Name: Ashford Cleaning Contractors Location: Unit 2, Heron Business Centre, Henwood, Ashford, TN24 8DH Classification: Commercial Cleaning Services Status: Active Positional Accuracy: Automatically positioned to the address</p>	A11SW (SW)	222	-	601752 143150
212	<p>Contemporary Trade Directory Entries</p> <p>Name: G E I (Ashford) Location: Henwood Industrial Estate, Ashford, Kent, TN24 8DS Classification: Packaging & Wrapping Equipment & Supplies Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SW (SW)	243	-	601754 143123
212	<p>Contemporary Trade Directory Entries</p> <p>Name: J & K Business Machines Location: Unit 7, Heron Business Centre, Henwood, Ashford, TN24 8DH Classification: Photocopiers Status: Active Positional Accuracy: Automatically positioned to the address</p>	A11SW (SW)	250	-	601747 143120
212	<p>Contemporary Trade Directory Entries</p> <p>Name: Direct Order Blinds Location: Unit 19, Henwood Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Blinds, Awnings & Canopies Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	A11SW (SW)	261	-	601710 143131
212	<p>Contemporary Trade Directory Entries</p> <p>Name: Direct Order Blinds Location: Unit 19, Heron Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Blinds, Awnings & Canopies Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SW (SW)	262	-	601711 143130
212	<p>Contemporary Trade Directory Entries</p> <p>Name: Csh Joinery Location: Unit 9, Heron Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SW (SW)	263	-	601752 143101
212	<p>Contemporary Trade Directory Entries</p> <p>Name: Direct Order Blinds Ltd Location: Unit 19, Heron Business Centre, Henwood, Ashford, TN24 8DH Classification: Blinds, Awnings & Canopies Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SW (SW)	263	-	601709 143130
212	<p>Contemporary Trade Directory Entries</p> <p>Name: L A B Services Location: Unit 20, Heron Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Laboratory Equipment, Instruments & Supplies Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SW (SW)	272	-	601716 143114
213	<p>Contemporary Trade Directory Entries</p> <p>Name: Natpicks & Partners Location: Prospect House, 1 Highpoint Business Village, Henwood, Ashford, TN24 8DH Classification: Engineers - General Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	225	-	601873 143071

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
213	<p>Contemporary Trade Directory Entries</p> <p>Name: B G Electrical Accessories Location: Unit 1, Highpoint Business Village, Henwood, Ashford, Kent, TN24 8DH Classification: Electrical Goods - Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	225	-	601873 143071
214	<p>Contemporary Trade Directory Entries</p> <p>Name: Flip Out Location: Henwood, Ashford, TN24 8DH Classification: Sports Equipment Manufacturers & Distributors Status: Active Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	245	-	601927 143014
214	<p>Contemporary Trade Directory Entries</p> <p>Name: P P P Uk Ltd Location: Orchard House, Henwood, Ashford, Kent, TN24 8DH Classification: Plastic Products - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	246	-	601933 143009
214	<p>Contemporary Trade Directory Entries</p> <p>Name: Richmond Frozen Confectionery Ltd Location: Henwood Industrial Estate, Ashford, Kent, TN24 8DU Classification: Ice Cream Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	246	-	601933 143009
214	<p>Contemporary Trade Directory Entries</p> <p>Name: P P P (Uk) Ltd Location: Henwood Business Centre, Henwood, ASHFORD, Kent, TN24 8DH Classification: Packaging Materials Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	246	-	601933 143009
215	<p>Contemporary Trade Directory Entries</p> <p>Name: Vivid Visions Location: Unit 17, Heron Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Car Body Repairs Status: Active Positional Accuracy: Automatically positioned to the address</p>	A11SW (SW)	248	-	601701 143153
216	<p>Contemporary Trade Directory Entries</p> <p>Name: J B International Location: Workshop, Henwood Road, Ashford, Kent, TN24 8DH Classification: Road Haulage Services Status: Active Positional Accuracy: Manually positioned within the geographical locality</p>	A11SE (S)	307	-	601841 142994
216	<p>Contemporary Trade Directory Entries</p> <p>Name: Johnstone'S Decorating Centre Location: Unit 2, Henwood Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Painting & Decorating Supplies Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	307	-	601841 142994
216	<p>Contemporary Trade Directory Entries</p> <p>Name: Ashford Cleaning Contractors Ltd Location: Unit 2, Heron Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SE (S)	311	-	601832 142995
216	<p>Contemporary Trade Directory Entries</p> <p>Name: Gea Process Engineering Location: Unit 3, Heron Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	A7NE (S)	337	-	601813 142976
216	<p>Contemporary Trade Directory Entries</p> <p>Name: Dinneck Ltd Location: Unit 7, Henwood, Ashford, Kent, TN24 8DH Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	A7NE (S)	339	-	601846 142954
216	<p>Contemporary Trade Directory Entries</p> <p>Name: Autowash Ltd Location: Unit 17, Henwood Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Washing Machines - Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NE (S)	345	-	601832 142955

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
216	<p>Contemporary Trade Directory Entries</p> <p>Name: Packaging Change Parts Ltd Location: Unit 12, Henwood Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Machinery - Industrial & Commercial Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NE (S)	345	-	601832 142955
216	<p>Contemporary Trade Directory Entries</p> <p>Name: Autowash Location: Unit 17, Henwood Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Domestic Appliances - Servicing, Repairs & Parts Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NE (S)	345	-	601832 142955
216	<p>Contemporary Trade Directory Entries</p> <p>Name: Hellman Overnight Logistics Location: Unit 3, Henwood Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Freight Forwarders Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	A7NE (S)	345	-	601832 142955
216	<p>Contemporary Trade Directory Entries</p> <p>Name: Town & Country Cleaners Ltd Location: Henwood Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Cleaning Materials & Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NE (S)	346	-	601831 142955
216	<p>Contemporary Trade Directory Entries</p> <p>Name: United Contract (Europe) Ltd Location: Henwood Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Furniture Manufacturers - Home & Office Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	A7NE (S)	346	-	601832 142954
216	<p>Contemporary Trade Directory Entries</p> <p>Name: Yearsley Group Location: Henwood Business Centre, Henwood, Ashford, Kent, TN24 8DH Classification: Frozen Food Processors & Distributors Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	A7NE (S)	346	-	601832 142954
216	<p>Contemporary Trade Directory Entries</p> <p>Name: F I Packaging Location: Orchard House, Henwood, Ashford, Kent, TN24 8DH Classification: Packaging Materials Manufacturers & Suppliers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location</p>	A7NW (S)	350	-	601785 142978
216	<p>Contemporary Trade Directory Entries</p> <p>Name: Brewers Location: 15-16 Henwood Business Centre, Henwood Industrial Estate, Ashford, Kent, TN24 8DH Classification: Painting & Decorating Supplies Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NE (S)	354	-	601814 142956
217	<p>Contemporary Trade Directory Entries</p> <p>Name: Robs Cleaning Services Location: 8, Nutley Close, Ashford, Kent, TN24 8YA Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11NW (W)	314	-	601472 143463
218	<p>Contemporary Trade Directory Entries</p> <p>Name: Purple Rhino Location: Unit 8, Henwood Business Centre, Henwood, Ashford, TN24 8DH Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NE (S)	342	-	601855 142945
218	<p>Contemporary Trade Directory Entries</p> <p>Name: Fast Road Conversions Ltd Location: Unit 10 Grove Business Park, Henwood Industrial Estate, Ashford, Kent, TN24 8DH Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address</p>	A7NE (S)	348	-	601869 142929

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
219	<p>Contemporary Trade Directory Entries</p> <p>Name: Kenhire Ltd Location: Henwood Industrial Estate, Ashford, Kent, TN24 8DX Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A11SW (S)	347	-	601768 142992
220	<p>Contemporary Trade Directory Entries</p> <p>Name: Rawsons Location: Henwood, Ashford, Kent, TN24 8DH Classification: Car Dealers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location</p>	A7NW (S)	363	-	601777 142968
220	<p>Contemporary Trade Directory Entries</p> <p>Name: Spring Cleaners Location: Henwood Ind Est, Ashford, Kent, TN24 8DH Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Manually positioned within the geographical locality</p>	A7NE (S)	390	-	601807 142918
220	<p>Contemporary Trade Directory Entries</p> <p>Name: Lister Wilder Location: Unit 3a, Henwood, Ashford, TN24 8DH Classification: Agricultural Machinery - Sales & Service Status: Active Positional Accuracy: Automatically positioned to the address</p>	A7NW (S)	392	-	601786 142928
220	<p>Contemporary Trade Directory Entries</p> <p>Name: Alpha Metals Ltd Location: Henwood, Henwood Industrial Estate, Ashford, Kent, TN24 8DH Classification: Electronic Component Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (S)	395	-	601786 142925
220	<p>Contemporary Trade Directory Entries</p> <p>Name: Ats Euromaster Ltd Location: Henwood, Ashford, Kent, TN24 8DH Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (S)	395	-	601786 142925
221	<p>Contemporary Trade Directory Entries</p> <p>Name: Argenta Location: Canterbury Rd, Kennington, Ashford, Kent, TN24 9QB Classification: Bags, Belts & Accessories - Manufacturers & Suppliers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location</p>	A15SW (NW)	372	-	601640 143848
222	<p>Contemporary Trade Directory Entries</p> <p>Name: Centurion Plumbing & Heating Location: 40, Christopher Bushell Way, Kennington, Ashford, Kent, TN24 9PY Classification: Power Flushing Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A15SE (N)	385	-	602083 143894
223	<p>Contemporary Trade Directory Entries</p> <p>Name: Premier Foods Location: Batchelors Factory, Kennington Road, Willesborough, Ashford, Kent, TN24 0LU Classification: Food Products - Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address</p>	A12NE (E)	394	-	602778 143524
224	<p>Contemporary Trade Directory Entries</p> <p>Name: Legend Cook Shop Location: Canterbury Rd, Kennington, Ashford, Kent, TN24 9QB Classification: Catering Equipment Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location</p>	A15SW (NW)	397	-	601471 143735
225	<p>Contemporary Trade Directory Entries</p> <p>Name: Clean & Green Fingers Location: 3, Richmond Meech Drive, Kennington, Ashford, Kent, TN24 9RF Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A16SW (NE)	457	-	602309 143902

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
225	<p>Contemporary Trade Directory Entries</p> <p>Name: Kent Appliance Services Location: Richmond Meech Drive, Ashford, Kent, TN24 9RF Classification: Domestic Appliances - Servicing, Repairs & Parts Status: Active Positional Accuracy: Manually positioned within the geographical locality</p>	A16SW (NE)	484	-	602291 143937
226	<p>Contemporary Trade Directory Entries</p> <p>Name: Ashford Tyre Centre Location: Unit 6, Riverside Business Park, Mace Lane, Ashford, Kent, TN24 8PE Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (SW)	460	-	601592 142971
226	<p>Contemporary Trade Directory Entries</p> <p>Name: Ashford Tyres Location: Unit 6, Riverside Business Park, Mace Lane, Ashford, Kent, TN24 8PE Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (SW)	460	-	601592 142971
226	<p>Contemporary Trade Directory Entries</p> <p>Name: Ashford Auto Service Location: Unit 6, Riverside Business Park, Mace Lane, Ashford, Kent, TN24 8PE Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (SW)	460	-	601592 142971
226	<p>Contemporary Trade Directory Entries</p> <p>Name: T C T Ltd Location: Unit 4, Riverside Business Park, Mace Lane, ASHFORD, Kent, TN24 8PE Classification: Mot Testing Centres Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (SW)	460	-	601592 142971
226	<p>Contemporary Trade Directory Entries</p> <p>Name: Pit Stop Garage Location: Unit 7, Riverside Business Park, Mace Lane, Ashford, Kent, TN24 8PE Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address</p>	A7NW (SW)	460	-	601592 142971
226	<p>Contemporary Trade Directory Entries</p> <p>Name: East Kent Components Location: Unit 5, Riverside Business Park, Mace Lane, Ashford, Kent, TN24 8PE Classification: Commercial Vehicle Servicing, Repairs, Parts & Accessories Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (SW)	460	-	601592 142971
226	<p>Contemporary Trade Directory Entries</p> <p>Name: C N Automotive Location: Unit 6, Riverside Business Park, Mace Lane, Ashford, Kent, TN24 8PE Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (SW)	460	-	601592 142971
226	<p>Contemporary Trade Directory Entries</p> <p>Name: Ashford Budget Cars Location: Unit 7a, Riverside Business Park, Mace Lane, Ashford, TN24 8PE Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (SW)	470	-	601579 142968
227	<p>Contemporary Trade Directory Entries</p> <p>Name: Keeping Up Appearances Location: 8, Bybrook Road, Kennington, Ashford, Kent, TN24 9JA Classification: Cleaning Services - Commercial Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A15SW (NW)	462	-	601582 143919
228	<p>Contemporary Trade Directory Entries</p> <p>Name: Airclean Location: HENWOOD HOUSE, HENWOOD, ASHFORD, TN24 8DH Classification: Air Purification Equipment Status: Active Positional Accuracy: Automatically positioned to the address</p>	A7NW (S)	464	-	601742 142871
228	<p>Contemporary Trade Directory Entries</p> <p>Name: Ats Euromaster Ltd Location: Henwood, Ashford, TN24 8DH Classification: Tyre Dealers Status: Active Positional Accuracy: Automatically positioned to the address</p>	A7NW (S)	509	-	601725 142828

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
229	<p>Contemporary Trade Directory Entries</p> <p>Name: Henry Stone Printers Location: Lower Queens Road, Ashford, TN24 8HH Classification: Printers Status: Active Positional Accuracy: Automatically positioned to the address</p>	A10SE (SW)	486	-	601408 143140
230	<p>Contemporary Trade Directory Entries</p> <p>Name: Sauflon Pharmaceuticals Ltd Location: Unit 3-11, Mace Industrial Estate, Mace Lane, Ashford, Kent, TN24 8PE Classification: Pharmaceutical Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A10SE (SW)	492	-	601464 143043
230	<p>Contemporary Trade Directory Entries</p> <p>Name: Century Litho Location: 8 Mace La, Ashford, Kent, TN24 8EP Classification: Printers Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	A10SE (SW)	493	-	601464 143042
231	<p>Contemporary Trade Directory Entries</p> <p>Name: Plasfeed Ltd Location: 81, Cradlebridge Drive, Willesborough, Ashford, Kent, TN24 0RL Classification: Cladding Suppliers & Installers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A8SW (SE)	495	-	602463 142615
232	<p>Contemporary Trade Directory Entries</p> <p>Name: Cooper Vision Ltd Location: Unit 3-11 Mace Industrial Estate, Mace Lane, Ashford, Kent, TN24 8EP Classification: Pharmaceutical Manufacturers & Distributors Status: Active Positional Accuracy: Manually positioned within the geographical locality</p>	A10SE (SW)	547	-	601389 143053
232	<p>Contemporary Trade Directory Entries</p> <p>Name: Omnico Plastics Ltd Location: Unit 12, Mace Industrial Estate, Mace Lane, Ashford, Kent, TN24 8PE Classification: Cladding Suppliers & Installers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A10SE (SW)	558	-	601404 143013
233	<p>Contemporary Trade Directory Entries</p> <p>Name: Ashford Panelcraft Location: Unit 1, Riverside Business Park, Mace Lane, Ashford, Kent, TN24 8PE Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (SW)	547	-	601574 142879
233	<p>Contemporary Trade Directory Entries</p> <p>Name: A P C Location: Unit 1, Riverside Business Park, Mace Lane, Ashford, Kent, TN24 8PE Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (SW)	547	-	601574 142879
233	<p>Contemporary Trade Directory Entries</p> <p>Name: Key Auto Trade Location: Unit 1, Riverside Business Park, Mace Lane, Ashford, Kent, TN24 8PE Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (SW)	547	-	601574 142879
233	<p>Contemporary Trade Directory Entries</p> <p>Name: Exclusive Car Sales Location: Unit 1, Riverside Business Park, Mace Lane, Ashford, Kent, TN24 8PE Classification: Car Dealers - Used Status: Active Positional Accuracy: Automatically positioned to the address</p>	A7NW (SW)	547	-	601574 142879
234	<p>Contemporary Trade Directory Entries</p> <p>Name: Brett Concrete Ltd Location: Willesborough Rd, Kennington, Ashford, Kent, TN24 9QP Classification: Concrete & Mortar Ready Mixed Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location</p>	A16SE (NE)	548	-	602808 143755
235	<p>Contemporary Trade Directory Entries</p> <p>Name: Premier Plastics Upvc Location: 3, Dering Road, Ashford, Kent, TN24 8DB Classification: Cladding Suppliers & Installers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (S)	554	-	601756 142757

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
236	<p>Contemporary Trade Directory Entries</p> <p>Name: Ashford Coin Wash Location: 2 Cradlebridge Dr, Willesborough, Ashford, Kent, TN24 0RN Classification: Laundries & Launderettes Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	A8SE (SE)	564	-	602522 142551
236	<p>Contemporary Trade Directory Entries</p> <p>Name: Kingfisher Blinds Ltd Location: 4, Cradlebridge Drive, Willesborough, Ashford, Kent, TN24 0RN Classification: Blinds, Awnings & Canopies Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A8SE (SE)	565	-	602530 142551
236	<p>Contemporary Trade Directory Entries</p> <p>Name: Ashford Coinwash Location: 2, Cradlebridge Drive, Willesborough, Ashford, Kent, TN24 0RN Classification: Laundries & Launderettes Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A8SE (SE)	569	-	602529 142546
237	<p>Contemporary Trade Directory Entries</p> <p>Name: Scrap My Car Now For Money Ashford Kws Location: Henwood Pavilion, Henwood, Ashford, TN24 8DH Classification: Car Breakers & Dismantlers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7NW (S)	569	-	601684 142783
238	<p>Contemporary Trade Directory Entries</p> <p>Name: Kwik Fit Location: Industrial Estate, Mace Lane, Ashford, Kent, TN24 8PE Classification: Tyre Dealers Status: Active Positional Accuracy: Automatically positioned to the address</p>	A6NE (SW)	580	-	601427 142953
238	<p>Contemporary Trade Directory Entries</p> <p>Name: Kwik-Fit Location: Industrial Estate, Mace Lane, ASHFORD, Kent, TN24 8PE Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A6NE (SW)	580	-	601427 142953
238	<p>Contemporary Trade Directory Entries</p> <p>Name: Kwik-Fit Location: Industrial Estate, Mace Lane, Ashford, Kent, TN24 8PE Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A6NE (SW)	580	-	601427 142953
238	<p>Contemporary Trade Directory Entries</p> <p>Name: Injection Development Ltd Location: Mace Ind Est, Mace La, Ashford, Kent, TN24 8PE Classification: Mot Testing Centres Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location</p>	A6NE (SW)	618	-	601396 142930
239	<p>Contemporary Trade Directory Entries</p> <p>Name: Pearmine Cleaning Services Location: 17, James Allchin Gardens, Kennington, Ashford, Kent, TN24 9SD Classification: Commercial Cleaning Services Status: Active Positional Accuracy: Automatically positioned to the address</p>	A16SE (NE)	590	-	602674 143907
240	<p>Contemporary Trade Directory Entries</p> <p>Name: Seesaw Location: Caxton House, Wellesley Road, Ashford, TN24 8ET Classification: Children & Babywear - Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A10SE (SW)	603	-	601305 143085
241	<p>Contemporary Trade Directory Entries</p> <p>Name: Raj'S Fireworks Location: 79, Hythe Road, Ashford, Kent, TN24 8PH Classification: Firework Stockists Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	A7NW (S)	612	-	601784 142671
242	<p>Contemporary Trade Directory Entries</p> <p>Name: Ovenclean Location: 64, Rylands Road, Kennington, Ashford, Kent, TN24 9LJ Classification: Oven cleaning Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A15NW (N)	641	-	601714 144151

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
243	<p>Contemporary Trade Directory Entries</p> <p>Name: Kingsway Freight Solutions Ltd Location: 40, Clarke Crescent, Kennington, Ashford, Kent, TN24 9SA Classification: Freight Forwarders Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A16NE (NE)	666	-	602620 144019
243	<p>Contemporary Trade Directory Entries</p> <p>Name: Kingsway Freight Solutions Location: 40, Clarke Crescent, Kennington, Ashford, Kent, TN24 9SA Classification: Freight Forwarders Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A16NE (NE)	666	-	602620 144019
244	<p>Contemporary Trade Directory Entries</p> <p>Name: Window World Of Kent Ltd Location: 10, Alec Pemble Close, Kennington, Ashford, Kent, TN24 9PF Classification: PVC-U Products - Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A16NW (NE)	669	-	602322 144123
245	<p>Contemporary Trade Directory Entries</p> <p>Name: Gittins Cleaning Services Location: 78, Clarke Crescent, Kennington, Ashford, Kent, TN24 9SA Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A16NE (NE)	671	-	602497 144063
245	<p>Contemporary Trade Directory Entries</p> <p>Name: Perkins Cleaning Location: 9, John Badger Close, Kennington, Ashford, Kent, TN24 9SE Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A16NE (NE)	716	-	602488 144111
246	<p>Contemporary Trade Directory Entries</p> <p>Name: Aquawash Location: 224, Canterbury Road, Kennington, Ashford, Kent, TN24 9QL Classification: Washing Machines - Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A16NW (N)	674	-	602184 144169
247	<p>Contemporary Trade Directory Entries</p> <p>Name: East Stour Filling Station Location: Hythe Road, Ashford, Kent, TN24 8AH Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7SE (S)	684	-	601990 142485
247	<p>Contemporary Trade Directory Entries</p> <p>Name: Murco Petroleum Location: Hythe Road, ASHFORD, Kent, TN24 8AH Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7SE (S)	684	-	601990 142485
247	<p>Contemporary Trade Directory Entries</p> <p>Name: Esso Location: Hythe Road, Ashford, Kent, TN24 8AH Classification: Petrol Filling Stations Status: Active Positional Accuracy: Automatically positioned to the address</p>	A7SE (S)	694	-	601989 142475
248	<p>Contemporary Trade Directory Entries</p> <p>Name: Fires By Design Ltd Location: 144, Hythe Road, Ashford, Kent, TN24 8PR Classification: Woodburning Stoves Status: Active Positional Accuracy: Automatically positioned to the address</p>	A7SE (S)	689	-	601890 142532
249	<p>Contemporary Trade Directory Entries</p> <p>Name: Computa Tune Location: 46, Tadworth Road, Kennington, Ashford, Kent, TN24 9JU Classification: Car Engine Tuning & Diagnostic Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A15NW (N)	690	-	601598 144173
249	<p>Contemporary Trade Directory Entries</p> <p>Name: Green Flag Location: 46, Tadworth Road, Kennington, Ashford, Kent, TN24 9JU Classification: Car Engine Tuning & Diagnostic Services Status: Active Positional Accuracy: Automatically positioned to the address</p>	A15NW (N)	690	-	601598 144173

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
250	<p>Contemporary Trade Directory Entries</p> <p>Name: Done & Dusted Lifestyle Services Location: 40, Hardinge Road, Ashford, Kent, TN24 8HA Classification: Cleaning Services - Domestic Status: Active Positional Accuracy: Automatically positioned to the address</p>	A10SE (SW)	706	-	601206 143053
250	<p>Contemporary Trade Directory Entries</p> <p>Name: Done And Dusted Lifestyle Services Location: 40, Hardinge Road, Ashford, Kent, TN24 8HA Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A10SE (SW)	706	-	601206 143053
251	<p>Contemporary Trade Directory Entries</p> <p>Name: First Avenue Print Location: First Avenue Print, Ashford, Kent, TN24 0QS Classification: Printers Status: Inactive Positional Accuracy: Manually positioned within the geographical locality</p>	A8SW (SE)	728	-	602353 142387
252	<p>Contemporary Trade Directory Entries</p> <p>Name: Discover Fireplaces Location: 10, Randolph Gardens, Kennington, Ashford, Kent, TN24 9ED Classification: Fireplaces & Mantelpieces Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A16NW (N)	731	-	602155 144233
253	<p>Contemporary Trade Directory Entries</p> <p>Name: G A S E Marine Ltd Location: 67, Tadworth Road, Kennington, Ashford, Kent, TN24 9JU Classification: Ship Builders, Repairs & Fittings Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A15NW (NW)	744	-	601531 144206
254	<p>Contemporary Trade Directory Entries</p> <p>Name: Drax Aerospace Location: Yew House, The Chimes, Upper Queens Road, Ashford, Kent, TN24 8HJ Classification: Engineers - General Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A10NW (W)	744	-	601046 143393
255	<p>Contemporary Trade Directory Entries</p> <p>Name: King Fisher Blinds Location: 19, Linden Road, Ashford, TN24 8BT Classification: Blinds, Awnings & Canopies Status: Active Positional Accuracy: Automatically positioned to the address</p>	A7SW (S)	761	-	601723 142534
255	<p>Contemporary Trade Directory Entries</p> <p>Name: Cleanhome Sittingbourne Location: 31, Linden Road, Ashford, TN24 8BT Classification: Cleaning Services - Domestic Status: Active Positional Accuracy: Automatically positioned to the address</p>	A7SW (S)	768	-	601742 142515
256	<p>Contemporary Trade Directory Entries</p> <p>Name: Hendon Farmstores Location: Park Street, Ashford, Kent, TN24 8LX Classification: Agricultural Merchants Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A6NE (SW)	776	-	601176 142961
256	<p>Contemporary Trade Directory Entries</p> <p>Name: Aquatrols Ltd Location: Flat 47, The Panorama, Park Street, Ashford, TN24 8DF Classification: Fertilisers Status: Active Positional Accuracy: Automatically positioned to the address</p>	A6NE (SW)	779	-	601176 142955
257	<p>Contemporary Trade Directory Entries</p> <p>Name: Nickys Cleaning Services Location: 131, Nine Acres, Kennington, Ashford, Kent, TN24 9JW Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A14NE (NW)	805	-	601367 144191
257	<p>Contemporary Trade Directory Entries</p> <p>Name: The Good Husband Location: 131, Nine Acres, Kennington, Ashford, Kent, TN24 9JW Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A14NE (NW)	805	-	601367 144191

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
258	<p>Contemporary Trade Directory Entries</p> <p>Name: Levi Metal Finishings Location: 13, Romney Road, Willesborough, Ashford, Kent, TN24 0RW Classification: Metal Finishing Services Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A4NW (SE)	810	-	602375 142303
259	<p>Contemporary Trade Directory Entries</p> <p>Name: Twisted Origination Ltd Location: 15, Miller Close, Ashford, TN24 8DL Classification: Printers Status: Active Positional Accuracy: Automatically positioned to the address</p>	A7SW (S)	816	-	601605 142542
260	<p>Contemporary Trade Directory Entries</p> <p>Name: Savills The Awning Company Ltd Location: 45, North Street, Ashford, TN24 8LQ Classification: Blinds, Awnings & Canopies Status: Active Positional Accuracy: Automatically positioned to the address</p>	A10SW (W)	852	-	601040 143075
260	<p>Contemporary Trade Directory Entries</p> <p>Name: Shell Uk Ltd Location: 37, North Street, Ashford, Kent, TN24 8LQ Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A10SW (W)	868	-	601035 143043
260	<p>Contemporary Trade Directory Entries</p> <p>Name: Andrews Auto Engineers Location: 35, North Street, Ashford, Kent, TN24 8LQ Classification: Mot Testing Centres Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A10SW (W)	885	-	601020 143034
260	<p>Contemporary Trade Directory Entries</p> <p>Name: Applegreen Service Station Location: 35, North Street, Ashford, TN24 8LQ Classification: Petrol Filling Stations Status: Active Positional Accuracy: Automatically positioned to the address</p>	A10SW (W)	886	-	601019 143033
261	<p>Contemporary Trade Directory Entries</p> <p>Name: Seriplast Location: 26 North St, Ashford, Kent, TN24 8JR Classification: Plastics - Injection Moulding Status: Inactive Positional Accuracy: Manually positioned to the address or location</p>	A6NW (SW)	887	-	601064 142933
261	<p>Contemporary Trade Directory Entries</p> <p>Name: Ventserv Ltd Location: Hydra House, 26, North Street, ASHFORD, Kent, TN24 8JR Classification: Catering Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A6NW (SW)	888	-	601064 142933
261	<p>Contemporary Trade Directory Entries</p> <p>Name: K S I Services Ltd Location: 18, North Street, Ashford, TN24 8JR Classification: Electrical Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A6NW (SW)	904	-	601061 142904
262	<p>Contemporary Trade Directory Entries</p> <p>Name: G M Enterprises Location: 26, Birling Road, Ashford, TN24 8BB Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7SW (S)	892	-	601632 142436
262	<p>Contemporary Trade Directory Entries</p> <p>Name: Ert Electrical Location: 69, Mill Court, Ashford, Kent, TN24 8DN Classification: Electrical Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A7SW (S)	931	-	601595 142413
263	<p>Contemporary Trade Directory Entries</p> <p>Name: Peter'S Pet & Aquatic Supplies Location: Romney Rd, Willesborough, Ashford, Kent, TN24 0RR Classification: Pet Foods & Animal Feeds Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location</p>	A4NW (S)	892	-	602350 142223

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
264	<p>Contemporary Trade Directory Entries</p> <p>Name: Chapel Down Group Plc Location: Civic Centre, Tannery Lane, Ashford, TN23 1PL Classification: Brewery Supplies Status: Active Positional Accuracy: Automatically positioned to the address</p>	A6SE (SW)	916	-	601446 142522
265	<p>Contemporary Trade Directory Entries</p> <p>Name: Straws (Tools) Ltd Location: 13, High Street, Ashford, Kent, TN24 8TH Classification: Hardware Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A6NE (SW)	917	-	601159 142747
266	<p>Contemporary Trade Directory Entries</p> <p>Name: Ashford Dry Cleaner Location: 67, Faversham Road, Kennington, Ashford, TN24 9DD Classification: Dry Cleaners Status: Active Positional Accuracy: Automatically positioned to the address</p>	A19SE (N)	931	-	602048 144444
266	<p>Contemporary Trade Directory Entries</p> <p>Name: First Choice Location: 67, Faversham Road, Kennington, Ashford, Kent, TN24 9DD Classification: Dry Cleaners Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A19SE (N)	931	-	602048 144444
267	<p>Contemporary Trade Directory Entries</p> <p>Name: Lemon Tree Waste Services Ltd Location: 9, Tudor Road, Kennington, Ashford, Kent, TN24 9DN Classification: Waste Disposal Services Status: Active Positional Accuracy: Automatically positioned to the address</p>	A19SE (N)	938	-	601895 144459
268	<p>Contemporary Trade Directory Entries</p> <p>Name: Ashford Land Rover Specialist Ltd Location: 37, Hunter Road, Willesborough, Ashford, Kent, TN24 0RY Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A4NW (SE)	941	-	602451 142168
269	<p>Contemporary Trade Directory Entries</p> <p>Name: T C Tyres & Exhausts Location: 34-36, Glover Road, Willesborough, Ashford, TN24 0RS Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address</p>	A4NW (S)	961	-	602397 142150
269	<p>Contemporary Trade Directory Entries</p> <p>Name: T C S Location: 34-36, Glover Road, Willesborough, Ashford, Kent, TN24 0RS Classification: Exhaust & Shock Absorber Centres Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A4NW (S)	965	-	602398 142146
269	<p>Contemporary Trade Directory Entries</p> <p>Name: Hodges Engineering Location: Glover Road, Willesborough, Ashford, Kent, TN24 0RS Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address</p>	A4NW (S)	974	-	602393 142137
270	<p>Contemporary Trade Directory Entries</p> <p>Name: Acs Commercials Ltd Location: 43, Rectory Way, Kennington, Ashford, Kent, TN24 9RE Classification: Washing Machines - Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A14NW (NW)	964	-	601108 144182
271	<p>Contemporary Trade Directory Entries</p> <p>Name: Enviro Tablets Ltd Location: Stourside Place, 35-41 Station Road, Ashford, Kent, TN23 1PP Classification: Chemical Manufacturers Status: Inactive Positional Accuracy: Manually positioned within the geographical locality</p>	A6SE (SW)	974	-	601245 142588
271	<p>Contemporary Trade Directory Entries</p> <p>Name: Loveland Industries Location: Kent House, Station Road, Ashford, Kent, TN23 1AP Classification: Animal By-Products Status: Inactive Positional Accuracy: Automatically positioned to the address</p>	A6SE (SW)	974	-	601245 142588

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
272	Contemporary Trade Directory Entries Name: Sketchley Retail Ltd Location: 3, Middle Row, Ashford, Kent, TN24 8SQ Classification: Dry Cleaners Status: Inactive Positional Accuracy: Automatically positioned to the address	A6NW (SW)	986	-	601025 142807
272	Contemporary Trade Directory Entries Name: Supasnaps Location: 3, Middle Row, Ashford, Kent, TN24 8SQ Classification: Photographic Processors Status: Inactive Positional Accuracy: Automatically positioned to the address	A6NW (SW)	986	-	601025 142807
273	Contemporary Trade Directory Entries Name: Sainsbury/S Petrol Station Location: Simone Weil Avenue, Ashford, Kent, TN24 8YN Classification: Petrol Filling Stations Status: Active Positional Accuracy: Automatically positioned to the address	A14SW (W)	998	-	600830 143783
274	Contemporary Trade Directory Entries Name: Brett Concrete Ltd Location: Willesborough Rd, Kennington, Ashford, Kent, TN24 9QP Classification: Concrete & Mortar Ready Mixed Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A20SE (NE)	999	-	602609 144373
274	Contemporary Trade Directory Entries Name: Brett Aggregates Location: Willesborough Road, Kennington, Ashford, Kent, TN24 9QP Classification: Quarries Status: Active Positional Accuracy: Manually positioned within the geographical locality	A20SE (NE)	999	-	602609 144373
275	Fuel Station Entries Name: Mfg East Stour Location: Hythe Road Essella Road, , Ashford, Kent, TN24 8AH Brand: Esso Premises Type: Petrol Station Status: Open Positional Accuracy: Automatically positioned to the address	A7SE (S)	684	-	601990 142485
275	Fuel Station Entries Name: Bob Fishers Location: Hythe Road , , Ashford, Kent, TN24 0QJ Brand: Obsolete Premises Type: Not Applicable Status: Obsolete Positional Accuracy: Manually positioned to the address or location	A7SE (S)	694	-	601994 142472
276	Fuel Station Entries Name: Ashford Service Station Location: North Street Somerset Road, , Ashford, Kent, TN24 8LQ Brand: Low Prices Always Premises Type: Petrol Station Status: Open Positional Accuracy: Manually positioned to the address or location	A10SW (W)	869	-	601034 143042
277	Fuel Station Entries Name: Sainsburys Ashford Bybrook Location: Simone Weil Avenue , , Ashford, Kent, TN24 8YN Brand: Sainsburys Premises Type: Hypermarket Status: Open Positional Accuracy: Manually positioned to the address or location	A14SW (W)	991	-	600833 143769
278	Points of Interest - Commercial Services Name: C P C Professional & Mechanical Location: Javelin House, Henwood Industrial Estate, Ashford, Kent, TN24 8DE Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A11SE (SE)	127	7	602114 143054
278	Points of Interest - Commercial Services Name: Dinneck Garage Location: Unit 7, Henwood, Ashford, TN24 8DH Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A11SE (SE)	180	7	602055 143021

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
279	Points of Interest - Commercial Services Name: S G Commercial Van & Car Centre Location: Unit 15b Grove Business Park, Henwood, Ashford, TN24 8AB Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A11SW (W)	151	7	601701 143308
279	Points of Interest - Commercial Services Name: Ashford Classic Cars Location: Unit 11 Grove Business Park, Henwood, Ashford, TN24 8AB Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A11SW (W)	165	7	601686 143310
280	Points of Interest - Commercial Services Name: Henwood Valeting Ltd Location: Unit 11 Highpoint Business Village, Henwood, Ashford, TN24 8DH Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A11SE (S)	166	7	601970 143080
280	Points of Interest - Commercial Services Name: Sitra UK Ltd Location: Unit 9 Henwood Industrial Estate, Henwood, Ashford, TN24 8DH Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A11SE (S)	166	7	601954 143090
280	Points of Interest - Commercial Services Name: Moss Fabrications Location: Unit 6, Heron Business Centre, Ashford, Kent, TN24 8DH Category: Construction Services Class Code: Metalworkers Including Blacksmiths Positional Accuracy: Positioned to address or location	A11SE (S)	167	7	601922 143109
280	Points of Interest - Commercial Services Name: Moss Fabrications Location: Unit 6 Heron Business Centre, Ashford, TN24 8DH Category: Construction Services Class Code: Metalworkers Including Blacksmiths Positional Accuracy: Positioned to address or location	A11SE (S)	167	7	601922 143109
281	Points of Interest - Commercial Services Name: A R L Group Location: Unit 14 Heron Business Centre, Henwood, Ashford, TN24 8DH Category: Recycling Services Class Code: Recycling, Reclamation and Disposal Positional Accuracy: Positioned to address or location	A11SW (SW)	238	7	601774 143117
281	Points of Interest - Commercial Services Name: A R L Group Ltd Location: Unit 14 Heron Business Centre, Henwood, Ashford, TN24 8DH Category: Recycling Services Class Code: Recycling, Reclamation and Disposal Positional Accuracy: Positioned to address or location	A11SW (SW)	238	7	601774 143117
282	Points of Interest - Commercial Services Name: RAC Auto Windscreens Location: Unit 1 Henwood Business Centre, Henwood, Ashford, TN24 8DH Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A11SE (S)	311	7	601832 142995
282	Points of Interest - Commercial Services Name: RAC Auto Windscreens Location: Unit 1 Henwood Business Centre, Henwood, Ashford, TN24 8DH Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A11SE (S)	311	7	601832 142995
282	Points of Interest - Commercial Services Name: Asbestos Removal Logistics Ltd Location: Unit 14 Heron Business Centre, Henwood, Ashford, TN24 8DH Category: Recycling Services Class Code: Recycling, Reclamation and Disposal Positional Accuracy: Positioned to address or location	A7NE (S)	345	7	601832 142955
282	Points of Interest - Commercial Services Name: Fast Road Conversions Ltd Location: Unit 10 Grove Business Park, Henwood Industrial Estate, Ashford, TN24 8DH Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A7NE (S)	349	7	601869 142928

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
282	Points of Interest - Commercial Services Name: Sitra (UK) Ltd Location: Unit 9 Henwood Business Centre, Henwood, Ashford, TN24 8DH Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A7NE (S)	352	7	601869 142925
282	Points of Interest - Commercial Services Name: Carter's Valeting of Henwood Ltd Location: Unit 10-11 Henwood Business Centre, Henwood, Ashford, TN24 8DH Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A7NE (S)	353	7	601868 142924
282	Points of Interest - Commercial Services Name: Vivid Visions Location: Unit 17 Henwood Business Centre, Henwood, Ashford, TN24 8DH Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A7NW (S)	356	7	601802 142961
283	Points of Interest - Commercial Services Name: East Kent Components Location: Unit 5 Riverside Business Park, Mace Lane, Ashford, TN24 8PE Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A7NW (SW)	460	7	601592 142971
283	Points of Interest - Commercial Services Name: Ashford Auto Service Location: Unit 6 Riverside Business Park, Mace Lane, Ashford, TN24 8PE Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A7NW (SW)	460	7	601592 142971
283	Points of Interest - Commercial Services Name: T C T M O T Ltd Location: Unit 4 Riverside Business Park, Mace Lane, Ashford, TN24 8PE Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A7NW (SW)	461	7	601592 142970
283	Points of Interest - Commercial Services Name: Pit Stop Garage Location: Unit 7 Riverside Business Park, Mace Lane, Ashford, TN24 8PE Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A7NW (SW)	461	7	601592 142970
283	Points of Interest - Commercial Services Name: C N Automotive Location: Unit 7 Riverside Business Park, Mace Lane, Ashford, TN24 8PE Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A7NW (SW)	475	7	601581 142960
284	Points of Interest - Commercial Services Name: A T S Euromaster Location: Henwood, Ashford, TN24 8DH Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A7NW (S)	505	7	601731 142829
285	Points of Interest - Commercial Services Name: Ashford Panelcraft Ltd Location: Unit 1 Riverside Business Park, Mace Lane, Ashford, TN24 8PE Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A7NW (SW)	547	7	601574 142879
286	Points of Interest - Commercial Services Name: A F Vane Transport Ltd Location: 6 Star Road, Ashford, TN24 8BX Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A7NW (S)	578	7	601801 142701
287	Points of Interest - Commercial Services Name: Kwik-Fit (GB) Limited Location: Industrial Estate, Mace Lane, Ashford, TN24 8PE Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A6NE (SW)	580	7	601427 142953

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
287	Points of Interest - Commercial Services Name: Kwik-Fit (GB) Limited Location: Industrial Estate, Mace Lane, Ashford, TN24 8PE Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A6NE (SW)	581	7	601426 142953
288	Points of Interest - Commercial Services Name: Kingsway Freight Solutions Ltd Location: 40 Clarke Crescent, Kennington, Ashford, TN24 9SA Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	A16NE (NE)	666	7	602620 144019
289	Points of Interest - Commercial Services Name: Green Flag Location: 46 Tadworth Road, Kennington, Ashford, TN24 9JU Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A15NW (N)	690	7	601598 144173
289	Points of Interest - Commercial Services Name: Green Flag Location: 46 Tadworth Road, Kennington, Ashford, TN24 9JU Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A15NW (N)	690	7	601598 144172
290	Points of Interest - Commercial Services Name: Shell Ashford Location: 37 North Street, Ashford, TN24 8LQ Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A10SW (W)	869	7	601034 143042
290	Points of Interest - Commercial Services Name: Car Wash Location: 37 North Street, Ashford, TN24 8LQ Category: Personal, Consumer and other Services Class Code: Vehicle Cleaning Services Positional Accuracy: Positioned to address or location	A10SW (W)	869	7	601034 143042
290	Points of Interest - Commercial Services Name: Andrews Auto Engineers Location: 35 North Street, Ashford, TN24 8LQ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A10SW (W)	885	7	601020 143034
290	Points of Interest - Commercial Services Name: Andrews Auto Engineers Location: 35 North Street, Ashford, TN24 8LQ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A10SW (W)	885	7	601020 143034
291	Points of Interest - Commercial Services Name: T C S Location: 34-36 Glover Road, Willesborough, Ashford, TN24 0RS Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A4NW (S)	965	7	602398 142146
291	Points of Interest - Commercial Services Name: Tcs Location: 34-36 Glover Road, Willesborough, Ashford, TN24 0RS Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A4NW (S)	965	7	602398 142146
291	Points of Interest - Commercial Services Name: T C Tyres & Exhausts Location: 34-36 Glover Road, Willesborough, Ashford, TN24 0RS Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A4NW (S)	966	7	602398 142145
291	Points of Interest - Commercial Services Name: Hodges Engineering Location: Glover Road, Willesborough, Ashford, TN24 0RS Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	A4NW (S)	974	7	602393 142137

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
292	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A11NE (NW)	0	7	601825 143512
292	Points of Interest - Manufacturing and Production Name: Tanks Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11NE (NW)	0	7	601831 143512
293	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	0	7	602330 143368
293	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	10	7	602328 143384
294	Points of Interest - Manufacturing and Production Name: Works Location: TN24 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A11SE (E)	0	7	602132 143304
295	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11NE (SE)	3	7	601917 143335
296	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A12SE (E)	48	7	602527 143146
296	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A12SE (E)	49	7	602525 143141
296	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A12SE (E)	51	7	602524 143137
296	Points of Interest - Manufacturing and Production Name: Tanks Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12SE (E)	58	7	602535 143141
297	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (NE)	69	7	602149 143547
298	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SE (SE)	79	7	601991 143169

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
298	Points of Interest - Manufacturing and Production Name: Industrial Estate Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A11SE (SE)	117	7	602020 143107
298	Points of Interest - Manufacturing and Production Name: Industrial Estate Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A11SE (S)	129	7	601964 143127
299	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	88	7	602408 143481
299	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	102	7	602416 143492
300	Points of Interest - Manufacturing and Production Name: Enterprise Park Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A11SE (SE)	124	7	602134 143046
300	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SE (SE)	155	7	602073 143043
301	Points of Interest - Manufacturing and Production Name: Grove Business Park Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A11SW (W)	156	7	601701 143295
301	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A11NW (W)	168	7	601681 143317
301	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A11SW (W)	170	7	601680 143314
301	Points of Interest - Manufacturing and Production Name: Tanks Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11NW (W)	175	7	601674 143318
302	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A11SE (SW)	163	7	601825 143174
302	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A11SE (SW)	163	7	601822 143175

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
302	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A11SE (SW)	164	7	601824 143173
302	Points of Interest - Manufacturing and Production Name: Tanks Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A11SE (SW)	164	7	601816 143177
303	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NW (NE)	215	7	602474 143589
303	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NE (NE)	230	7	602480 143603
304	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A16SW (NE)	228	7	602288 143660
305	Points of Interest - Manufacturing and Production Name: Industrial Estate Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A11SE (S)	231	7	601840 143084
305	Points of Interest - Manufacturing and Production Name: Industrial Estate Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A11SE (S)	256	7	601827 143063
306	Points of Interest - Manufacturing and Production Name: Industrial Estate Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A7NE (S)	255	7	602048 142945
306	Points of Interest - Manufacturing and Production Name: Industrial Estate Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A7NE (S)	260	7	602039 142943
307	Points of Interest - Manufacturing and Production Name: Industrial Estate Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A7NE (S)	307	7	601921 142945
308	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12SE (E)	308	7	602796 143264
308	Points of Interest - Manufacturing and Production Name: Tanks Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NE (E)	341	7	602815 143316

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
309	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A12NE (E)	312	7	602683 143533
310	Points of Interest - Manufacturing and Production Name: Industrial Estate Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A7NE (S)	313	7	601913 142943
310	Points of Interest - Manufacturing and Production Name: Henwood Business Centre Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A7NE (S)	353	7	601832 142946
310	Points of Interest - Manufacturing and Production Name: Henwood Business Centre Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A7NE (S)	371	7	601845 142917
311	Points of Interest - Manufacturing and Production Name: Business Centre Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A11SW (SW)	319	7	601771 143023
312	Points of Interest - Manufacturing and Production Name: Factory Location: TN24 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to address or location	A12NE (E)	379	7	602769 143508
312	Points of Interest - Manufacturing and Production Name: Factory Location: TN24 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to address or location	A12NE (E)	382	7	602772 143510
312	Points of Interest - Manufacturing and Production Name: Factory Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A12NE (E)	411	7	602776 143570
313	Points of Interest - Manufacturing and Production Name: Riverside Business Park Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A11SW (SW)	451	7	601582 142989
313	Points of Interest - Manufacturing and Production Name: Riverside Business Park Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A11SW (SW)	458	7	601575 142985
314	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A10SE (W)	458	7	601410 143212
314	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A10SE (W)	460	7	601409 143208

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
314	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	A10SE (W)	463	7	601406 143208
314	Points of Interest - Manufacturing and Production Name: Tanks Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A10SE (W)	465	7	601406 143202
314	Points of Interest - Manufacturing and Production Name: Printing Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A10SE (W)	472	7	601418 143152
314	Points of Interest - Manufacturing and Production Name: Works Location: TN24 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A10SE (W)	479	7	601412 143149
315	Points of Interest - Manufacturing and Production Name: Mace Industrial Estate Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A10SE (SW)	550	7	601401 143030
315	Points of Interest - Manufacturing and Production Name: Mace Industrial Estate Location: TN24 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	A6NE (SW)	579	7	601412 142971
316	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A16SE (NE)	673	7	602754 143956
317	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A7SE (S)	777	7	601956 142398
317	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A7SE (S)	808	7	601974 142358
318	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A6NE (SW)	809	7	601250 142806
319	Points of Interest - Manufacturing and Production Name: Gavandol Ltd Location: 26 North Street, Ashford, TN24 8JR Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to address or location	A6NW (SW)	888	7	601064 142933
320	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	A3NE (S)	912	7	601932 142262

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
321	Points of Interest - Manufacturing and Production Name: Brett Aggregates Location: Downsview, Willesborough Road, Kennington, Ashford, TN24 9QP Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to address or location	A16NE (NE)	954	7	602653 144314
322	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A7SW (S)	981	7	601666 142316
322	Points of Interest - Manufacturing and Production Name: Works Location: TN24 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A7SW (S)	981	7	601667 142315
322	Points of Interest - Manufacturing and Production Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A3NW (S)	990	7	601717 142282
322	Points of Interest - Manufacturing and Production Name: Works Location: TN24 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	A3NW (S)	992	7	601717 142280
323	Points of Interest - Public Infrastructure Name: Sludge Beds Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	0	7	602380 143166
323	Points of Interest - Public Infrastructure Name: Sludge Tanks Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	0	7	602412 143230
323	Points of Interest - Public Infrastructure Name: Sludge Beds Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	0	7	602389 143162
324	Points of Interest - Public Infrastructure Name: Sludge Beds Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	0	7	602225 143395
324	Points of Interest - Public Infrastructure Name: Sludge Beds Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	0	7	602199 143413
324	Points of Interest - Public Infrastructure Name: Sludge Beds Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	0	7	602234 143391
324	Points of Interest - Public Infrastructure Name: Sludge Beds Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A12NW (E)	0	7	602199 143414

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
325	Points of Interest - Public Infrastructure Name: Sewage Works Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A11SE (E)	0	7	602133 143305
325	Points of Interest - Public Infrastructure Name: Sewage Works Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A12SW (E)	0	7	602153 143312
325	Points of Interest - Public Infrastructure Name: Sewage Works Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A12SW (E)	0	7	602155 143310
325	Points of Interest - Public Infrastructure Name: Sewage Works Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A12SW (E)	0	7	602156 143311
325	Points of Interest - Public Infrastructure Name: Sewage Works Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A11SE (E)	0	7	602135 143298
325	Points of Interest - Public Infrastructure Name: Sewage Works Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A12NW (E)	0	7	602154 143413
326	Points of Interest - Public Infrastructure Name: Sewage Works Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A11NE (NW)	7	7	601818 143524
327	Points of Interest - Public Infrastructure Name: Heap (Dis) Location: TN24 Category: Infrastructure and Facilities Class Code: Refuse Disposal Facilities Positional Accuracy: Positioned to an adjacent address or location	A12SW (E)	9	7	602434 143283
328	Points of Interest - Public Infrastructure Name: Sewage Works Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A12SW (SE)	113	7	602444 142997
328	Points of Interest - Public Infrastructure Name: Sewage Works Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A12SW (SE)	114	7	602444 142996
329	Points of Interest - Public Infrastructure Name: Sewage Works Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A12NW (NE)	142	7	602254 143580
329	Points of Interest - Public Infrastructure Name: Outfall Tank Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A16SW (NE)	229	7	602280 143665

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
329	Points of Interest - Public Infrastructure Name: Outfall Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A16SW (NE)	231	7	602287 143664
330	Points of Interest - Public Infrastructure Name: Ashford Fire Station Location: Henwood Business Centre, Henwood, Ashford, TN24 8DH Category: Central and Local Government Class Code: Fire Brigade Stations Positional Accuracy: Positioned to address or location	A7NE (S)	345	7	601832 142955
331	Points of Interest - Public Infrastructure Name: Sewage Pumping Station Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A16SW (NE)	454	7	602403 143858
332	Points of Interest - Public Infrastructure Name: Fire Location: Fire Station, Henwood, Ashford, TN24 8YF Category: Central and Local Government Class Code: Fire Brigade Stations Positional Accuracy: Positioned to address or location	A7NW (SW)	477	7	601684 142891
332	Points of Interest - Public Infrastructure Name: Ashford Fire Station Location: Henwood, Ashford, TN24 8YF Category: Central and Local Government Class Code: Fire Brigade Stations Positional Accuracy: Positioned to address or location	A7NW (SW)	477	7	601684 142891
332	Points of Interest - Public Infrastructure Name: Fire Safety Office Location: Fire Station, Henwood, Ashford, TN24 8YF Category: Central and Local Government Class Code: Fire Brigade Stations Positional Accuracy: Positioned to address or location	A7NW (SW)	477	7	601684 142891
332	Points of Interest - Public Infrastructure Name: Kent Fire & Rescue Service Location: Fire Station, Henwood, Ashford, TN24 8YF Category: Central and Local Government Class Code: Fire Brigade Stations Positional Accuracy: Positioned to address or location	A7NW (SW)	477	7	601684 142891
332	Points of Interest - Public Infrastructure Name: Outfall Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A7NW (SW)	484	7	601603 142935
332	Points of Interest - Public Infrastructure Name: Outfall Location: TN24 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	A7NW (SW)	486	7	601598 142936
333	Points of Interest - Public Infrastructure Name: Sluice Location: TN24 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14SE (NW)	510	7	601463 143894
333	Points of Interest - Public Infrastructure Name: Sluice Location: TN24 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14SE (NW)	512	7	601458 143893
333	Points of Interest - Public Infrastructure Name: Weir Location: TN24 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A15SW (NW)	566	7	601475 143976

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
333	Points of Interest - Public Infrastructure Name: Weir Location: TN24 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A15SW (NW)	567	7	601472 143975
334	Points of Interest - Public Infrastructure Name: Weir Location: TN24 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14SE (NW)	597	7	601238 143732
334	Points of Interest - Public Infrastructure Name: Weir Location: TN24 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A14SE (NW)	599	7	601235 143731
335	Points of Interest - Public Infrastructure Name: Canterbury Road Cemetery Location: TN24 Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A10SE (W)	612	7	601202 143302
335	Points of Interest - Public Infrastructure Name: Canterbury Road Cemetery Location: Not Supplied Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A10SE (W)	643	7	601172 143293
336	Points of Interest - Public Infrastructure Name: East Stour Service Station Ltd Location: 109 Lower Queens Road, Ashford, TN24 8HD Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A10SE (W)	646	7	601216 143184
337	Points of Interest - Public Infrastructure Name: Sluice Location: TN24 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	A7NW (SW)	649	7	601519 142792
338	Points of Interest - Public Infrastructure Name: Esso Location: Hythe Road, Ashford, TN24 8AH Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A7SE (S)	682	7	601988 142488
338	Points of Interest - Public Infrastructure Name: Murco Petroleum Location: Hythe Road, Ashford, TN24 8AH Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A7SE (S)	684	7	601990 142485
338	Points of Interest - Public Infrastructure Name: East Stour Filling Station Location: Hythe Road, Ashford, TN24 8AH Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A7SE (S)	684	7	601990 142485
338	Points of Interest - Public Infrastructure Name: East Stour Jet Service Station Location: Hythe Road, Ashford, TN24 8AH Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A7SE (S)	684	7	601990 142485
338	Points of Interest - Public Infrastructure Name: Mfg East Stour Location: Hythe Road, Essella Road, Ashford, TN24 8AH Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A7SE (S)	684	7	601990 142485

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
339	Points of Interest - Public Infrastructure Name: Bybrook Cemetery Location: Not Supplied Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A14SE (NW)	715	7	601262 143983
339	Points of Interest - Public Infrastructure Name: Bybrook Cemetery Location: TN24 Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A14SE (NW)	727	7	601246 143982
339	Points of Interest - Public Infrastructure Name: Bybrook Cemetery Location: TN24 Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A14NE (NW)	809	7	601206 144061
340	Points of Interest - Public Infrastructure Name: Shell Ashford Location: 35 North Street, Ashford, Kent, TN24 8LQ Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A10SW (W)	866	7	601037 143043
340	Points of Interest - Public Infrastructure Name: Shell Location: 37 North Street, Ashford, TN24 8LQ Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A10SW (W)	869	7	601034 143042
340	Points of Interest - Public Infrastructure Name: Shell (UK) Ltd Location: 35 North Street, Ashford, TN24 8LQ Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A10SW (W)	869	7	601034 143042
340	Points of Interest - Public Infrastructure Name: Ashford Service Station Location: 37 North Street, Ashford, TN24 8LQ Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A10SW (W)	869	7	601034 143042
340	Points of Interest - Public Infrastructure Name: Applegreen Service Station Location: 35 North Street, Ashford, TN24 8LQ Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A10SW (W)	886	7	601019 143033
341	Points of Interest - Public Infrastructure Name: Lemon Tree Waste Services Ltd Location: 9 Tudor Road, Kennington, Ashford, TN24 9DN Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	A19SE (N)	938	7	601895 144459
342	Points of Interest - Public Infrastructure Name: Graveyard Location: Not Supplied Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A6NE (SW)	954	7	601182 142669
342	Points of Interest - Public Infrastructure Name: Graveyard Location: TN23 Category: Infrastructure and Facilities Class Code: Cemeteries and Crematoria Positional Accuracy: Positioned to an adjacent address or location	A6NE (SW)	959	7	601175 142669
343	Points of Interest - Public Infrastructure Name: Sainsbury's Ashford Bybrook Location: Simone Weil Avenue, Ashford, TN24 8YN Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A14SW (W)	991	7	600833 143769

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
343	Points of Interest - Public Infrastructure Name: Sainsbury's Petrol Station Location: Simone Weil Avenue, Ashford, TN24 8YN Category: Road And Rail Class Code: Petrol and Fuel Stations Positional Accuracy: Positioned to address or location	A14SW (W)	998	7	600830 143783
344	Points of Interest - Recreational and Environmental Name: Playground Location: Gordon Close, TN24 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A7NE (S)	368	7	602131 142769
345	Points of Interest - Recreational and Environmental Name: Play Area Location: Peter Candler Way, TN24 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A16SW (NE)	440	7	602237 143910
346	Points of Interest - Recreational and Environmental Name: Playground Location: Vincent Place, TN24 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A16SE (NE)	518	7	602693 143810
347	Points of Interest - Recreational and Environmental Name: Playground Location: Rylands Road, TN24 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A19SW (N)	844	7	601631 144340
347	Points of Interest - Recreational and Environmental Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A19SW (N)	867	7	601635 144364
347	Points of Interest - Recreational and Environmental Name: Playground Location: Rylands Road, TN24 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	A19SW (N)	891	7	601646 144391
348	Points of Interest - Recreational and Environmental Name: Play Area Location: Quantock Drive, TN24 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A10NW (W)	919	7	600879 143651
349	Points of Interest - Recreational and Environmental Name: Playground Location: Nr Rectory Way, TN24 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A14NE (NW)	972	7	601137 144223
349	Points of Interest - Recreational and Environmental Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	A14NW (NW)	984	7	601122 144225

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
350	Local Nature Reserves Name: Ashford Green Corridors Multiple Area: Y Area (m2): 474113.95 Source: Natural England Designation Date: 18th December 2002	A11NW (W)	155	8	601655 143338
351	Nitrate Vulnerable Zones Name: Maidstone Description: Groundwater Source: Environment Agency, Head Office	A11NE (NW)	0	4	601909 143353
352	Nitrate Vulnerable Zones Name: R. Great Stour Nvz Description: Surface Water Source: Environment Agency, Head Office	A11NE (NW)	0	4	601909 143353

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Ashford Borough Council - Environmental Health Department Environment Agency - Head Office	January 2020 June 2020	Annual Rolling Update Annually
Discharge Consents Environment Agency - Southern Region	January 2021	Quarterly
Enforcement and Prohibition Notices Environment Agency - Southern Region	March 2013	Annual Rolling Update
Integrated Pollution Controls Environment Agency - Southern Region	October 2008	Variable
Integrated Pollution Prevention And Control Environment Agency - South East Region - Kent & South London Area Environment Agency - Southern Region	January 2021 January 2021	Quarterly Quarterly
Local Authority Integrated Pollution Prevention And Control Ashford Borough Council - Environmental Health Department	June 2014	Variable
Local Authority Pollution Prevention and Controls Ashford Borough Council - Environmental Health Department	June 2014	Not Applicable
Local Authority Pollution Prevention and Control Enforcements Ashford Borough Council - Environmental Health Department	June 2014	Variable
Nearest Surface Water Feature Ordnance Survey	October 2020	
Pollution Incidents to Controlled Waters Environment Agency - Southern Region	December 1999	Not Applicable
Prosecutions Relating to Authorised Processes Environment Agency - Southern Region	March 2013	Annual Rolling Update
Prosecutions Relating to Controlled Waters Environment Agency - Southern Region	March 2013	Annual Rolling Update
Registered Radioactive Substances Environment Agency - Southern Region	June 2016	
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	July 2012	Annually
River Quality Chemistry Sampling Points Environment Agency - Head Office	July 2012	Annually
Substantiated Pollution Incident Register Environment Agency - South East Region - Kent & South London Area Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	January 2021 January 2021 January 2021	Quarterly Quarterly Quarterly
Water Abstractions Environment Agency - Southern Region	January 2021	Quarterly
Water Industry Act Referrals Environment Agency - Southern Region	October 2017	Quarterly
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	Annually





Agency & Hydrological	Version	Update Cycle
Source Protection Zones Environment Agency - Head Office	October 2019	Quarterly
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	September 2020	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	September 2020	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	September 2020	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	September 2020	Quarterly
Flood Defences Environment Agency - Head Office	September 2020	Quarterly
OS Water Network Lines Ordnance Survey	September 2020	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	October 2013	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	October 2013	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	October 2013	Annually
Surface Water Suitability Environment Agency - Head Office	October 2013	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	June 1996	Not Applicable
Historical Landfill Sites Environment Agency - Head Office	October 2019	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Southern Region	October 2008	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - South East Region - Kent & South London Area Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	January 2021 January 2021 January 2021	Quarterly Quarterly Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - South East Region - Kent & South London Area Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	January 2021 January 2021 January 2021	Quarterly Quarterly Quarterly
Local Authority Landfill Coverage Ashford Borough Council - Environmental Health Department Kent County Council - Waste Management Group	May 2000 May 2000	Not Applicable Not Applicable
Local Authority Recorded Landfill Sites Ashford Borough Council - Environmental Health Department Kent County Council - Waste Management Group	May 2000 May 2000	Not Applicable Not Applicable
Potentially Infilled Land (Non-Water) Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water) Landmark Information Group Limited	December 1999	Not Applicable
Registered Landfill Sites Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	March 2003 March 2003	Not Applicable Not Applicable
Registered Waste Transfer Sites Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	March 2003 March 2003	Not Applicable Not Applicable
Registered Waste Treatment or Disposal Sites Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	March 2003 March 2003	Not Applicable Not Applicable
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	November 2000	Not Applicable
Planning Hazardous Substance Enforcements Ashford Borough Council Kent County Council	February 2016 January 2016	Variable Variable
Planning Hazardous Substance Consents Ashford Borough Council Kent County Council	February 2016 January 2016	Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	October 2015	Annually
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	November 2020	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	Not Applicable
Coal Mining Affected Areas The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability Ove Arup & Partners	October 2000	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	Annually
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	July 2011	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	January 2021	Quarterly
Fuel Station Entries Catalist Ltd - Experian	September 2020	Quarterly
Gas Pipelines National Grid	January 2021	
Points of Interest - Commercial Services PointX	December 2020	Quarterly
Points of Interest - Education and Health PointX	December 2020	Quarterly
Points of Interest - Manufacturing and Production PointX	December 2020	Quarterly
Points of Interest - Public Infrastructure PointX	December 2020	Quarterly
Points of Interest - Recreational and Environmental PointX	December 2020	Quarterly
Underground Electrical Cables National Grid	December 2020	

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	February 2021	Bi-Annually
Areas of Adopted Green Belt Ashford Borough Council	June 2020	As notified
Areas of Unadopted Green Belt Ashford Borough Council	June 2020	As notified
Areas of Outstanding Natural Beauty Natural England	January 2021	Bi-Annually
Environmentally Sensitive Areas Natural England	January 2017	
Forest Parks Forestry Commission	April 1997	Not Applicable
Local Nature Reserves Natural England	February 2021	Bi-Annually
Marine Nature Reserves Natural England	July 2019	Bi-Annually
National Nature Reserves Natural England	January 2021	Bi-Annually
National Parks Natural England	April 2017	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2016	Not Applicable
Nitrate Vulnerable Zones Environment Agency - Head Office Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	December 2017 October 2015	Bi-Annually
Ramsar Sites Natural England	August 2020	Bi-Annually
Sites of Special Scientific Interest Natural England	February 2021	Bi-Annually
Special Areas of Conservation Natural England	July 2020	Bi-Annually
Special Protection Areas Natural England	September 2020	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	 Cyfoeth Naturiol Cymru Natural Resources Wales
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Ashford Borough Council - Environmental Health Department Civic Centre, Tannery Lane, Ashford, Kent, TN23 1PL	Telephone: 01233 637311 Fax: 01233 645654 Website: www.ashford.gov.uk
4	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	Kent County Council - Waste Management Group Block H, The Forstal, Beddow Way, Aylesford, Kent, ME20 7BT	Telephone: 01622 605976 Website: www.kent.gov.uk
7	PointX 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

273817799_1_1

Customer Reference:

100419175-001

National Grid Reference:

603090, 143220

Slice:

B

Site Area (Ha):

14.43

Search Buffer (m):

1000

Site Details:

Ashford WTW and STC

Ashford

Kent

Client Details:

Miss L Bethell

Mott Macdonald

Demeter House

Station Road

Cambridge

CB1 2RS

Prepared For:

Southern Water

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	19
Hazardous Substances	20
Geological	21
Industrial Land Use	25
Sensitive Land Use	27
Data Currency	28
Data Suppliers	33
Useful Contacts	34

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2021. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2021. © Natural Resources Wales & United Kingdom Research and Innovation 2021.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2021. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 3				12
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls	pg 6			7	
Integrated Pollution Prevention And Control	pg 7				7
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 8			1	1
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 9		Yes		
Pollution Incidents to Controlled Waters	pg 9			1	4
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances					
River Quality	pg 10		1		1
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points	pg 11				1
Substantiated Pollution Incident Register	pg 11				3
Water Abstractions	pg 12				2 (*3)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 13	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Groundwater Vulnerability - Local Information			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 13	Yes	n/a	n/a	n/a
Superficial Aquifer Designations	pg 13	Yes	n/a	n/a	n/a
Source Protection Zones	pg 13		2	3	1
Extreme Flooding from Rivers or Sea without Defences	pg 14		Yes	n/a	n/a
Flooding from Rivers or Sea without Defences	pg 14	Yes		n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 14			7	27

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)	pg 19				1
Local Authority Landfill Coverage	pg 19	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Potentially Infilled Land (Non-Water)	pg 19			1	1
Potentially Infilled Land (Water)	pg 19				2
Registered Landfill Sites	pg 19				1
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)	pg 20				2
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents	pg 20				1
Planning Hazardous Substance Enforcements					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Geological					
BGS 1:625,000 Solid Geology	pg 21	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 21	Yes		Yes	Yes
BGS Recorded Mineral Sites	pg 22				7
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain	pg 23	Yes		n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 23	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 23	Yes		n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 24	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 24	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 24	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 25			1	4
Fuel Station Entries					
Points of Interest - Commercial Services					
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 25			11	7
Points of Interest - Public Infrastructure					
Points of Interest - Recreational and Environmental	pg 26				1
Gas Pipelines					
Underground Electrical Cables					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 27	2			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	602350 143200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	602550 143224
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	602250 143350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	602750 143150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B5NW (S)	0	1	603093 142900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	602450 143150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	602200 143150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	602450 143250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	602650 143100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	11	1	602500 143100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	64	1	602600 142950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	65	1	602600 143150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	81	1	602650 143050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	92	1	602600 143300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	115	1	602550 143450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	122	1	602600 143350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	139	1	602700 143250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	155	1	602650 143500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	160	1	602650 143350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	164	1	602300 142900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	177	1	602700 143100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	187	1	602700 143350

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	200	1	602650 143450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9SW (S)	203	1	603150 143050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	204	1	602750 143050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	212	1	602800 143224
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	221	1	601750 143000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B5NW (SW)	231	1	602850 142950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	250	1	602750 143350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	267	1	602700 143500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NW (NW)	275	1	602850 143350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9SW (W)	303	1	602850 143200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9SW (W)	303	1	602850 143224
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	315	1	602800 143000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9SW (SW)	355	1	602950 143100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (N)	358	1	603093 143250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (W)	370	1	602900 143300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (W)	407	1	602950 143250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	412	1	602650 142700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	417	1	602700 143750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B5NW (SW)	426	1	602950 142950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	434	1	602750 143700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	437	1	602600 143800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B5NW (S)	453	1	603000 142900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	461	1	602700 143800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (SE)	461	1	603150 143150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	465	1	602550 143850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	468	1	602800 143700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	473	1	602750 143750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	493	1	602450 143900
1	Discharge Consents Operator: Givaudan Uk Limited Property Type: MAKING OF FOOD PRODUCTS/DAIRY Location: Quest International, Kennington Road, Willesborough, Ashford, Kent, Tn24 0lt Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P04686 Permit Version: 1 Effective Date: 20th April 1993 Issued Date: 20th April 1993 Revocation Date: 3rd June 2010 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	B9SW (SW)	511	2	602980 143020
2	Discharge Consents Operator: Quest International Uk Ltd. Property Type: WTW/WATER COLLECTION/TREATMENT/SUPPLY Location: Willesborough Road, Ashford, Kent, Tn24 0lt Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: Ak0146 Permit Version: 1 Effective Date: 27th January 1994 Issued Date: 20th January 1994 Revocation Date: 21st March 2004 Discharge Type: Trade Discharges - Cooling Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Authorisation revoked Positional Accuracy: Located by supplier to within 10m	B9SW (W)	513	2	603010 143210
3	Discharge Consents Operator: MR R L BOWEN Property Type: DOMESTIC PROPERTY (MULTIPLE) (INCL FARM HOUSES) Location: Conningbrook Manor, Ashford, Kent Conningbrook Manor, Willesborough Road, Ashford, Kent, Tn24 0ls Authority: Environment Agency, Southern Region Catchment Area: Old-unknown river Reference: P06546 Permit Version: 1 Effective Date: 20th February 1997 Issued Date: 20th February 1997 Revocation Date: 12th August 1999 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Trib Of The Great Stour Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	B9NW (N)	700	2	603100 143560

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	<p>Discharge Consents</p> <p>Operator: Mr R L Bowen Property Type: DOMESTIC PROPERTY (MULTIPLE) (INCL FARM HOUSES) Location: Conningbrook Manor, Ashford, Kent Conningbrook Manor, Willesborough Road, Ashford, Kent, Tn24 0ls Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: P06546 Permit Version: 2 Effective Date: 13th August 1999 Issued Date: 13th August 1999 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Land/Soakaway Environment: Receiving Water: Underground Strata Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	B9NW (N)	716	2	603130 143530
4	<p>Discharge Consents</p> <p>Operator: Mrs A.Tonna Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Conningbrook Barn, Kennington Road, Willesborough, Ashford Kent Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P01924 Permit Version: 1 Effective Date: 12th October 1988 Issued Date: 12th October 1988 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Land/Soakaway Environment: Receiving Water: Into Land Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m</p>	B9NW (N)	700	2	603140 143470
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Blackwall Road- Willesborough Lees Ceo, Blackwall Road, Willesborough Lees, Kent, Tn24 0nu Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: K01508 Permit Version: 2 Effective Date: 31st March 2019 Issued Date: 30th January 2019 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour River Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	B5NE (SE)	857	2	603320 142950
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Blackwall Road- Willesborough Lees Ceo, Blackwall Road, Willesborough Lees, Kent, Tn24 0nu Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: K01508 Permit Version: 2 Effective Date: 31st March 2019 Issued Date: 30th January 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Great Stour River Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	B5NE (SE)	857	2	603320 142950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd (K) Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Blackwall Road- Willesborough Lees Ceo, Blackwall Road, Willesborough Lees, Kent, Tn24 0nu Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: K01508 Permit Version: 1 Effective Date: 31st July 1963 Issued Date: 31st July 1963 Revocation Date: 30th March 2019 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 100m</p>	B5NE (SE)	857	2	603320 142950
5	<p>Discharge Consents</p> <p>Operator: Southern Water Services Ltd Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Willesborough Lees Wwps, Blackwall Road, Willesborough Lees, Ashford, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: A00812 Permit Version: 1 Effective Date: 29th October 1998 Issued Date: 29th October 1998 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	B5NE (SE)	884	2	603340 142920
6	<p>Discharge Consents</p> <p>Operator: Southern Water Services Limited. + Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Field End Garden Ashford Cso 7 Field End Garden, ., Ashford, Kent, Tn24 0ap Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A01328 Permit Version: 2 Effective Date: 31st March 2019 Issued Date: 6th February 2019 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: A Trib Of The River Stour Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m</p>	B5SW (S)	902	2	603050 142440
6	<p>Discharge Consents</p> <p>Operator: Southern Water Services Limited. + Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Field End Garden Ashford Cso 7 Field End Garden, ., Ashford, Kent, Tn24 0ap Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: A01328 Permit Version: 1 Effective Date: 27th November 2007 Issued Date: 27th November 2007 Revocation Date: 30th March 2019 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: A Trib Of The River Stour Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m</p>	B5SW (S)	902	2	603050 142440

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	<p>Discharge Consents</p> <p>Operator: Bretts Marine Aggregates Ltd Property Type: MINERAL/GRAVEL EXTRACTION/QUARRYING Location: Conningbrook Quarry, Willesborough Road, ASHFORD, Kent Authority: Environment Agency, Southern Region Catchment Area: Great Stour Reference: N00083 Permit Version: 1 Effective Date: 25th September 1978 Issued Date: 25th September 1978 Revocation Date: Not Supplied Discharge Type: Trade Discharge - Mineral Workings Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m</p>	B13SE (N)	945	2	603290 143730
8	<p>Integrated Pollution Controls</p> <p>Name: Quest International UK Ltd Location: Willesborough Road, ASHFORD, KENT, TN24 0LT Authority: Environment Agency, Southern Region Permit Reference: BE9527 Dated: 3rd August 2000 Process Type: IPC minor (non-substantial) variation to previous variation Description: 4.2 A (D) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Revoked - Now IPPC Positional Accuracy: Manually positioned to the address or location</p>	B9NW (NW)	383	2	602821 143408
8	<p>Integrated Pollution Controls</p> <p>Name: Quest International Uk Ltd Location: Willesborough Road, ASHFORD, Kent, TN24 0LT Authority: Environment Agency, Southern Region Permit Reference: BC6721 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 4.2 A (D) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Manually positioned to the address or location</p>	B9NW (NW)	383	2	602816 143418
8	<p>Integrated Pollution Controls</p> <p>Name: Quest International UK Ltd Location: Willesborough Road, ASHFORD, KENT, TN24 0LT Authority: Environment Agency, Southern Region Permit Reference: BE9691 Dated: 7th August 2000 Process Type: IPC minor (non-substantial) variation to previous variation Description: 4.2 A (C) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Revoked - Now IPPC Positional Accuracy: Manually positioned to the address or location</p>	B9NW (NW)	385	2	602821 143413
8	<p>Integrated Pollution Controls</p> <p>Name: Quest International Uk Ltd Location: Willesborough Road, ASHFORD, Kent, TN24 0LT Authority: Environment Agency, Southern Region Permit Reference: BC6268 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 4.2 A (C) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Manually positioned to the address or location</p>	B9NW (NW)	387	2	602821 143418
8	<p>Integrated Pollution Controls</p> <p>Name: Quest International Uk Ltd Location: Kennington Road, Willesborough, ASHFORD, Kent, TN24 0LT Authority: Environment Agency, Southern Region Permit Reference: AK0146 Dated: 27th January 1994 Process Type: IPC new application Description: 4.2 A (C) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Manually positioned to the address or location</p>	B9NW (NW)	388	2	602826 143408

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	<p>Integrated Pollution Controls</p> <p>Name: Quest International Uk Ltd Location: Kennington Road, Willesborough, ASHFORD, Kent, TN24 0LT Authority: Environment Agency, Southern Region Permit Reference: AH3920 Dated: 25th May 1993 Process Type: IPC new application Description: 4.2 A (D) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Authorisation revoked Positional Accuracy: Manually positioned to the address or location</p>	B9NW (NW)	392	2	602826 143418
9	<p>Integrated Pollution Controls</p> <p>Name: Quest International Uk Ltd Location: WILLESBOROUGH ROAD, ASHFORD, KENT, TN24 0LT Authority: Environment Agency, Southern Region Permit Reference: AK5440 Dated: 27th January 1994 Process Type: IPC new application Description: 4.2 A (D) Manufacture and use of Organic Chemicals within the Chemical Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Manually positioned to the road within the address or location</p>	B9NW (NW)	468	2	602895 143450
10	<p>Integrated Pollution Prevention And Control</p> <p>Name: Quest International Limited Location: Ashford Fragrances, Quest International Flavours & Fragrances Ltd, Kennington Road, Willesborough, ASHFORD, Kent, TN24 0LT Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: BV3944IK Original Permit Ref: Bv3944ik Effective Date: 23rd March 2004 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Located by supplier to within 10m Activity Code: 4.1 A(1) (A) (II) Activity Description: Organic Chemicals; Oxygen Containing Compounds Eg Alcohols Primary Activity: Y</p>	B9SW (W)	513	2	603010 143210
10	<p>Integrated Pollution Prevention And Control</p> <p>Name: Givaudan Uk Limited Location: ASHFORD FRAGRANCES, Admin Tower Building, Kennington Road, Willesborough, ASHFORD, Kent, TN24 0LT Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: LP3830EE Original Permit Ref: Bv3944ik Effective Date: 18th December 2013 Status: Surrender Effective Application Type: Surrender App. Sub Type: Whole Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (II) Activity Description: Organic Chemicals; Oxygen Containing Compounds Eg Alcohols Primary Activity: Y</p>	B9SW (W)	514	2	603011 143210
10	<p>Integrated Pollution Prevention And Control</p> <p>Name: Givaudan Uk Limited Location: ASHFORD FRAGRANCES, Admin Tower Building, Kennington Road, Willesborough, ASHFORD, Kent, TN24 0LT Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: KP3339MX Original Permit Ref: Bv3944ik Effective Date: 30th October 2009 Status: Superseded By Variation Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (II) Activity Description: Organic Chemicals; Oxygen Containing Compounds Eg Alcohols Primary Activity: Y</p>	B9SW (W)	514	2	603011 143210

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	<p>Integrated Pollution Prevention And Control</p> <p>Name: Givaudan Uk Limited Location: Ashford Fragrances, Admin Tower Building, Kennington Road,,Willesborough, ASHFORD, Kent, TN24 0LT Authority: Environment Agency, Southern Region Permit Reference: KP3339MX Original Permit Ref: Bv3944ik Effective Date: 30th October 2009 Status: Effective Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (II) Activity Description: Organic Chemicals; Oxygen Containing Compounds Eg Alcohols Primary Activity: Y</p>	B9SW (W)	515	2	603012 143211
10	<p>Integrated Pollution Prevention And Control</p> <p>Name: Quest International Limited Location: Kennington Road, Willesborough, ASHFORD, Kent, TN24 0LT Authority: Environment Agency, Southern Region Permit Reference: Bv3944ik Original Permit Ref: Bv3944ik Effective Date: 23rd March 2004 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (II) Activity Description: Organic Chemicals; Oxygen Containing Compounds Eg Alcohols Primary Activity: Y</p>	B9SW (W)	515	2	603012 143211
10	<p>Integrated Pollution Prevention And Control</p> <p>Name: Givaudan Uk Limited Location: Ashford Fragrances, Admin Tower Building, Kennington Road,,Willesborough, ASHFORD, Kent, TN24 0LT Authority: Environment Agency, Southern Region Permit Reference: ZP3831LN Original Permit Ref: Bv3944ik Effective Date: Not Supplied Status: Valid Application Type: Surrender App. Sub Type: Part Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (II) Activity Description: Organic Chemicals; Oxygen Containing Compounds Eg Alcohols Primary Activity: Y</p>	B9SW (W)	515	2	603012 143211
11	<p>Integrated Pollution Prevention And Control</p> <p>Name: Brett Aggregates Limited Location: Conningbrook Recycling Facility - Epr/Sp3038zr, Conningbrook Recycling Facility, Willesborough Lane,,, Ashford, Kent, TN24 0UL Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: SP3038ZR Original Permit Ref: Sp3038zr Effective Date: 18th April 2013 Status: Effective Application Type: Application App. Sub Type: New Positional Accuracy: Located by supplier to within 100m Activity Code: 3.1 B (B) Activity Description: Cement And Lime; Blending/Using Cement In Bulk (Unless At A Construction Site) Primary Activity: Y</p>	B13SW (N)	708	2	602980 143800
12	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: Quest International Flavours And Fragrances Ltd Location: Willesborough Road, Ashford, Kent, TN24 0LT Authority: Ashford Borough Council, Environmental Health Department Permit Reference: BV3944 Dated: 1st January 1994 Process Type: Local Authority Pollution Prevention and Control Description: Part B - General Chemical Process (No Specific Reference) Status: Transferred to IPPC Positional Accuracy: Manually positioned to the road within the address or location</p>	B9NW (NW)	473	3	602881 143490

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	<p>Local Authority Pollution Prevention and Controls</p> <p>Name: Brett Concrete Ltd Location: Conningbrook Quarry, Willesborough Road, Willesborough, ASHFORD, Kent, TN24 Authority: Ashford Borough Council, Environmental Health Department Permit Reference: Lappc/09 Dated: 1st October 1992 Process Type: Local Authority Pollution Prevention and Control Description: PG3/1Blending, packing, loading and use of bulk cement Status: Permitted Positional Accuracy: Manually positioned to the address or location</p>	B13SW (N)	814	3	603022 143915
	<p>Nearest Surface Water Feature</p>	B9SW (SW)	207	-	602847 143120
14	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Water Company Sewage: Foul Sewer Location: 600 Metres U/S Of, Longport Bridge Authority: Environment Agency, Southern Region Pollutant: Storm Sewage Note: Sewage Pouring Out Of Manhole And Into Stream Incident Date: 4th November 1996 Incident Reference: 296441 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Sewage Works Effluent Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	B5NW (SW)	495	2	602900 142900
15	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Water Company Sewage: Other Location: Kennington Road, WILLESBOROUGH Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Sewage Overflowing Into River Stour; Water Company Sewage: Rising Main Incident Date: 26th January 1995 Incident Reference: CD/022/95 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Plc Sewage Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	B5NW (S)	714	2	603150 142900
16	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Industrial: Other Location: Longport Bridge Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Oil On River Stour Ashford Incident Date: 4th January 1993 Incident Reference: CD/016/93 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	B9SE (SE)	728	2	603200 143000
16	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Not Given Location: Rear Of Batchelors Factory, ASHFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Oil In River Incident Date: 25th September 1992 Incident Reference: CD/195/92 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	B9SE (SE)	733	2	603200 142980

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	<p>Pollution Incidents to Controlled Waters</p> <p>Property Type: Domestic/Residential Location: 7 Field End, WILLESBOROUGH Authority: Environment Agency, Southern Region Pollutant: Surcharged Sewage Note: Sewage & Storm Water Flooding Garden & House Incident Date: 30th December 1993 Incident Reference: CD/279/93 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Plc Sewage Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m</p>	B1NW (S)	981	2	603000 142300
	<p>River Quality</p> <p>Name: Great Stour GQA Grade: River Quality D Reach: Wye Bridge - Bybrook Bridge Estimated Distance (km): 1.9 Flow Rate: Flow less than 2.5 cumecs Flow Type: River Year: 2000</p>	B9SW (S)	34	2	603093 143014
	<p>River Quality</p> <p>Name: Great Stour GQA Grade: River Quality D Reach: Wye Bridge - Bybrook Bridge Estimated Distance (km): 5.6 Flow Rate: Flow less than 2.5 cumecs Flow Type: River Year: 2000</p>	B9SE (E)	838	2	603430 143282

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	<p>River Quality Chemistry Sampling Points</p> <p>Name: River Great Stour Reach: Wye Bridge To Bybrook Bridge Estimated Distance: 1.90 Objective: Not Supplied Positional Accuracy: Located by supplier to within 100m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade E - Poor Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied</p>	B9SE (SE)	728	2	603200 143000
19	<p>Substantiated Pollution Incident Register</p> <p>Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 25th May 2017 Incident Reference: 1528207 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Other Pollutant</p>	B9SE (NE)	718	2	603206 143305
20	<p>Substantiated Pollution Incident Register</p> <p>Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 9th June 2016 Incident Reference: 1442291 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Other Pollutant</p>	B9NE (NE)	795	2	603253 143436

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
20	<p>Substantiated Pollution Incident Register</p> <p>Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 9th August 2016 Incident Reference: 1461129 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Other Pollutant</p>	B9NE (NE)	798	2	603257 143433
21	<p>Water Abstractions</p> <p>Operator: Brett Aggregates Limited Licence Number: 9/40/04/0418/G Permit Version: 101 Location: Point A, Gravel Excavation At Conningbrook Quarry Authority: Environment Agency, Southern Region Abstraction: Extractive: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: As Boldly Outlined On Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 12th December 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	B13SW (N)	791	2	603060 143830
21	<p>Water Abstractions</p> <p>Operator: Ace Sand & Gravel Ltd Licence Number: 9/40/04/0418/G Permit Version: 100 Location: Point A, Gravel Excavation At Conningbrook Quarry Authority: Environment Agency, Southern Region Abstraction: Extractive: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: As Boldly Outlined On Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 18th December 1978 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m</p>	B13SW (N)	791	2	603060 143830
	<p>Water Abstractions</p> <p>Operator: Mr P Maylam Licence Number: 9/40/04/0195/A/Sr Permit Version: 100 Location: Reach Ab On Gt Stour Authority: Environment Agency, Southern Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): 764 Yearly Rate (m3): 16436 Details: On Land Shown Edged Red On The Said Plan Authorised Start: 01 April Authorised End: 31 August Permit Start Date: 27th February 2017 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	B17SE (N)	1634	2	603470 144620
	<p>Water Abstractions</p> <p>Operator: Messrs P & I Houchin Licence Number: 9/40/04/0475 Permit Version: 100 Location: Points G-H, River Great Stour At Hinxhill Authority: Environment Agency, Southern Region Abstraction: General Agriculture: Spray Irrigation - Storage Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: As Boldly Outlined On Map Authorised Start: 01 October Authorised End: 31 March Permit Start Date: 7th January 1994 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	B18NW (N)	1817	2	603540 144800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Mitchell Brothers Licence Number: 4/0138/ /SR Permit Version: Not Supplied Location: HINXHILL Authority: Environment Agency, Southern Region Abstraction: Spray Irrigation Abstraction Type: Not Supplied Source: Surface Daily Rate (m3): 366 Yearly Rate (m3): 11024 Details: River Great Stour Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	B18NW (N)	1863	2	603550 144850
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Mixed Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: High	B9SW (SW)	0	4	603000 143001
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Mixed Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: High	(SW)	0	4	602722 143033
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	B9SE (SE)	0	4	603191 143041
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	B9SW (NW)	0	4	603079 143257
22	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone IIc (Outer Protection Zone): Either 25% of the source area or a 400 day travel time whichever is greater - subsurface activity only.	B5NW (S)	175	2	602948 142795
23	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone Ic (Inner Protection Zone): Travel time of 50 days or less to the groundwater source - subsurface activity only.	(SW)	214	2	602441 142766
24	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone III (Total Catchment): The total area needed to support the discharge from the protected groundwater source.	(SW)	293	2	602291 142782

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
25	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone II (Outer Protection Zone): Either 25% of the source area or a 400 day travel time whichever is greater.	(SW)	293	2	602291 142782
26	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone I (Inner Protection Zone): Travel time of 50 days or less to the groundwater source.	(SW)	293	2	602291 142782
27	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone III (Total Catchment): The total area needed to support the discharge from the protected groundwater source.	(SW)	802	2	602368 142196
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	B9SW (S)	44	2	603105 143180
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B9SW (SW)	0	2	603077 143209
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 78.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	B9SW (SW)	304	5	602852 143120
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 111.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B9SW (SW)	325	5	602848 143118
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 76.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B9SW (SW)	333	5	602843 142982
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B9SW (SW)	357	5	602852 143120

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 519.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	B9SW (S)	361	5	603120 143004
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 82.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B9SW (SW)	398	5	602843 142982
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 272.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5NW (S)	403	5	602996 142925
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5NW (S)	667	5	603088 142878
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 124.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5NE (S)	667	5	603175 142939
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5NW (S)	704	5	603096 142818
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 282.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5NW (S)	707	5	603095 142811
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 61.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5NE (SE)	761	5	603255 142930
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 26.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5NE (SE)	801	5	603274 142948

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 164.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	B5NE (SE)	813	5	603274 142948
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 58.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5SW (S)	887	5	603122 142536
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 104.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5NE (SE)	903	5	603359 142921
44	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 58.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B13SE (N)	905	5	603230 143765
45	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5SW (S)	907	5	603070 142451
46	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 32.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5SW (S)	907	5	603100 142482
47	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5SW (S)	908	5	603079 142457
48	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 105.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5SW (S)	910	5	603079 142457
49	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 455.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	B9SE (E)	930	5	603423 143285

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
50	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 149.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	B9SE (E)	934	5	603440 143136
51	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 216.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	B9NE (NE)	944	5	603351 143612
52	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B9SE (SE)	945	5	603425 143006
53	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 200.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B9SE (E)	947	5	603443 143147
54	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 78.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B9SE (SE)	949	5	603428 143002
55	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 19.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B13SE (N)	952	5	603305 143746
56	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B13SE (N)	965	5	603308 143745
57	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 21.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B13SE (NE)	968	5	603326 143733
58	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 376.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Great Stour Catchment Name: Stour Kent Primacy: 1	B13SE (NE)	979	5	603326 143733

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
59	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B9NE (NE)	991	5	603405 143588
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 231.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B9NE (NE)	995	5	603409 143590
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Stour Kent Primacy: 1	B5NE (SE)	995	5	603462 142942

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
62	<p>Licensed Waste Management Facilities (Locations)</p> <p>Licence Number: 102723 Location: Conningbrook Recycling Facility, Willesborough Lane Operator Name: Brett Aggregates Ltd Operator Location: Not Supplied Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Material Recycling Treatment Facilities Licence Status: Modified Issued: 19th June 2012 Last Modified: 18th April 2013 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m</p>	B13SW (N)	845	2	603042 143939
	<p>Local Authority Landfill Coverage</p> <p>Name: Ashford Borough Council - Has no landfill data to supply</p>		0	3	603093 143224
	<p>Local Authority Landfill Coverage</p> <p>Name: Kent County Council - Had landfill data but passed it to the relevant environment agency</p>		0	6	603093 143224
63	<p>Potentially Infilled Land (Non-Water)</p> <p>Bearing Ref: NW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993</p>	B9NW (NW)	491	-	602986 143433
64	<p>Potentially Infilled Land (Non-Water)</p> <p>Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1993</p>	B13SW (N)	628	-	602965 143804
65	<p>Potentially Infilled Land (Water)</p> <p>Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1938</p>	B9SE (E)	885	-	603380 143252
66	<p>Potentially Infilled Land (Water)</p> <p>Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1962</p>	B9SE (E)	938	-	603433 143265
67	<p>Registered Landfill Sites</p> <p>Licence Holder: R Brett & Sons Licence Reference: P/13/17 Site Location: Conningbrook Quarry, Willesborough Road, Ashford, Kent Licence Easting: Not Supplied Licence Northing: Not Supplied Operator Location: Brett House, Wincheap, CANTERBURY, Kent, CT1 3TZ Authority: Environment Agency - Southern Region, Kent Area Site Category: Landfill Max Input Rate: Large (Equal to or greater than 75,000 and less than 250,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Status: Operational as far as is known Dated: 21st March 1989 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Positioned by the supplier Boundary Accuracy: Moderate Authorised Waste: Kent Cat. A -Inert * Prohibited Waste: Waste N.O.S.</p>	B13SW (N)	847	2	603114 143937

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
68	<p>Control of Major Accident Hazards Sites (COMAH)</p> <p>Name: Quest International Flavours And Fragrances Limited Location: Kennington Road, Willesborough, Ashford, Kent, TN24 0LT Reference: 1026163 Type: Upper Tier Status: Active Positional Accuracy: Automatically positioned to the address</p>	B9SW (W)	515	7	603012 143211
68	<p>Control of Major Accident Hazards Sites (COMAH)</p> <p>Name: Givaudan Uk Limited Location: Kennington Road, Willesborough, Ashford, Kent, TN24 0LT Reference: Not Supplied Type: Upper Tier Status: Active Positional Accuracy: Automatically positioned to the address</p>	B9SW (W)	515	7	603012 143211
69	<p>Planning Hazardous Substance Consents</p> <p>Name: Quest International Location: Willesborough Road, Kennington, Ashford, Tn24 0lt Authority: Ashford Borough Council Application Ref: 07/00817/AS Hazardous: Combination of Dangerous Substances Substance: Maximum Quantity: 1200 Application date: 5th May 2007 Decision: Deemed Consent Granted Positional Accuracy: Manually positioned to the address or location</p>	B9SW (W)	514	8	603011 143211

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Lower Greensand Group	B9SW (NE)	0	1	603093 143224
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B5NW (S)	0	1	602991 142916
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B9SW (NW)	0	1	603079 143257
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B9SW (S)	321	1	603133 143125
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B9SW (NE)	335	1	603093 143224
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	(NW)	352	1	602721 143577
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B13SW (N)	491	1	603038 143882

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B5NW (S)	740	1	603093 142730
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B13SE (N)	879	1	603256 143664
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic 15 - 25 mg/kg Concentration: Cadmium <1.8 mg/kg Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B13NW (N)	916	1	603000 144077
70	BGS Recorded Mineral Sites Site Name: Conningbrook Gravel Pit Location: Ashford, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 246936 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits, 3 Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B9NW (NW)	514	1	602945 143450
71	BGS Recorded Mineral Sites Site Name: Conningbrook Quarry Location: Ashford, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 246389 Type: Opencast Status: Ceased Operator: Brett Aggregates Ltd. Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits, 3 (River Stour Gravel) Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B9NW (N)	650	1	603005 143645
72	BGS Recorded Mineral Sites Site Name: Conningbrook Quarry Location: Ashford, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 246387 Type: Opencast Status: Ceased Operator: Brett Aggregates Ltd. Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits, 3 (River Stour Gravel) Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B9SE (E)	689	1	603185 143235

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
73	BGS Recorded Mineral Sites Site Name: Conningbrook Ballast Hole Location: Ashford, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 246934 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits, 3 Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B13SW (N)	737	1	602940 143890
74	BGS Recorded Mineral Sites Site Name: Conningbrook Quarry Location: Ashford, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 2518 Type: Opencast Status: Ceased Operator: Brett Aggregates Ltd. Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits, 3 (River Stour Gravel) Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B9NE (NE)	823	1	603250 143525
75	BGS Recorded Mineral Sites Site Name: Conningbrook Quarry Location: Ashford, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 246388 Type: Opencast Status: Ceased Operator: Brett Aggregates Ltd. Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits, 3 (River Stour Gravel) Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B9SE (E)	854	1	603350 143140
76	BGS Recorded Mineral Sites Site Name: Conningbrook Quarry Location: Ashford, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 246933 Type: Opencast Status: Ceased Operator: Brett Aggregates Ltd. Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits, 3 (River Stour Gravel) Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B13SW (N)	867	1	603100 143905
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain Risk: Rare Source: British Geological Survey, National Geoscience Information Service	B9SW (NE)	0	1	603093 143224
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SW (S)	0	1	603133 143125
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B5NW (S)	0	1	602991 142916
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B5NW (S)	0	1	602991 142916
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B9SW (S)	0	1	603133 143125

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>Potential for Ground Dissolution Stability Hazards</p> <p>Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service</p>	B9SW (NE)	0	1	603093 143224
	<p>Potential for Landslide Ground Stability Hazards</p> <p>Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service</p>	B9SW (NE)	0	1	603093 143224
	<p>Potential for Running Sand Ground Stability Hazards</p> <p>Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service</p>	B9SW (S)	0	1	603133 143125
	<p>Potential for Shrinking or Swelling Clay Ground Stability Hazards</p> <p>Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service</p>	B5NW (S)	0	1	602991 142916
	<p>Potential for Shrinking or Swelling Clay Ground Stability Hazards</p> <p>Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service</p>	B9SW (S)	0	1	603133 143125
	<p>Radon Potential - Radon Affected Areas</p> <p>Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service</p>	B9SW (NE)	0	1	603093 143224
	<p>Radon Potential - Radon Protection Measures</p> <p>Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service</p>	B9SW (NE)	0	1	603093 143224

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
77	Contemporary Trade Directory Entries Name: Givaudan Location: Kennington Road, Willesborough, Ashford, TN24 0LT Classification: Perfume Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address	B9SW (W)	412	-	602894 143300
78	Contemporary Trade Directory Entries Name: Givaudan Location: Kennington Road, Willesborough, Ashford, Kent, TN24 0LT Classification: Cosmetic Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	B9SW (W)	515	-	603012 143211
78	Contemporary Trade Directory Entries Name: Quest International (Uk) Ltd Location: Kennington Road, Willesborough, Ashford, Kent, TN24 0LT Classification: Perfume Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address	B9SW (W)	515	-	603012 143211
79	Contemporary Trade Directory Entries Name: Weprint4less Ltd Location: Kennington Rd, Willesborough, Ashford, Kent, TN24 0NT Classification: Printers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	B5NE (S)	906	-	603270 142715
80	Contemporary Trade Directory Entries Name: Autokwik Location: Willesborough, Ashford, Kent, TN24 0LQ Classification: Tyre Dealers Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	B5NE (S)	979	-	603325 142666
81	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	B9SW (W)	337	9	602832 143227
81	Points of Interest - Manufacturing and Production Name: Tanks Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	B9SW (W)	339	9	602835 143221
81	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	B9SW (W)	342	9	602838 143215
81	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	B9SW (W)	350	9	602847 143175
82	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	B9SW (W)	341	9	602818 143306
82	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	B9SW (W)	350	9	602827 143306
82	Points of Interest - Manufacturing and Production Name: Factory Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	B9SW (W)	407	9	602886 143309

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
82	Points of Interest - Manufacturing and Production Name: Factory Location: TN24 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to address or location	B9SW (NW)	417	9	602897 143309
83	Points of Interest - Manufacturing and Production Name: Factory Location: TN24 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to address or location	B9NW (NW)	385	9	602819 143417
83	Points of Interest - Manufacturing and Production Name: Factory Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	B9NW (NW)	393	9	602824 143425
83	Points of Interest - Manufacturing and Production Name: Tank Location: TN24 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to an adjacent address or location	B9NW (NW)	393	9	602854 143358
84	Points of Interest - Manufacturing and Production Name: Factory Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	B9SW (SW)	513	9	603010 143164
84	Points of Interest - Manufacturing and Production Name: Factory Location: TN24 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to address or location	B9SW (W)	514	9	603011 143209
85	Points of Interest - Manufacturing and Production Name: Pit (Sand and Gravel) Location: TN24 Category: Extractive Industries Class Code: Sand, Gravel and Clay Extraction and Merchants Positional Accuracy: Positioned to an adjacent address or location	B13SW (N)	711	9	602997 143781
86	Points of Interest - Manufacturing and Production Name: Quarry Location: TN24 Category: Extractive Industries Class Code: Unspecified Quarries Or Mines Positional Accuracy: Positioned to an adjacent address or location	B9SE (E)	789	9	603286 143217
87	Points of Interest - Manufacturing and Production Name: Kortlang & Kortlang Ltd Location: Shepway, Kennington Road, Willesborough, Ashford, TN24 0NS Category: Farming Class Code: Poultry Farming, Equipment and Supplies Positional Accuracy: Positioned to address or location	B5NE (S)	875	9	603229 142709
87	Points of Interest - Manufacturing and Production Name: Kortlang & Kortlang Ltd Location: Shepway, Kennington Road, Willesborough, Ashford, TN24 0NS Category: Farming Class Code: Poultry Farming, Equipment and Supplies Positional Accuracy: Positioned to address or location	B5NE (S)	876	9	603230 142709
88	Points of Interest - Manufacturing and Production Name: Pit (Sand and Gravel) Location: TN24 Category: Extractive Industries Class Code: Sand, Gravel and Clay Extraction and Merchants Positional Accuracy: Positioned to an adjacent address or location	B13SW (N)	884	9	603140 143879
89	Points of Interest - Recreational and Environmental Name: Playground Location: Abbey Way, TN24 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	B5SW (S)	984	9	603143 142416

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
90	Nitrate Vulnerable Zones Name: Maidstone Description: Groundwater Source: Environment Agency, Head Office	B9SW (NE)	0	4	603093 143224
91	Nitrate Vulnerable Zones Name: R. Great Stour Nvz Description: Surface Water Source: Environment Agency, Head Office	B9SW (NE)	0	4	603093 143224

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Ashford Borough Council - Environmental Health Department Environment Agency - Head Office	January 2020 June 2020	Annual Rolling Update Annually
Discharge Consents Environment Agency - Southern Region	January 2021	Quarterly
Enforcement and Prohibition Notices Environment Agency - Southern Region	March 2013	Annual Rolling Update
Integrated Pollution Controls Environment Agency - Southern Region	October 2008	Variable
Integrated Pollution Prevention And Control Environment Agency - South East Region - Kent & South London Area Environment Agency - Southern Region	January 2021 January 2021	Quarterly Quarterly
Local Authority Integrated Pollution Prevention And Control Ashford Borough Council - Environmental Health Department	June 2014	Variable
Local Authority Pollution Prevention and Controls Ashford Borough Council - Environmental Health Department	June 2014	Not Applicable
Local Authority Pollution Prevention and Control Enforcements Ashford Borough Council - Environmental Health Department	June 2014	Variable
Nearest Surface Water Feature Ordnance Survey	October 2020	
Pollution Incidents to Controlled Waters Environment Agency - Southern Region	December 1999	Not Applicable
Prosecutions Relating to Authorised Processes Environment Agency - Southern Region	March 2013	Annual Rolling Update
Prosecutions Relating to Controlled Waters Environment Agency - Southern Region	March 2013	Annual Rolling Update
Registered Radioactive Substances Environment Agency - Southern Region	June 2016	
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	July 2012	Annually
River Quality Chemistry Sampling Points Environment Agency - Head Office	July 2012	Annually
Substantiated Pollution Incident Register Environment Agency - South East Region - Kent & South London Area Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	January 2021 January 2021 January 2021	Quarterly Quarterly Quarterly
Water Abstractions Environment Agency - Southern Region	January 2021	Quarterly
Water Industry Act Referrals Environment Agency - Southern Region	October 2017	Quarterly
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	Annually




Agency & Hydrological	Version	Update Cycle
Source Protection Zones Environment Agency - Head Office	October 2019	Quarterly
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	September 2020	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	September 2020	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	September 2020	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	September 2020	Quarterly
Flood Defences Environment Agency - Head Office	September 2020	Quarterly
OS Water Network Lines Ordnance Survey	September 2020	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	October 2013	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	October 2013	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	October 2013	Annually
Surface Water Suitability Environment Agency - Head Office	October 2013	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	June 1996	Not Applicable
Historical Landfill Sites Environment Agency - Head Office	October 2019	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Southern Region	October 2008	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - South East Region - Kent & South London Area Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	January 2021 January 2021 January 2021	Quarterly Quarterly Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - South East Region - Kent & South London Area Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	January 2021 January 2021 January 2021	Quarterly Quarterly Quarterly
Local Authority Landfill Coverage Ashford Borough Council - Environmental Health Department Kent County Council - Waste Management Group	May 2000 May 2000	Not Applicable Not Applicable
Local Authority Recorded Landfill Sites Ashford Borough Council - Environmental Health Department Kent County Council - Waste Management Group	May 2000 May 2000	Not Applicable Not Applicable
Potentially Infilled Land (Non-Water) Landmark Information Group Limited	December 1999	Not Applicable
Potentially Infilled Land (Water) Landmark Information Group Limited	December 1999	Not Applicable
Registered Landfill Sites Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	March 2003 March 2003	Not Applicable Not Applicable
Registered Waste Transfer Sites Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	March 2003 March 2003	Not Applicable Not Applicable
Registered Waste Treatment or Disposal Sites Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	March 2003 March 2003	Not Applicable Not Applicable
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	November 2000	Not Applicable
Planning Hazardous Substance Enforcements Ashford Borough Council Kent County Council	February 2016 January 2016	Variable Variable
Planning Hazardous Substance Consents Ashford Borough Council Kent County Council	February 2016 January 2016	Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	October 2015	Annually
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	November 2020	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	Not Applicable
Coal Mining Affected Areas The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability Ove Arup & Partners	October 2000	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	Annually
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	July 2011	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	January 2021	Quarterly
Fuel Station Entries Catalist Ltd - Experian	September 2020	Quarterly
Gas Pipelines National Grid	January 2021	
Points of Interest - Commercial Services PointX	December 2020	Quarterly
Points of Interest - Education and Health PointX	December 2020	Quarterly
Points of Interest - Manufacturing and Production PointX	December 2020	Quarterly
Points of Interest - Public Infrastructure PointX	December 2020	Quarterly
Points of Interest - Recreational and Environmental PointX	December 2020	Quarterly
Underground Electrical Cables National Grid	December 2020	


Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	February 2021	Bi-Annually
Areas of Adopted Green Belt Ashford Borough Council	June 2020	As notified
Areas of Unadopted Green Belt Ashford Borough Council	June 2020	As notified
Areas of Outstanding Natural Beauty Natural England	January 2021	Bi-Annually
Environmentally Sensitive Areas Natural England	January 2017	
Forest Parks Forestry Commission	April 1997	Not Applicable
Local Nature Reserves Natural England	February 2021	Bi-Annually
Marine Nature Reserves Natural England	July 2019	Bi-Annually
National Nature Reserves Natural England	January 2021	Bi-Annually
National Parks Natural England	April 2017	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2016	Not Applicable
Nitrate Vulnerable Zones Environment Agency - Head Office Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	December 2017 October 2015	Bi-Annually
Ramsar Sites Natural England	August 2020	Bi-Annually
Sites of Special Scientific Interest Natural England	February 2021	Bi-Annually
Special Areas of Conservation Natural England	July 2020	Bi-Annually
Special Protection Areas Natural England	September 2020	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology <small>NATURAL ENVIRONMENT RESEARCH COUNCIL</small>
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Ashford Borough Council - Environmental Health Department Civic Centre, Tannery Lane, Ashford, Kent, TN23 1PL	Telephone: 01233 637311 Fax: 01233 645654 Website: www.ashford.gov.uk
4	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	Kent County Council - Waste Management Group Block H, The Forstal, Beddow Way, Aylesford, Kent, ME20 7BT	Telephone: 01622 605976 Website: www.kent.gov.uk
7	Health and Safety Executive 5S.2 Redgrave Court, Merton Road, Bootle, L20 7HS	Website: www.hse.gov.uk
8	Ashford Borough Council Civic Centre, Tannery Lane, Ashford, Kent, TN23 1PL	Telephone: 01233 637311 Fax: 01233 645979 Website: www.ashford.gov.uk
9	PointX 7 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
10	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk


Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.



M M
MOTT
MACDONALD

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location
 - Pylon
 - Overhead Transmission Line
- Agency and Hydrological**
- Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Waste**
- BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Registered Landfill Site
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site
- Hazardous Substances**
- COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
- Geological**
- BGS Recorded Mineral Site

Site Sensitivity Map - Segment A11



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Plot Buffer (m): 100

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432



M M
MOTT
MACDONALD

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location
 - Pylon
 - Overhead Transmission Line
- Agency and Hydrological**
- Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Waste**
- BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Registered Landfill Site
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site
- Hazardous Substances**
- COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
- Geological**
- BGS Recorded Mineral Site

Site Sensitivity Map - Segment A12




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Plot Buffer (m): 100

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP


Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M
MOTT
MACDONALD

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
- Agency and Hydrological**
- Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Hazardous Substances**
- COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
 - BGS Recorded Mineral Site
- Waste**
- BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Slice A




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M


MOTT MACDONALD

Industrial Land Use Map

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Slice
 - Map ID

- Industrial Land Use**
- Contemporary Trade Directory Entry
 - Fuel Station Entry
 - Gas Pipeline
 - Points of Interest - Commercial Services
 - Points of Interest - Education and Health
 - Points of Interest - Manufacturing and Production
 - Points of Interest - Public Infrastructure
 - Points of Interest - Recreational and Environmental
 - Underground Electrical Cables

Industrial Land Use Map - Slice A




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point

- Agency and Hydrological (Flood)**
- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
 - Flooding from Rivers or Sea without Defences (Zone 3)
 - Area Benefiting from Flood Defence
 - Flood Water Storage Areas
 - Flood Defence

Flood Map - Slice A




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M
MOTT
MACDONALD



- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location

- Agency and Hydrological (Boreholes)**
- BGS Borehole Depth 0 - 10m
 - BGS Borehole Depth 10 - 30m
 - BGS Borehole Depth 30m +
 - Confidential
 - Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point

- OS Water Network Data**
- | | |
|--------------|-------------------------|
| Canal | Drain |
| Reservoir | Other |
| Foresore | Lake |
| Marsh | Transfer |
| Tidal River | Lock Or Flight Of Locks |
| Inland River | Sea |

- Contours (height in meters)**
- Standard Contour 105 Mean Low Water
- Master Contour 100 Mean High Water
- Spot Height 167.3

OS Water Network Map - Slice A




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point

- Risk of Flooding from Surface Water**
- High - 30 Year Return
 - Medium - 100 Year Return
 - Low - 1000 Year Return

- Suitability**
 See the suitability map below
- National to county
 - County to town
 - Town to street
 - Street to parcels of land
 - Property

EANRW Suitability Map - Slice A




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M
MOTT
MACDONALD

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location
- Agency and Hydrological**
- Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - River Quality Sampling Point
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Waste**
- BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - EA Historic Landfill (Buffered Point)
 - EA Historic Landfill (Polygon)
 - Integrated Pollution Control Registered Waste Site
 - Licensed Waste Management Facility (Landfill Boundary)
 - Licensed Waste Management Facility (Location)
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site
- Hazardous Substances**
- COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
 - BGS Recorded Mineral Site

Site Sensitivity Map - Slice B




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M

MOTT MACDONALD Industrial Land Use Map

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Slice
 - Map ID

- Industrial Land Use**
- Contemporary Trade Directory Entry
 - Fuel Station Entry
 - Gas Pipeline
 - Points of Interest - Commercial Services
 - Points of Interest - Education and Health
 - Points of Interest - Manufacturing and Production
 - Points of Interest - Public Infrastructure
 - Points of Interest - Recreational and Environmental
 - Underground Electrical Cables


Industrial Land Use Map - Slice B



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent





M M
MOTT
MACDONALD

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point

- Agency and Hydrological (Flood)**
- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
 - Flooding from Rivers or Sea without Defences (Zone 3)
 - Area Benefiting from Flood Defence
 - Flood Water Storage Areas
 - Flood Defence

Flood Map - Slice B




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M
MOTT
MACDONALD



- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location

- Agency and Hydrological (Boreholes)**
- BGS Borehole Depth 0 - 10m
 - BGS Borehole Depth 10 - 30m
 - BGS Borehole Depth 30m +
 - Confidential
 - Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice B



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk





M M
MOTT
MACDONALD

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point

- OS Water Network Data**
- | | |
|--------------|-------------------------|
| Canal | Drain |
| Reservoir | Other |
| Foreshore | Lake |
| Marsh | Transfer |
| Tidal River | Lock Or Flight Of Locks |
| Inland River | Sea |

- Contours (height in meters)**
- Standard Contour 105 MLW Mean Low Water
- Master Contour 100 MHW Mean High Water
- Spot Height 167.3

OS Water Network Map - Slice B




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point

- Risk of Flooding from Surface Water**
- High - 30 Year Return
 - Medium - 100 Year Return
 - Low - 1000 Year Return

- Suitability**
 See the suitability map below
- National to county
 - County to town
 - Town to street
 - Street to parcels of land
 - Property

E/NRW Suitability Map - Slice B



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD

General


- Specified Site
- Specified Buffer(s)
- ✕ Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg



Estimated Soil Chemistry Arsenic - Slice A



Order Details


Order Details: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD

General


- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg



Estimated Soil Chemistry Cadmium - Slice A



Order Details


Order Details: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg



Estimated Soil Chemistry Chromium - Slice A



Order Details


Order Details: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD

General


- Specified Site
- Specified Buffer(s)
- x Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg



Estimated Soil Chemistry Lead - Slice A



Order Details


Order Details: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD

General


- ◻ Specified Site
- Specified Buffer(s)
- ✕ Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg



Estimated Soil Chemistry Nickel - Slice A



Order Details


Order Details: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg



Estimated Soil Chemistry Arsenic - Slice B



Order Details

Order Details: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details


Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

603000 603500 604000 604500 605000 605500

144500
144000
143500
143000
142500
142000




M
MOTT
MACDONALD

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg



Estimated Soil Chemistry Cadmium - Slice B



Order Details

Order Details: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details


Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

603000 603500 604000 604500 605000 605500

144500
144000
143500
143000
142500
142000




M M
MOTT
MACDONALD

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg



Estimated Soil Chemistry Chromium - Slice B



Order Details

Order Details: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

603000 603500 604000 604500 605000 605500

144500
144000
143500
143000
142500
142000

B20
B16
B12
B8
B4


M M
MOTT MACDONALD

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg



Estimated Soil Chemistry Lead - Slice B



Order Details


Order Details: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




© Crown Copyright. All Rights Reserved. License Number 100022432.

B1 B2 B3 B4

603000 603500 604000 604500 605000 605500

144500
144000
143500
143000
142500
142000




M
M
MOTT
MACDONALD

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg



Estimated Soil Chemistry Nickel - Slice B



Order Details

Order Details: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details






Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP








Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Geology 1:50,000 Maps Legends

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	RTD3	River Terrace Deposits, 3	Sand and Gravel	Not Supplied - Quaternary
	HEAD	Head	Clay and Silt	Not Supplied - Quaternary
	RTD4	River Terrace Deposits, 4	Sand and Gravel	Not Supplied - Quaternary
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	GLT	Gault Formation	Mudstone	Not Supplied - Albian
	SAB	Sandgate Formation	Sandstone, Siltstone and Mudstone	Not Supplied - Aptian
	FO	Folkestone Formation	Sandstone	Not Supplied - Aptian
	HY	Hythe Formation	Sandstone and [Subequal/subordinate] Limestone, Interbedded	Not Supplied - Aptian
	AC	Atherfield Clay Formation	Mudstone, Sandy	Not Supplied - Aptian
	WC	Weald Clay Formation	Mudstone	Not Supplied - Hauterivian
		Faults		

M
M
MOTT
MACDONALD

Geology 1:50,000 Maps


This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID: 1
Map Sheet No: 289
Map Name: Canterbury
Map Date: 1982
Bedrock Geology: Available
Superficial Geology: Available
Artificial Geology: Not Available
Faults: Not Supplied
Landslip: Available
Rock Segments: Not Supplied

Geology 1:50,000 Maps - Slice A



Order Details:


Order Number: 273817799_1_1
Customer Reference: 100419175-001
National Grid Reference: 601910, 143350
Slice: A
Site Area (Ha): 14.43
Search Buffer (m): 1000

Site Details:

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

M
M
MOTT
MACDONALD

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice A



Order Details:


Order Number: 273817799_1_1
 Customer Reference: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details:

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

M M
MOTT
MACDONALD


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice A



Order Details:


Order Number: 273817799_1_1
 Customer Reference: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details:

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

M
M
MOTT
MACDONALD

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice A



Order Details:


Order Number: 273817799_1_1
 Customer Reference: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details:

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

M M
MOTT
MACDONALD

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
 Kingsley Dunham Centre
 Keyworth
 Nottingham
 NG12 5GG
 Telephone: 0115 936 3143
 Fax: 0115 936 3276
 email: enquiries@bgs.ac.uk
 website: www.bgs.ac.uk

Combined Geology Map - Slice A



Order Details:

Order Number: 273817799_1_1
 Customer Reference: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details:







Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP








Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Geology 1:50,000 Maps Legends

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	RTD3	River Terrace Deposits, 3	Sand and Gravel	Not Supplied - Quaternary
	HEAD	Head	Clay and Silt	Not Supplied - Quaternary
	RTD4	River Terrace Deposits, 4	Sand and Gravel	Not Supplied - Quaternary
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary
	PEAT	Peat	Peat	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	GLT	Gault Formation	Mudstone	Not Supplied - Albian
	SAB	Sandgate Formation	Sandstone, Siltstone and Mudstone	Not Supplied - Aptian
	FO	Folkestone Formation	Sandstone	Not Supplied - Aptian
	HY	Hythe Formation	Sandstone and [Subequal/subordinate] Limestone, Interbedded	Not Supplied - Aptian
	AC	Atherfield Clay Formation	Mudstone, Sandy	Not Supplied - Aptian
	WC	Weald Clay Formation	Mudstone	Not Supplied - Hauterivian
		Faults		

M
M
MOTT
MACDONALD

Geology 1:50,000 Maps


This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	1
Map Sheet No:	289
Map Name:	Canterbury
Map Date:	1982
Bedrock Geology:	Available
Superficial Geology:	Available
Artificial Geology:	Not Available
Faults:	Not Supplied
Landslip:	Available
Rock Segments:	Not Supplied

Geology 1:50,000 Maps - Slice B



Order Details:


Order Number: 273817799_1_1
Customer Reference: 100419175-001
National Grid Reference: 603090, 143220
Slice: B
Site Area (Ha): 14.43
Search Buffer (m): 1000

Site Details:

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

M
MOTT
MACDONALD

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice B



Order Details:


Order Number: 273817799_1_1
 Customer Reference: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details:

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

M M
MOTT
MACDONALD


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice B



Order Details:


Order Number: 273817799_1_1
 Customer Reference: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details:

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

M
M
MOTT
MACDONALD

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice B



Order Details:


Order Number: 273817799_1_1
 Customer Reference: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details:

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

M
M
MOTT
MACDONALD

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice B



Order Details:

Order Number: 273817799_1_1
Customer Reference: 100419175-001
National Grid Reference: 603090, 143220
Slice: B
Site Area (Ha): 14.43
Search Buffer (m): 1000


Site Details:

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

599500 600000 600500 601000 601500 602000 602500 603000 603500



© Crown Copyright. All Rights Reserved. License Number 100022432

M
MOTT
MACDONALD

Groundwater Vulnerability

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- | Bedrock Aquifers | Superficial Aquifers |
|---|---|
| High Vulnerability, Principal Aquifer | High Vulnerability, Principal Aquifer |
| High Vulnerability, Secondary Aquifer | High Vulnerability, Secondary Aquifer |
| Medium Vulnerability, Principal Aquifer | Medium Vulnerability, Principal Aquifer |
| Medium Vulnerability, Secondary Aquifer | Medium Vulnerability, Secondary Aquifer |
| Low Vulnerability, Principal Aquifer | Low Vulnerability, Principal Aquifer |
| Low Vulnerability, Secondary Aquifer | Low Vulnerability, Secondary Aquifer |

- Unproductive Aquifer
- Soluble Rock

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000


Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

599500 600000 600500 601000 601500 602000 602500 603000 603500



© Crown Copyright. All Rights Reserved. License Number 100022432

0 1 km

M M
MOTT
MACDONALD

Bedrock Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000


Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

599500 600000 600500 601000 601500 602000 602500 603000 603500



© Crown Copyright. All Rights Reserved. License Number: 100022432

M
MOTT
MACDONALD

Superficial Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000


Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

599500 600000 600500 601000 601500 602000 602500 603000 603500



© Crown Copyright. All Rights Reserved. License Number: 100022432

M
MOTT
MACDONALD

Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000


Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

599500 600000 600500 601000 601500 602000 602500 603000 603500








© Crown Copyright. All Rights Reserved. License Number: 100022432


M
MOTT
MACDONALD

Sensitive Land Uses


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Sensitive Land Uses

- | | |
|--|---|
|  Ancient Woodland |  National Park |
|  Area of Adopted Green Belt |  Nitrate Sensitive Area |
|  Area of Unadopted Green Belt |  Nitrate Vulnerable Zone |
|  Area of Outstanding Natural Beauty |  Ramsar Site |
|  Environmentally Sensitive Area |  Site of Special Scientific Interest |
|  Forest Park |  Special Area of Conservation |
|  Local Nature Reserve |  Special Protection Area |
|  Marine Nature Reserve |  World Heritage Sites |
|  National Nature Reserve | |

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000


Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

599500 600000 600500 601000 601500 602000 602500 603000 603500



© Crown Copyright. All Rights Reserved. License Number: 100022432

M
MOTT
MACDONALD

BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432

M
MOTT
MACDONALD

Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- Soluble Rock

Site Sensitivity Context Map - Slice B



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000


Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

602500 603000 603500 604000 604500 605000 605500 606000



© Crown Copyright. All Rights Reserved. License Number 100022432


0 1 km

M M
MOTT
MACDONALD
Bedrock Aquifer Designation

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Slice
 - Map ID

- Agency and Hydrological**
- Geological Classes**
- Principal Aquifer
 - Secondary A Aquifer
 - Secondary B Aquifer
 - Secondary Undifferentiated
 - Unproductive Strata
 - Unknown
 - Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. License Number 100022432

M
MOTT
MACDONALD






Superficial Aquifer Designation

General


-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Agency and Hydrological

Geological Classes

-  Principal Aquifer
-  Secondary A Aquifer
-  Secondary B Aquifer
-  Secondary Undifferentiated
-  Unproductive Strata
-  Unknown
-  Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. License Number 100022432








M
MOTT
MACDONALD

Source Protection Zones


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Agency and Hydrological

-  Inner zone (Zone 1)
-  Inner zone - subsurface activity only (Zone 1c)
-  Outer zone (Zone 2)
-  Outer zone - subsurface activity only (Zone 2c)
-  Total catchment (Zone 3)
-  Total catchment - subsurface activity only (Zone 3c)
-  Special interest (Zone 4)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk








© Crown Copyright. All Rights Reserved. License Number 100022432

M
MOTT
MACDONALD

Sensitive Land Uses


General

-  Specified Site
-  Specified Buffer(s)
-  Bearing Reference Point
-  Slice
-  Map ID

Sensitive Land Uses

-  Ancient Woodland
-  Area of Adopted Green Belt
-  Area of Unadopted Green Belt
-  Area of Outstanding Natural Beauty
-  Environmentally Sensitive Area
-  Forest Park
-  Local Nature Reserve
-  Marine Nature Reserve
-  National Nature Reserve
-  National Park
-  Nitrate Sensitive Area
-  Nitrate Vulnerable Zone
-  Ramsar Site
-  Site of Special Scientific Interest
-  Special Area of Conservation
-  Special Protection Area
-  World Heritage Sites

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432

0 1 km

M
MOTT
MACDONALD

BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice B



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500

Quarry **Gravel Pit** **Sand Pit**
Clay Pit **Shingle** **Refuse Heap**
Sloping Masonry **Flat Rock**
Marsh **Reeds** **Osiers**
Rough Pasture **Furze** **Wood**
Mixed Wood **Brushwood** **Orchard**
Fir **Ford** **Stepping Stones**
Ferry **Waterfall** **Lock**
Trig. Station **Altitude at Trig. Station**
B.M. 325.9 **Bench Mark** **Surface Level**
Arrow denotes flow of water **Antiquities (site of)**
Cutting **Embankment**
Railway crossing Road **Level Crossing** **Road crossing Railway**
Railway crossing River or Canal **Road over single stream** **Road over River or Canal**
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
County Borough Boundary (England)
Co. Boro. Bdy.
County Burgh Boundary (Scotland)
Boundary Post or Stone **Police Call Box**
B.R. **Bridle Road** **P** **Pump**
E.P. **Electricity Pylon** **S.P.** **Signal Post**
F.B. **Foot Bridge** **Sl.** **Sluice**
F.P. **Foot Path** **Sp.** **Spring**
G.P. **Guide Post or Board** **T.C.B.** **Telephone Call Box**
M.S. **Mile Stone** **Tr.** **Trough**
M.P. M.R. **Mooring Post or Ring** **W** **Well**

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250

Inactive Quarry, Chalk Pit or Clay Pit **Active Quarry, Chalk Pit or Clay Pit**
Rock **Boulders**
Cliff **Slopes** **Top**
Roofed Building **Glazed Roof Building**
Sloping Masonry **Archway**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Bench Mark** **Antiquity (site of)**
Cave Entrance **Triangulation Station** **Electricity Pylon**
Electricity Transmission Line
County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
London Borough Boundary
Symbol marking point where boundary mereing changes
BH **Beer House** **P** **Pillar, Pole or Post**
BP, BS **Boundary Post or Stone** **PO** **Post Office**
Cn, C **Capstan, Crane** **PC** **Public Convenience**
Chy **Chimney** **PH** **Public House**
D Fn **Drinking Fountain** **Pp** **Pump**
EI P **Electricity Pillar or Post** **SB, S Br** **Signal Box or Bridge**
FAP **Fire Alarm Pillar** **SP, SL** **Signal Post or Light**
FB **Foot Bridge** **Spr** **Spring**
GP **Guide Post** **Tk** **Tank or Track**
H **Hydrant or Hydraulic** **TCB** **Telephone Call Box**
LC **Level Crossing** **TCP** **Telephone Call Post**
MH **Manhole** **Tr** **Trough**
MP **Mile Post or Mooring Post** **Wr Pt, Wr T** **Water Point, Water Tap**
MS **Mile Stone** **W** **Well**
NTL **Normal Tidal Limit** **Wd Pp** **Wind Pump**


Large-Scale National Grid Data 1:2,500 and 1:1,250

Cliff **Slopes** **Top**
Rock **Rock (scattered)**
Boulders **Boulders (scattered)**
Positioned Boulder **Scree**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Triangulation Station** **Antiquity (site of)**
Electricity Transmission Line **Electricity Pylon**
B.M. 231.60m **Bench Mark** **Buildings with Building Seed**
Roofed Building **Glazed Roof Building**
Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)
Bks **Barracks** **P** **Pillar, Pole or Post**
Bty **Battery** **PO** **Post Office**
Cemy **Cemetery** **PC** **Public Convenience**
Chy **Chimney** **Pp** **Pump**
Cis **Cistern** **Ppg Sta** **Pumping Station**
Dismtd Rly **Dismantled Railway** **PW** **Place of Worship**
EI Gen Sta **Electricity Generating Station** **Sewage Ppg Sta** **Sewage Pumping Station**
EI P **Electricity Pole, Pillar** **SB, S Br** **Signal Box or Bridge**
EI Sub Sta **Electricity Sub Station** **SP, SL** **Signal Post or Light**
FB **Filter Bed** **Spr** **Spring**
Fn / D Fn **Fountain / Drinking Ftn.** **Tk** **Tank or Track**
Gas Gov **Gas Valve Compound** **Tr** **Trough**
GVC **Gas Governor** **Wd Pp** **Wind Pump**
GP **Guide Post** **Wr Pt, Wr T** **Water Point, Water Tap**
MH **Manhole** **Wks** **Works (building or area)**
MP, MS **Mile Post or Mile Stone** **W** **Well**

M M MOTT MACDONALD Historical Mapping & Photography included:


Mapping Type	Scale	Date	Pg
Kent	1:2,500	1871 - 1872	2
Kent	1:2,500	1898	3
Kent	1:2,500	1907	4
Kent	1:2,500	1933	5
Ordnance Survey Plan	1:1,250	1958	6
Ordnance Survey Plan	1:2,500	1960 - 1972	7
Ordnance Survey Plan	1:1,250	1966 - 1972	8
Supply of Unpublished Survey Information	1:1,250	1973	9
Ordnance Survey Plan	1:1,250	1974 - 1987	10
Additional SIMs	1:1,250	1977 - 1988	11
Additional SIMs	1:1,250	1984 - 1991	12
Large-Scale National Grid Data	1:1,250	1992	13
Large-Scale National Grid Data	1:1,250	1993 - 1995	14
Large-Scale National Grid Data	1:1,250	1996	15
Historical Aerial Photography	1:2,500	1999	16

Historical Map - Segment A11



Order Details
 Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details
 Ashford WTW and STC, Ashford, Kent




M M
MOTT MACDONALD
Kent


Published 1871 - 1872
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent



Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M
MOTT MACDONALD
Kent
Published 1898
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD
Kent


Published 1907
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT MACDONALD
Kent


Published 1933
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT MACDONALD
Ordnance Survey Plan
Published 1958
Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)


FR0143NW	FR0143NE	FR0243NW
1958	1958	1958
1:1,250	1:1,250	1:1,250
FR0143SW	FR0143SE	FR0243SW
1958	1958	1958
1:1,250	1:1,250	1:1,250
FR0142NW	FR0142NE	FR0242NW
1958	1958	1958
1:1,250	1:1,250	1:1,250



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details
 Ashford WTW and STC, Ashford, Kent




M M
MOTT MACDONALD
Ordnance Survey Plan
Published 1960 - 1972
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

TR0143 1960 12,500	TR0243 1972 12,500
TR0142 1960 12,500	TR0242 1972 12,500




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT MACDONALD
Ordnance Survey Plan
Published 1966 - 1972
Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

FR0143NW	FR0143NE	FR0243NW
1969	1969	1972
1:1,250	1:1,250	1:1,250
FR0143SW	FR0143SE	FR0243SW
1969	1969	1966
1:1,250	1:1,250	1:1,250
FR0142NW	FR0142NE	FR0242NW
1971	1971	1970
1:1,250	1:1,250	1:1,250



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100


Site Details
 Ashford WTW and STC, Ashford, Kent




M M
MOTT MACDONALD
Supply of Unpublished Survey Information
Published 1973
Source map scale - 1:1,250

SUSI maps (Supply of Unpublished Survey Information) were produced between 1972 and 1977, mainly for internal use at Ordnance Survey. These were more of a 'work-in-progress' plan as they showed updates of individual areas on a map. These maps were unpublished, and they do not represent a single moment in time. They were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M
M
 MOTT
 MACDONALD

Ordnance Survey Plan

Published 1974 - 1987


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

R0143NW	1974	1:1,250	
R0143SW	1987	1:1,250	
R0143SE	1986	1:1,250	
R0142NW	1982	1:1,250	

Historical Map - Segment A11



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M
M
 MOTT
 MACDONALD


Additional SIMs
Published 1977 - 1988
Source map scale - 1:1,250

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

FR0143NW	1983	1:1,250
FR0143SW	1977	1:1,250
FR0143SE	1977	1:1,250
FR0143SW	1977	1:1,250
FR0142NW	1979	1:1,250
FR0142NE	1979	1:1,250
FR0242NW	1988	1:1,250

Historical Map - Segment A11



Order Details
 Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP
 Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M
M

MOTT
MACDONALD

Additional SIMs

Published 1984 - 1991


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

FR0143NW	1989	1:1,250
FR0143SW	1984	1:1,250
FR0243SW	1986	1:1,250
FR0142NW	1987	1:1,250
FR0142NE	1991	1:1,250

Historical Map - Segment A11



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT MACDONALD
Large-Scale National Grid Data
Published 1992
Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

FR0143NW	FR0143NE	FR0243NW
1992	1992	1992
1:1,250	1:1,250	1:1,250
FR0143SW	FR0143SE	FR0243SW
1992	1992	1992
1:1,250	1:1,250	1:1,250
FR0142NW	FR0142NE	FR0242NW
1992	1992	1992
1:1,250	1:1,250	1:1,250

Historical Map - Segment A11



Order Details
 Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details
 Ashford WTW and STC, Ashford, Kent


Landmark
 INFORMATION GROUP
 Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk





M M
MOTT MACDONALD
Large-Scale National Grid Data
Published 1993 - 1995
Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details
 Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP
 Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

M
M
MOTT
MACDONALD


Large-Scale National Grid Data

Published 1996


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A11



Order Details


Order Number: 273817799_1_1
Customer Ref: 100419175-001
National Grid Reference: 601910, 143350
Slice: A
Site Area (Ha): 14.43
Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent


Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



601600 601800 602000

143600
143400
143200
143000




M M

**MOTT
MACDONALD**
Historical Aerial Photography
Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A11



Order Details
Order Number: 273817799_1_1
Customer Ref: 100419175-001
National Grid Reference: 601910, 143350
Slice: A
Site Area (Ha): 14.43
Search Buffer (m): 100

Site Details
Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500

Quarry **Gravel Pit** **Sand Pit**
Clay Pit **Shingle** **Refuse Heap**
Sloping Masonry **Flat Rock**
Marsh **Reeds** **Osiers**
Rough Pasture **Furze** **Wood**
Mixed Wood **Brushwood** **Orchard**
Fir **Ford** **Stepping Stones**
Ferry **Waterfall** **Lock**
Trig. Station **Altitude at Trig. Station**
B.M. 325.9 **Bench Mark** **Surface Level**
Arrow denotes flow of water **Antiquities (site of)**
Cutting **Embankment**
Railway crossing Road **Level Crossing** **Road crossing Railway**
Railway crossing River or Canal **Road over single stream** **Road over River or Canal**
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
County Borough Boundary (England)
Co. Boro. Bdy.
County Burgh Boundary (Scotland)
Boundary Post or Stone **Police Call Box**
B.R. **Bridle Road** **P** **Pump**
E.P. **Electricity Pylon** **S.P.** **Signal Post**
F.B. **Foot Bridge** **Sl.** **Sluice**
F.P. **Foot Path** **Sp.** **Spring**
G.P. **Guide Post or Board** **T.C.B.** **Telephone Call Box**
M.S. **Mile Stone** **Tr.** **Trough**
M.P. M.R. **Mooring Post or Ring** **W** **Well**

Ordnance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information 1:2,500 and 1:1,250

Inactive Quarry, Chalk Pit or Clay Pit **Active Quarry, Chalk Pit or Clay Pit**
Rock **Boulders**
Cliff **Slopes** **Top**
Roofed Building **Glazed Roof Building**
Sloping Masonry **Archway**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Bench Mark** **Antiquity (site of)**
Cave Entrance **Triangulation Station** **Electricity Pylon**
Electricity Transmission Line
County Boundary (Geographical)
County & Civil Parish Boundary
Civil Parish Boundary
Admin. County or County Bor. Boundary
London Borough Boundary
Symbol marking point where boundary mereing changes
BH **Beer House** **P** **Pillar, Pole or Post**
BP, BS **Boundary Post or Stone** **PO** **Post Office**
Cn, C **Capstan, Crane** **PC** **Public Convenience**
Chy **Chimney** **PH** **Public House**
D Fn **Drinking Fountain** **Pp** **Pump**
EI P **Electricity Pillar or Post** **SB, S Br** **Signal Box or Bridge**
FAP **Fire Alarm Pillar** **SP, SL** **Signal Post or Light**
FB **Foot Bridge** **Spr** **Spring**
GP **Guide Post** **Tk** **Tank or Track**
H **Hydrant or Hydraulic** **TCB** **Telephone Call Box**
LC **Level Crossing** **TCP** **Telephone Call Post**
MH **Manhole** **Tr** **Trough**
MP **Mile Post or Mooring Post** **Wr Pt, Wr T** **Water Point, Water Tap**
MS **Mile Stone** **W** **Well**
NTL **Normal Tidal Limit** **Wd Pp** **Wind Pump**


Large-Scale National Grid Data 1:2,500 and 1:1,250

Cliff **Slopes** **Top**
Rock **Rock (scattered)**
Boulders **Boulders (scattered)**
Positioned Boulder **Scree**
Non-Coniferous Tree (surveyed) **Coniferous Tree (surveyed)**
Non-Coniferous Trees (not surveyed) **Coniferous Trees (not surveyed)**
Orchard Tree **Scrub** **Bracken**
Coppice, Osier **Reeds** **Marsh, Saltings**
Rough Grassland **Heath** **Culvert**
Direction of water flow **Triangulation Station** **Antiquity (site of)**
Electricity Transmission Line **Electricity Pylon**
B.M. 231.60m **Bench Mark** **Buildings with Building Seed**
Roofed Building **Glazed Roof Building**
Civil parish/community boundary
District boundary
County boundary
Boundary post/stone
Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)
Bks **Barracks** **P** **Pillar, Pole or Post**
Bty **Battery** **PO** **Post Office**
Cemy **Cemetery** **PC** **Public Convenience**
Chy **Chimney** **Pp** **Pump**
Cis **Cistern** **Ppg Sta** **Pumping Station**
Dismtd Rly **Dismantled Railway** **PW** **Place of Worship**
EI Gen Sta **Electricity Generating Station** **Sewage Ppg Sta** **Sewage Pumping Station**
EI P **Electricity Pole, Pillar** **SB, S Br** **Signal Box or Bridge**
EI Sub Sta **Electricity Sub Station** **SP, SL** **Signal Post or Light**
FB **Filter Bed** **Spr** **Spring**
Fn / D Fn **Fountain / Drinking Ftn.** **Tk** **Tank or Track**
Gas Gov **Gas Valve Compound** **Tr** **Trough**
GVC **Gas Governor** **Wd Pp** **Wind Pump**
GP **Guide Post** **Wr Pt, Wr T** **Water Point, Water Tap**
MH **Manhole** **Wks** **Works (building or area)**
MP, MS **Mile Post or Mile Stone** **W** **Well**

M M MOTT MACDONALD Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Kent	1:2,500	1871	2
Kent	1:2,500	1898	3
Kent	1:2,500	1907	4
Kent	1:2,500	1933	5
Ordnance Survey Plan	1:1,250	1958	6
Ordnance Survey Plan	1:1,250	1966 - 1975	7
Ordnance Survey Plan	1:2,500	1972	8
Additional SIMs	1:1,250	1977 - 1989	9
Additional SIMs	1:1,250	1986	10
Large-Scale National Grid Data	1:1,250	1992	11
Large-Scale National Grid Data	1:1,250	1993	12
Large-Scale National Grid Data	1:1,250	1996	13
Historical Aerial Photography	1:2,500	1999	14

Historical Map - Segment A12




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent




M
M
 MOTT
 MACDONALD


Kent
Published 1871
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M
M
 MOTT
 MACDONALD


Kent

Published 1898


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M
M
 MOTT
 MACDONALD
 Kent


Published 1907
 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD
Kent


Published 1933
Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M
M
 MOTT
 MACDONALD

Ordnance Survey Plan

Published 1958


Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

R0243NW	R0243NE
958	958
1:1,250	1:1,250
R0243SW	R0243SE
958	958
1:1,250	1:1,250
R0242NW	R0242NE
958	958
1:1,250	1:1,250

Historical Map - Segment A12



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT MACDONALD
Ordnance Survey Plan
Published 1966 - 1975
Source map scale - 1:1,250

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

R0243NV	R0243NE
972	1975
1:1,250	1:1,250
R0243SV	R0243SE
966	1971
1:1,250	1:1,250
R0242NV	R0242NE
970	1971
1:1,250	1:1,250




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M
MOTT
MACDONALD

Ordnance Survey Plan

Published 1972


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

TR0243	1972	1:2,500
TR0242	1972	1:2,500

Historical Map - Segment A12



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M
M
 MOTT
 MACDONALD

Additional SIMs

Published 1977 - 1989


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

TR0243SW 1977 1:1,250	TR0243SE 1989 1:1,250
TR0242NW 1988 1:1,250	TR0242NE 1983 1:1,250

Historical Map - Segment A12



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M
M

MOTT
MACDONALD


Additional SIMs

Published 1986


Source map scale - 1:1,250

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT MACDONALD
Large-Scale National Grid Data
Published 1992
Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

TR0243NW	TR0243NE
1992	1992
1:1,250	1:1,250
TR0243SW	TR0243SE
1992	1992
1:1,250	1:1,250
TR0242NW	TR0242NE
1992	1992
1:1,250	1:1,250




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




© Crown copyright and Landmark Information Group Limited 2021. All Rights Reserved.


M M
MOTT MACDONALD
Large-Scale National Grid Data
Published 1993
Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details

Ashford WTW and STC, Ashford, Kent



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

M
M
MOTT
MACDONALD


Large-Scale National Grid Data

Published 1996


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A12



Order Details


Order Number: 273817799_1_1
Customer Ref: 100419175-001
National Grid Reference: 601910, 143350
Slice: A
Site Area (Ha): 14.43
Search Buffer (m): 100


Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk






M M
MOTT MACDONALD
Historical Aerial Photography
Published 1999

This aerial photography was produced by Getmapping, these vertical aerial photographs provide a seamless, full colour survey of the whole of Great Britain

Historical Aerial Photography - Segment A12



Order Details
 Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 100

Site Details
 Ashford WTW and STC, Ashford, Kent

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	-285 Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Coppice		Bracken
	Heath		Rough Grassland
	Marsh		Reeds
	Saltings		
	Building		Glasshouse
	Sloping Masonry		Pylon
	Electricity Transmission Line		Pole
	Cutting		Embankment
	Standard Gauge Multiple Track		Standard Gauge Single Track
	Siding, Tramway or Mineral Line		Narrow Gauge
	Geographical County		
	Administrative County, County Borough or County of City		
	Municipal Borough, Urban or Rural District, Burgh or District Council		
	Borough, Burgh or County Constituency Shown only when not coincident with other boundaries		
	Civil Parish Shown alternately when coincidence of boundaries occurs		
	BP, BS Boundary Post or Stone		Pol Sta Police Station
	Ch Church		PO Post Office
	CH Club House		PC Public Convenience
	F E Sta Fire Engine Station		PH Public House
	FB Foot Bridge		SB Signal Box
	Fn Fountain		Spr Spring
	GP Guide Post		TCB Telephone Call Box
	MP Mile Post		TCP Telephone Call Post
	MS Mile Stone		W Well


1:10,000 Raster Mapping

	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	MHW(S) Mean high water (springs)		MLW(S) Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building

M
M
MOTT
MACDONALD
Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Kent	1:10,560	1876	2
Kent	1:10,560	1898	3
Kent	1:10,560	1908	4
Kent	1:10,560	1931	5
Kent	1:10,560	1938	6
Historical Aerial Photography	1:10,560	1947	7
Ordnance Survey Plan	1:10,000	1962	8
Ordnance Survey Plan	1:10,000	1975	9
Ordnance Survey Plan	1:10,000	1985	10
Ordnance Survey Plan	1:10,000	1993	11
10K Raster Mapping	1:10,000	1999	12
10K Raster Mapping	1:10,000	2006	13
VectorMap Local	1:10,000	2020	14

Historical Map - Slice A



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD
Kent



Published 1876
Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M
MOTT
MACDONALD
Kent



Published 1898
Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

065NW	1898	1:10,560
065SW	1898	1:10,560

Historical Map - Slice A



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD

Kent
Published 1908



Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD
Kent


Published 1931
Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD
Kent


Published 1938
Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT MACDONALD
Historical Aerial Photography
Published 1947
Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)



Historical Aerial Photography - Slice A



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent




Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk





M M
MOTT MACDONALD
Ordnance Survey Plan
Published 1962
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)




Historical Map - Slice A



Order Details
 Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000


Site Details
 Ashford WTW and STC, Ashford, Kent




M M
MOTT MACDONALD
Ordnance Survey Plan
Published 1975
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)




Historical Map - Slice A



Order Details
 Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000


Site Details
 Ashford WTW and STC, Ashford, Kent




M M
MOTT MACDONALD
Ordnance Survey Plan
Published 1985
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)




Historical Map - Slice A



Order Details
 Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000


Site Details
 Ashford WTW and STC, Ashford, Kent





M M
MOTT MACDONALD
Ordnance Survey Plan
Published 1993
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details
 Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP


Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT MACDONALD
10k Raster Mapping
Published 1999
Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)




Historical Map - Slice A



Order Details
 Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent


Landmark
 INFORMATION GROUP
 Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk





M M
MOTT MACDONALD
10k Raster Mapping
Published 2006
Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)




Historical Map - Slice A



Order Details
 Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent


Landmark
 INFORMATION GROUP
 Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk





M M
MOTT MACDONALD
VectorMap Local
Published 2020
Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities), 1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 601910, 143350
 Slice: A
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		Bench Mark
	Site of Antiquities		Well, Spring, Boundary Post		
	Pump, Guide Post, Signal Post				
	-285 Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Coppice		Heath
	Rough Grassland		Marsh
	Reeds		Saltings
	Building		Glasshouse
	Sloping Masonry		Pylon
	Electricity Transmission Line		Pole
	Cutting		Embankment
	Standard Gauge Multiple Track		Standard Gauge Single Track
	Siding, Tramway or Mineral Line		Narrow Gauge
	Geographical County		
	Administrative County, County Borough or County of City		
	Municipal Borough, Urban or Rural District, Burgh or District Council		
	Borough, Burgh or County Constituency Shown only when not coincident with other boundaries		
	Civil Parish Shown alternately when coincidence of boundaries occurs		
	BP, BS Boundary Post or Stone		Pol Sta Police Station
	Ch Church		PO Post Office
	CH Club House		PC Public Convenience
	F E Sta Fire Engine Station		PH Public House
	FB Foot Bridge		SB Signal Box
	Fn Fountain		Spr Spring
	GP Guide Post		TCB Telephone Call Box
	MP Mile Post		TCP Telephone Call Post
	MS Mile Stone		W Well

1:10,000 Raster Mapping

	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	MHW(S) Mean high water (springs)		MLW(S) Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building


M
M

MOTT
MACDONALD

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Kent	1:10,560	1876	2
Kent	1:10,560	1898	3
Kent	1:10,560	1908	4
Kent	1:10,560	1931	5
Kent	1:10,560	1938 - 1940	6
Historical Aerial Photography	1:10,560	1947	7
Ordnance Survey Plan	1:10,000	1961 - 1962	8
Ordnance Survey Plan	1:10,000	1975 - 1978	9
Ordnance Survey Plan	1:10,000	1985	10
Ordnance Survey Plan	1:10,000	1990 - 1993	11
10K Raster Mapping	1:10,000	1999	12
10K Raster Mapping	1:10,000	2006	13
VectorMap Local	1:10,000	2020	14

Historical Map - Slice B



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M
MOTT MACDONALD
Kent
Published 1876
Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

06500
 1876
 1:10,560

Historical Map - Slice B

N

Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT MACDONALD
Kent
Published 1898
Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

065NW 1898 1:10,560	065NE 1898 1:10,560
065SW 1898 1:10,560	065SE 1898 1:10,560




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M
MOTT
MACDONALD
Kent


Published 1908
Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

065NW 1908 1:10,560	065NE 1908 1:10,560
065SW 1908 1:10,560	065SE 1908 1:10,560

Historical Map - Slice B



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT MACDONALD
Kent
Published 1931
Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

065NW	1931	1:10,560
065SW	1931	1:10,560

Historical Map - Slice B




Order Details
 Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M
MOTT
MACDONALD
Kent


Published 1938 - 1940
Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

065NW 1938 1:10,560	065NE 1940 1:10,560
065SW 1938 1:10,560	065SE 1939 1:10,560

Historical Map - Slice B



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT MACDONALD
Historical Aerial Photography
Published 1947
Source map scale - 1:10,560


The Historical Aerial Photos were produced by the Ordnance Survey at a scale of 1:1,250 and 1:10,560 from Air Force photography. They were produced between 1944 and 1951 as an interim measure, pending preparation of conventional mapping, due to post war resource shortages. New security measures in the 1950's meant that every photograph was re-checked for potentially unsafe information with security sites replaced by fake fields or clouds. The original editions were withdrawn and only later made available after a period of fifty years although due to the accuracy of the editing, without viewing both revisions it is not easy to spot the edits. Where available Landmark have included both revisions.

© Landmark Information Group and/or Data Suppliers 2010.

Map Name(s) and Date(s)



Historical Aerial Photography - Slice B



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000


Site Details

Ashford WTW and STC, Ashford, Kent





Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk





M M
MOTT MACDONALD
Ordnance Survey Plan
Published 1961 - 1962
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent



Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M
MOTT MACDONALD
Ordnance Survey Plan
Published 1975 - 1978
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.




Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M

**MOTT
MACDONALD**


Ordnance Survey Plan

Published 1985


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent



Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M
MOTT MACDONALD
Ordnance Survey Plan
Published 1990 - 1993
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.




Order Details
 Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP


Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT
MACDONALD
10k Raster Mapping
Published 1999
Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent




Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




M M
MOTT MACDONALD
10k Raster Mapping
Published 2006
Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details

Ashford WTW and STC, Ashford, Kent



Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



M M
MOTT MACDONALD
VectorMap Local
Published 2020
Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities), 1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).



Order Details

Order Number: 273817799_1_1
 Customer Ref: 100419175-001
 National Grid Reference: 603090, 143220
 Slice: B
 Site Area (Ha): 14.43
 Search Buffer (m): 1000

Site Details
 Ashford WTW and STC, Ashford, Kent

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

© Crown copyright. All Rights Reserved. Licence Number 100022432.