



J. T. Hymas (Site Investigation) Ltd.
12 Yarm Road, Stockton on Tees
TS18 3NA

Tel 01642 607083
Fax 01642 612355

BOREHOLE LOG

Project AVECIA, Billingham				BOREHOLE No 3	
Job No 15275	Date 11-07-01	Ground Level (m)	Co-Ordinates ()		
Contractor Groundquest				Sheet 1 of 2	

SAMPLES & TESTS			Water	STRATA			Geology	Instrument/ Backfill
Depth	Type No	Test Result		Reduced Level	Legend	Depth (Thickness)		
0.10-0.40	B				0.40	MADE GROUND: Gravel over black sandy fine to coarse gravel including brick, concrete and slag with some ash traces.		
0.50-0.95	U				(1.10)	Stiff brown silty sandy thinly laminated CLAY with occasional sand lenses. Soft to firm below 1.0m.		
1.20-1.30	D				1.50	Firm brown silty sandy thinly laminated CLAY with occasional sand lenses. Firm to stiff below 6.5m.		
1.50-1.95	U							
2.20-2.30	D							
2.50-2.95	U							
3.20-3.30	D							
3.50-3.95	U							
4.00-4.45	U							
4.70-4.80	D							
5.00-5.45	U				(7.50)			
6.00-6.10	D							
6.50-6.95	U							
7.50-7.60	D							
8.00-8.45	U							
8.70-8.95	U				9.00			
9.60-9.70	D							

Boring Progress and Water Observations						Chiselling			Water Added		GENERAL REMARKS
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Borehole dry. Borehole backfilled with arisings upon completion.

All dimensions in metres Scale 1:62.5	Client AVECIA	Method/ Plant Used	Logged By
--	-------------------------	-----------------------	-----------

HYMASLOG 15275.GPJ JTHYMAS.GDT 06/09/01



J. T. Hymas (Site Investigation) Ltd.
12 Yarm Road, Stockton on Tees
TS18 3NA

Tel 01642 607083
Fax 01642 612355

BOREHOLE LOG

Project AVECIA, Billingham				BOREHOLE No 3	
Job No 15275	Date 11-07-01	Ground Level (m)	Co-Ordinates ()		
Contractor Groundquest				Sheet 2 of 2	

SAMPLES & TESTS			STRATA					Geology	Instrument/ Backfill
Depth	Type No	Test Result	Water	Reduced Level	Legend	Depth (Thickness)	DESCRIPTION		
10.00-10.45	U						Stiff brown sandy CLAY with occasional gravel, predominantly fine to medium.		
11.00-11.10	D						Very stiff below 11.5m. <i>(continued)</i>		
11.50-11.95	U					(6.00)			
12.50-12.60	D								
13.00-13.45	U								
14.00-14.10	D								
14.50-14.95	U								
15.00	D					15.00			

Boring Progress and Water Observations						Chiselling			Water Added		GENERAL REMARKS
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Borehole dry. Borehole backfilled with arisings upon completion.

All dimensions in metres Scale 1:62.5	Client AVECIA	Method/ Plant Used	Logged By
--	-------------------------	-----------------------	-----------

HYMAS.LOG 15275.GPJ JTHYMAS.GDT 08/08/01

