



J. T. Hymas (Site Investigation) Ltd.  
12 Yarm Road, Stockton on Tees  
TS18 3NA

Tel 01642 607083  
Fax 01642 612355

**BOREHOLE LOG**

Project AVECIA, Billingham				BOREHOLE No <b>TP5</b>	
Job No 15275	Date 09-07-01	Ground Level (m)	Co-Ordinates ( )		
Contractor Groundquest				Sheet 1 of 1	

SAMPLES & TESTS			STRATA					Geology	Instrument/ Backfill
Depth	Type No	Test Result	Reduced Level	Legend	Depth (Thickness)	DESCRIPTION			
0.40-0.60	D				0.03	MADE GROUND: Gravel.			
					(0.37)	MADE GROUND: Pink grey sandy fine to coarse gravel of brick and concrete.			
					0.40	MADE GROUND: Firm grey black brown sandy CLAY with some fine to coarse gravel of slag and sandy ash.			
					1.10	Concrete floor at 0.8m depth.			
					1.20	Firm to stiff brown with grey veins slightly silty slightly sandy indistinctly thinly laminated CLAY.			

Boring Progress and Water Observations						Chiselling			Water Added		GENERAL REMARKS
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Trial pit backfilled with arisings upon completion. Trial pit dry. Concrete floor at 0.8m with brick sides. Trial pit extended past floor in one corner only.

HYMASLOG 15275.GPJ JTHYMAS.GDT 09/09/01

All dimensions in metres Scale 1:25	Client AVECIA	Method/ Plant Used	Logged By
--	------------------	-----------------------	-----------



