

From: [Hemsley, Tamara](#)
To: [White, Nicola](#); [Adamus, Aniela](#)
Cc: [Scott](#)
Subject: FW: EPR-BX1942IX-V004 Milegate Extension Landfill Site - We need more information about your application
Date: 05 September 2024 16:12:00
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)

Nicola, Aniela,

As discussed in my telephone conversation with Aniela on 15 August - in your gas risk assessment, you stated the following:

A yellow text on a white background Description automatically generated



You have cited the outdated 2014 version of AQTAG 14 as justification that your MCP screens out as it is under 5MW and you do not need to do a habitats assessment.

AQTAG 14 is a tool used by the environment agency when we assess your application to determine if no further investigation is required - it cannot be used as a justification for not undertaking a habitats assessment.

Therefore, please update your Air Quality Risk Assessment for habitats needs to be conducted in line with the Air Emissions Risk Assessment guidance:

[Air emissions risk assessment for your environmental permit - GOV.UK \(www.gov.uk\)](http://www.gov.uk)

Aniela previously stated that you would need 8 weeks to update the risk assessment. Therefore, please submit the updated risk assessment which includes habitats assessment by 31 October 2024 or earlier if possible - to allow the duly making of this application to progress. If you are able to respond earlier than the 31 October – please can you confirm the estimated date for planning purposes.

If you have any queries, please do not hesitate to contact me.

Kind regards

Tamara

From: Hemsley, Tamara
Sent: Thursday, August 15, 2024 5:03 PM
To: 'Adamus, Aniela' <aniela.adamus@wsp.com>
Cc: Scott <Scott@Sandsfield.co.uk>; White, Nicola <nicola.white@wsp.com>; Stalleicken, Julia <julia.stalleicken@wsp.com>
Subject: RE: EPR-BX1942IX-V004 Milegate Extension Landfill Site - We need more information about your application

Hi Aniela,

We do require all of the Habitats including local sites to be assessed. I will get back to you in early

September to discuss further how we are going to proceed with this.

Kind regards

Tamara


From: Adamus, Aniela <aniela.adamus@wsp.com>
Sent: Monday, August 5, 2024 9:37 AM
To: Hemsley, Tamara <tamara.hemsley@environment-agency.gov.uk>
Cc: Scott <Scott@Sandsfield.co.uk>; White, Nicola <nicola.white@wsp.com>; Stalleicken, Julia <julia.stalleicken@wsp.com>
Subject: RE: EPR-BX1942IX-V004 Milegate Extension Landfill Site - We need more information about your application

Hi Tamara,

Hope you are doing well.

We have now revised the Gas Risk Assessment to include the omitted habitat; please find the updated report attached. I noticed that you refer to Gas Management Plan in your email, but I believe we do not provide habitats assessment in that report. I assume the Gas Risk Assessment is the document you expect to be updated.

Many thanks,
Aniela



Aniela Ewa Adamus
Assistant Hydrogeologist
BSc, MSc (Hons), FG

+ 44 7581 009841

From: Hemsley, Tamara <tamara.hemsley@environment-agency.gov.uk>
Sent: Wednesday, July 31, 2024 10:19 AM
To: Adamus, Aniela <aniela.adamus@wsp.com>
Cc: Scott <Scott@Sandsfield.co.uk>; White, Nicola <nicola.white@wsp.com>
Subject: RE: EPR-BX1942IX-V004 Milegate Extension Landfill Site - We need more information about your application

Hi Aniela,

Regarding the response to question 2 below - all SPAs within 10km of the site need to be assessed for any potential air quality impacts. This extends to all sites within 10km even if there are closer habitats sites to the installation. Therefore, please respond to question 2 from 16 July – as follows:

1. Habitats

An additional SPA (Greater Wash) was found to be within the 10km screening distance, and therefore any potential impacts need to be assessed for this site. Please update the relevant documents, paying particular attention to the Landfill Gas Management and Monitoring Plan, ref 20148978.641/A.0. Guidance can be found here: [Air emissions risk assessment for your](#)

[environmental permit - GOV.UK \(www.gov.uk\)](http://www.gov.uk).

Please respond by 7 August or preferably earlier if possible.

Kind regards

Tamara Hemsley
Senior Permitting Officer
Mobile: 07770 792744

From: White, Nicola <nicola.white@wsp.com>

Sent: Tuesday, July 23, 2024 12:41 PM

To: Hemsley, Tamara <tamara.hemsley@environment-agency.gov.uk>

Cc: Adamus, Aniela <aniela.adamus@wsp.com>; Scott <Scott@Sandsfield.co.uk>

Subject: FW: EPR-BX1942IX-V004 Milegate Extension Landfill Site - We need more information about your application

Hi Tamara,

Please find below our response in relation to your two queries.

1. Thermal Input

We are uncertain as to the inconsistency in values you refer to as the thermal input values are not stated within Table GRA6 (reproduced below). For clarity, the 190 kW under the type of engine in the table refers to the Continuous Power (COP) rating of the proposal plant. The COP is the minimum power the engine can continually operate at, and is not the same as the thermal input of the proposed operations. As stated in our non-duly made response letter of 6 June, The MW thermal input of each engine has been calculated based upon the following equation taken from the Association of Manufacturers of Power Generating Systems (AMPS) method, referenced by Environment Agency guidance:

$$P_{th} = V \cdot H_g / 3.6$$

Where: P_{th} is the thermal input power (kW);

V is the micro-generator capacity (m^3/h); and

H_g is the heating value of gas taken from the Digest of UK Energy Statistics (DUKES) produced by the Department for Energy Security & Net Zero (DESNZ) (MJ/h).

Based upon the micro-generator capacity of up to 114 m^3/h from the engine specification (stated as the maximum of the range in table GRA6), and heating value of 19-23 MJ/ m^3 , the estimated MW thermal input for each engine would be between 0.602 and 0.728 MW, therefore the combined MW thermal input for the two engines would be between 1.204 and 1.456 MW. These two values are stated within the MCP spreadsheet as the range of thermal input.



2. Habitats

Thank you for providing details of the additional SPA, the Greater Wash, which we have considered the potential impacts to from the site operations. It is noted that this habitat lies 6.8 km to the east of the site, beyond the Hornsea Mere SPA which is 3.8 km to the east. The already assessed impacts of the site operations on Hornsea Mere are therefore bounding of (and would be greater than) impacts on the Greater Wash.

The Gas Risk Assessment assesses the impact on air quality from the Habitats within 10 km of the site, including Hornsea Mere (and therefore considered to be valid for the Greater Wash too). It has been completed in line with the EA guidance '*Air emissions risk assessment for your environmental permit*', and includes the required Tier 1 air quality screening assessment and Tier 2 Atmospheric Dispersion Modelling for emissions from the landfill surface, engines and flare, calculating Predicted Environmental Concentrations (PEC) for comparison with air quality standards.

Given the location of the Greater Wash, at greater distance from the site than Hornsea Mere, we consider the following conclusions also applicable for the Greater Wash SPA as stated in section 5.6 of the GRA:

'AQTAG014 (Guidance on identifying 'relevance' for assessment under the Habitats Regulations for PPC installations with combustion processes) provides supplementary

criteria based on the size of the combustion process and distance to European sites to identify those requiring detailed assessment. AQTAG014 concludes that installations where the size of the individual combustion process is less than $5 \text{ MW}_{\text{thermal}}$ do not require an assessment. The maximum volume of combusted landfill gas in 2036 has modelled to be $527 \text{ m}^3/\text{h}$ (95%ile). Assuming conservatively a CH_4 content of 70% the resulting maximum CH_4 flow to flare is $368 \text{ m}^3/\text{h}$. Assuming further a CH_4 density of $0.73 \text{ kg}/\text{m}^3$ and a net calorific CH_4 value of $13.6 \text{ kWh}/\text{kg}$ (<https://www.gov.uk/government/publications/greenhouse-gas-reporting-conversion-factors-2020>) this translates into a net calorific flaring input of $3.7 \text{ MW}_{\text{thermal}}$ at the maximum modelled flow rate. The combustion process is therefore not considered 'relevant' for assessment under the EA's procedures which cover the Conservation (Natural Habitats &c.) Regulations 1994 (Habitats Regulations) and no detailed assessment of the effect of the releases from the Site's flaring is required.'

The emissions from the landfill surface, engines and flares will be subject to the monitoring regime outlined in the Gas Management and Monitoring Plan, and therefore it is considered that the potential risks to the SPAs have been appropriately addressed in the documents already provided.

We trust that the above addresses your queries and we look forward to the duly-making of the Permit Application.

Kind Regards
Nicola



Nicola White

Associate - Hydrogeologist
BSc, MSc, FGS, MEnvSc

T+ 44 0 115 9371181
M+ 44 0 7825 080549

My working hours are Tuesday to Thursday 9.00 to 17.30
Upcoming extended leave: 26th July to 3rd September incl.

Confidential

This message, including any document or file attached, is intended only for the addressee and may contain privileged and/or confidential information. Any other person is strictly prohibited from reading, using, disclosing or copying this message. If you have received this message in error, please notify the sender and delete the message. Thank you. WSP UK Limited, a limited company registered in England & Wales with registered number 01383511. Registered office: WSP House, 70 Chancery Lane, London, WC2A 1AF.

From: Hemsley, Tamara <tamara.hemsley@environment-agency.gov.uk>
Sent: Tuesday, July 16, 2024 10:59 AM
To: White, Nicola <nicola.white@wsp.com>
Subject: EPR-BX1942IX-V004 Milegate Extension Landfill Site - We need more information about your application

Nicola,

Thank you for the additional information submitted by email on 09/07/2024.

Please note that there is no additional charge to pay for the MCP engines as this is already covered by the substantial variation charge. However, we do require additional information as follows before your application can be duly made:

1. Thermal Input

There is a discrepancy between the thermal input values quoted in the plant list spreadsheet and the Table GRA6: Modelled Flare and Engine Characteristics (pg 13, Landfill Gas Risk Assessment.) Please can you clarify the correct values.

2. Habitats

An additional SPA (Greater Wash) was found to be within the 10km screening distance, and therefore any potential impacts need to be assessed for this site. Please update the relevant documents, paying particular attention to the Landfill Gas Management and Monitoring Plan, ref 20148978.641/A.0. Guidance can be found here: [Air emissions risk assessment for your environmental permit - GOV.UK \(www.gov.uk\)](#)

Please respond by 23 July 2024.

Kind regards

Tamara

Tamara Hemsley BSc (Hons) MSc

Senior Permitting Officer (Waste Deposit Team)

National Per

mitting Service, part of National Services Environment & Business.

Environment Agency | Richard Fairclough House, Knutsford Road, Latchford, Warrington, WA4 1HT

Working days – Monday (half day - morning), Tuesday, Wednesday and Thursday

-

tamara.hemsley@environment-agency.gov.uk

Mobile: 07770 792744

Help us to improve our service and complete our customer survey – click [NPS Survey](#)

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

NOTICE: This communication and any attachments ("this message") may contain information which is privileged, confidential, proprietary or otherwise subject to restricted disclosure under applicable law. This message is for the sole use of the intended recipient(s). Any unauthorized use, disclosure, viewing, copying, alteration, dissemination or distribution of, or reliance on, this message is strictly prohibited. If you have received this message in error, or you are not an authorized or intended recipient, please notify the sender immediately by replying to this message, delete this message and all copies from your e-mail system and destroy any printed copies.

-LAEmHhHzdJzBITWfa4Hgs7pbKI

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked

to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.